

# PRODUCT GUIDE 2018



going beyond your limits





# CONTENTS

## **5 Removing flooring**

Stripping | Removing | Scraping

## **21 Preparing Subfloors**

Milling | Grinding | Polishing

## **47 Preparing Subfloors**

Stirring | Smoothing

## **57 Measuring Instruments**

Measuring devices | Test kit

## **66 Applying floors**

Cutting | Pressing | Milling | Welding

Linoleum | Vinyl | Rubber

Textile floors

## **91 Useful tools**

Work safety equipment | Straight edges | Knives | Blade

## **100 Cleaning and care**

## **103 Wood flooring**

Frank

## **111 Service**

Dear WOLFF-customers,

Our new product catalogue is in front of you.

Again this year, we have given everything to deliver first class and functional machines. Some of our products have been further developed and new products have been introduced into our range, such as the new wood saw PS 230.

Our goal with our products is to make your daily work easier and to stand by your side as a competent partner. For this we work with passion every day on the further development of our machines and special tools. The quality of our products and your satisfaction is our highest goal and incentive.

More than 70% of our products are designed and manufactured at our production site in Ilsfeld. For this we need reliable employees who give their heart every day. The number of employees at WOLFF has therefore almost doubled in recent years. With around 100 employees we provide everything for high-quality machines and tools every day.

Nothing is more important to us than your satisfaction with our services and products. You are our most important driver and help us to recognize new requirements at an early stage and to develop products that better fit your needs.

We look forward to a continued successful cooperation!



**Yours sincerely,  
Jürgen Rehmann**

*Head of Business Unit Wolff*




**Yours sincerely,  
Julian Utz**

*Head of Business Unit Wolff*

# REMOVING FLOORING

Stripping | Removing | Scraping



# ROBO-STRIPPER

- Remote control via cable
- Extremely manoeuvrable
- Dismantled for easy transportation
- striking mechanism with adjustable strike rate



## ROBO Stripper

The powerhouse from WOLFF

#73888

#74000

115V 230V

- easy blade replacement (integrated machine lift)
- dismantled for easy transportation
- zero hand vibration
- 2-hand remote control via cable
- extremely manoeuvrable
- 3-position blade angle
- rotation joint to provide a stable and level blade
- integrated transport castors with directional lock
- anchor points for secure transport and lifting

### Technical specifications:

supply voltage: 230 V/115V, 50 Hz, drive power: 2 x 0.9 kW, impact system power: 1.3 kW, impact system strokes: 3000 rpm, width of blade: 350 mm standard – 450 mm optional, weight: approx. 300 kg (can be disassembled), Speed: 0 to 30 m/min, performance: approx. 100-250 m<sup>2</sup>/h

## ACCESSORIES FOR ROBO-STRIPPER

### Twin wheels

Mountable with 3 screws to widen the track, for improved traction

#74215



### Special blade

U-shape 450 mm, Top cutting edge

#75010

U-shape 450 mm, Bottom cutting edge

#75011



### Special blades for removing floors

for multi-layer and massive parquet, with special deflector for the deflection of bigger pieces, only for ROBO-Stripper

350x150x3mm with deflector (Set)

#80359

spare blade 350x150x3mm

#79634

350x150x3mm, serrated, with deflector

#80358

spare blade 350x150x3mm serrated

#79635



### Locking device for torsion

Prevents the lateral tilting of the oscillator with narrow blades

#80274



**INFO:** Blades Robo-Stripper see page 12

# TURBO-STRIPPER



Control panel operation: All switches are easily accessible for more convenient operation



Angle and height adjustable handle



Weight can be adjusted into 3 positions



## Turbo-Stripper

Professional removal of any bonded floor covering

#43778

230V

#39087

115V

(UK)

#39086

115V

(US)

- also suitable for studded rubber, sport flooring and wooden flooring (with additional parquet stripper set #63754)
- 2.6 kW motor with starting current limiter
- self-propelled with hand-operated clutch for more convenient operation
- emergency stop button for safe operation
- detachable weight and handle for easy transportation
- USB connection in the switch housing

### Technical specifications:

230 V / 115 V, 2.6 kW, starting current limiter, max. working width 150-350 mm, 5,000 strokes/min, 157 kg, stripping capacity approx. 60-100 m<sup>2</sup>/h

### Includes:

Turbo-Stripper, 1 blade 350 x 60 x 1 mm, 1 blade 350 x 60 x 1.5 mm, 1 blade 200 x 60 x 1.5 mm, 1 blade 150 x 60 x 1.5 mm, 1 U-shape blade with top cutting edge, 1 U-shape blade with bottom cutting edge, tool kit, hearing protection, safety gloves, blade cover, extension cable



## ACCESSORIES FOR TURBO-STRIPPER

### Leather blade cover

Turbo- and Extro-Stripper

#33204



### Additional weight, 30 kg

For Turbo-Stripper, 1 pc.

#38535



### Running gear

For Turbo-Stripper

#62227



### Special blade

Heavy duty, angled, for heavy floorings, 350 mm.

For Stripper versions New

#39362

For Stripper versions Old

#15532



### Wood flooring stripper set

The perfect set for stripping wood flooring. An add-on to the Turbo Stripper

#63754

#### Includes:

Deflector for Turbo versions New

#63752

Undercarriage protection

#53415

Blade for multi layer parquet

#13982

Blade holder

#73389

Special blade (heavy duty)

#39362

Blade holder for deflector for Turbo versions New

#63753



**INFO:** Blades Turbo-Stripper see page 12

# EXTRO-STRIPPER



Control panel: All switches are easily accessible for more convenient operation



Height-adjustable handle



With pull-back system



## Extro-Stripper

The successor to the legendary Super-Stripper

#38588	115V - 230V	(UK)
#39121	115V - 230V	(US)
#39090	115V - 230V	(US)

- perfect combination of impact power and self-propulsion for maximum efficiency
- USB connection in the switch housing

The patented Pull-back-System automatically stops the machine when the handle is pulled back = fast and efficient operation on large areas + increased operating safety.

Sophisticated gear technology = extremely durable even under extreme working environments.

Robust impact system = accurate removal of flooring even under tough conditions.

### Technical specifications:

230 V/115 V, 2.6 kW, 5,000 strokes/min, weight 112 kg, weight of detachable hood 42 kg, blade width 350 mm, stripping capacity approx. 80 m<sup>2</sup>/h

### Includes:

Extro-Stripper, 1 blade 350 x 60 x 1 mm, 1 blade 350 x 60 x 1.5 mm, 1 blade 200 x 60 x 1.5 mm, 1 blade 150 x 60 x 1.5 mm, 1 U-shape blade with top cutting edge, 1 U-shape blade with bottom cutting edge, tool kit, hearing protection, safety gloves, blade cover, extension cable

## Pull-back-System

The pull-back system has been developed to make it easy to reverse the Turbo-Stripper, Extro-Stripper and Vario-Stripper Silent.

When you reach a wall or another obstacle while you are working, simply pull the handle to raise the driving wheels. The machine stops although the wheels continue to rotate.

Pull the handle harder to pull the machine back to where you want to start the next line.

Push the handle forward to lower the driving wheels back to the ground and the machine will start to move forward again.

When working, push the handle forward slightly to raise the small transport wheels.

## ACCESSORIES FOR EXTRO-STRIPPER

### Three star handle nut D 80 x M 10

for fixing the cover

#39189

### Special blade

Heavy duty, angled, for heavy floorings, 350 mm.

For Stripper versions New

#39362

For Stripper versions Old

#15532



### Leather blade cover

Turbo- and Extro-Stripper

#33204



### Running gear


for Turbo- and Extro-Stripper

#62227



**INFO:** Blades Extro-Stripper see page 12

# SPARE BLADES AND SPECIAL BLADES FOR ROBO-, TURBO- AND EXTRO-STRIPPER



## Spare Blades

### For textile

350 × 60 × 1,0 mm	10 pcs.	#13978
-------------------	---------	--------

### for multi-layer parquet

350 × 120 × 1,5 mm	1 pcs.	#13982
--------------------	--------	--------

### For linoleum, PVC and rubber floorings

200 × 60 × 1,5 mm	10 pcs.	#13980
-------------------	---------	--------

150 × 60 × 1,5 mm	10 pcs.	#13981
-------------------	---------	--------

350 × 120 × 1,5 mm	1 pcs.	#13982
--------------------	--------	--------

350 × 60 × 1,5 mm	10 pcs..	#13979
-------------------	----------	--------



## Special 350 mm U-shape blade

To simultaneously pre-cut and strip flooring. Ground on one side.

Top cutting edge	#13983
------------------	--------

Angled	#38933
--------	--------

## Special blades

350 x 120 x 3mm	#79636
-----------------	--------

## Special blades

350 x 120 x 3mm	#79637
-----------------	--------

## Special blades


for strongly bonded flooring 350/100 x 120 x 3mm	#79638
---	--------

## Special blades

for multi-layer parquet, also with HDF/MDF base 350 x 120 x 3 mm	#79639
---	--------

## Special blades

for flooring with fleece backing 350 x 60 x 1,5mm	#81205
--	--------



## BLADE SELECTOR FOR ROBO-, TURBO-, AND EXTRO-STRIPPER

Blades	350x60x1,0 (13978)	350x60x1,5 (13979) also available with U-shaped blades	350x120x1,5 (13982)	350x120x3 (79636)	350/200X120X3 (79637)	350/100x120x3 cogged (79638)	350x120x3 cogged (79639)	350x60x1,5 (81205) serrated edge
Floor covering								
Textile flooring with synthetic double back and woven goods	✓		✓					
Textile flooring with fleece- or foam backing								✓
CV covering in sheets	✓	✓	✓					✓
Vinyl flooring in sheets and tiles		✓						
Rubber flooring in sheets		✓						
Linoleum up to 2.5 mm in sheets and tiles		✓						
Linoleum with more than 2.5 mm				✓	✓		✓	
Linoleum with more than 3.5 mm				✓	✓		✓	
Solid wood flooring (10-22mm)					✓	✓		
Multilayer parquet with realwood stabilizing layer			✓		✓	✓		
Two layer parquet with MDF or HDF						✓		✓
End grain wood block flooring					✓	✓		
Glued and nailed chip-boards						✓		
Sport-composite flooring		✓		✓	✓			
Needle punch carpet		✓						
Ceramic tile (small)					✓	✓		
	Some of the blades with 1.5 mm thickness are also available in narrow sizes, especially for parts with strong bonding. This selector does not replace a detailed review of the circumstances on the construction site. Wolff does not claim any responsibilities for damages at the building or the tools that are based on incorrect use.							

# VARIO-STRIPPER Silent



Vario drive:  
Variable speed control  
up to 16 m/min



Height adjustable handle



Extremely quiet motor



## Vario-Stripper Silent

Extremely quiet stripper for use on medium-sized areas

#38764	115V - 230V	
#42453	115V	(UK)
#50202	115V	(US)

- removes PVC, linoleum and rubber floor coverings
- silent motor makes it possible to use the machine even during normal working hours (hospitals, office buildings)
- self-propelled machine and controls integrated into the top of the handle for great, convenient operation
- easy transportation thanks to detachable additional weight and handle
- Pull-back-System for safe operation in corners and along walls
- Vario drive: variable speed control between 2.5 and 16 m/min
- interchangeable blade adapters can be used to adjust to different floorings and working conditions
- USB connection in the switch housing

### Technical specifications:

230 V/115 V, 1.65 kW, 3,000 strokes/min, basic weight 107 kg (weight of basic machine 60 kg, additional weight of detachable hood 30 kg, weight of detachable handle 17 kg)  
Max. working width 250 mm, limiting speed 2.5-16 m/min, stripping capacity 30-70 m<sup>2</sup>/h, with starting current limiter

### Includes:

Vario-Stripper Silent, 1 blade 250 x 60 x 0.7 mm, 1 blade 250 x 60 x 1 mm, 1 blade 250 x 60 x 1.5 mm, 1 U-shape blade with top cutting edge, 1 U-shape blade with bottom cutting edge, tool kit, safety gloves, blade cover, extension cable

## ACCESSORIES FOR VARIO-STRIPPER

### Spare blades

#### For textile flooring.

250 × 60 × 0,7 mm	10 pcs.	#38765
250 × 60 × 1,0 mm	10 pcs.	#38766

#### For linoleum, PVC and rubber floorings.

250 × 60 × 1,5 mm	10 pcs.	#38767
-------------------	---------	--------



### Serrated blades

#### To remove floors with felt or fleece backing.

The serrated blade cuts the fibres perfectly. The blades are made of high-quality hardened and specially coated spring band steel with CNC controlled sharpening.

250 x 60 x 1 mm	#48401
-----------------	--------



### Special U-shape blade, 250 mm

To pre-cut and strip floor coverings simultaneously (for PVC and linoleum).  
Angled on one side.

Top cutting edge	#38768	Bottom cutting edge	#38932
------------------	--------	---------------------	--------



# DURO-STRIPPER



Ergonomic oval handle with foam grip



Can be operated handheld or as a floor unit with removal handle



Complete with wheel set for easier operation



## Duro-Stripper (with oval handle)

Number 1 worldwide for universal use on small to medium-sized areas

#13347

#15540 (UK)

#50070 (US)

- complete with wheel set for easier operation
- can be operated handheld or as a floor unit with height-adjustable handle
- rugged metal casing for heavy-duty use
- special bearings to reduce vibrations

### Technical specifications:

230 V/115 V, 2.0 kW, starting current limiter, max. working width 210 mm, 8,500 rpm, 16 kg

### Includes:

Duro-Stripper, wheel set, 1 blade 210 x 50 x 0.7 mm, 1 blade 210 x 60 x 1 mm, tool kit, hearing protection, safety gloves, blade cover

## Duro-Stripper VG (with adjustable grips)

Design with adjustable grips

(for further technical specifications and accessories see left)

#13348





## ACCESSORIES FOR DURO-STRIPPER

### Spare blades

#### For textile flooring.

210 × 60 × 0,7 mm 10 pcs.

#13344

#### For linoleum and PVC.

210 × 60 × 1,0 mm 10 pcs.

#13345



#### For linoleum, PVC and rubber floorings.

210 x 60 x 1,5 mm 10 pcs.

#13346

### Serrated blades

#### To remove floors with felt or fleece backing.

The serrated blade cuts the fibres perfectly. The blades are made of high-quality hardened and specially coated spring band steel with CNC controlled sharpening.

210 x 60 x 1 mm

#48402



### Metal carrying

#13349



### Spare wheel

#16151



# PRIMO-STRIPPER

- Light and manoeuvrable
- 2.0 kW consumption
- Ideal for working close to walls



## Primo-Stripper

Well-priced machine for universal use on small to medium-sized areas #82348

- can be operated handheld or as a floor unit with handle
- 2.0 kW motor with starting current limiter

### Technical specifications:

230 V/115 V, 2 kW, starting current limiter, max. working width 210 mm, 6,600 rpm, 13,5 kg

### Includes:

Primo-Stripper, 1 blade 210 x 60 x 1 mm, tool kit, hearing protection, safety gloves, blade cover

### Spare blades:

210 x 60 x 0,7 mm (for Textile), 10 pcs.	#13344
210 x 60 x 1 mm (for Vinyl), 10 pcs.	#13345
210 x 60 x 1,5 mm (for Linoleum, Vinyl, Rubber), 10 pcs.	#13346

### Serrated blade for Primo-Stripper

#### To remove floorings with felt or fleece backing.

The serrated blade cuts the fibres perfectly. The blades are made of high-quality hardened and specially coated spring band steel with CNC controlled sharpening.

Serrated blade 210 x 60 x 1 mm #48402

### Leather blade cover:

For Duro and Primo-Stripper #33203

## Primo-Stripper VG

With staggered handles #82349

# JUNIO-STRIPPER

- Handy and robust
- 1.01 kW consumption
- Ideal for working in small and restricted areas



Spare blade 200 mm



## Junio-Stripper

For removing small areas of textile floor coverings, foam or flooring residues and glass fibre wall coverings #16876  
#20819  
#50080

- allows you to work on spots which are hard to reach, - such as window sills, under radiators and on stairs
- perfect for areas near stairs or along walls
- includes carrying case

### Technical specifications:

230 V/115 V, 1.01 kW, max. working width 120/200 mm, 3.1 kg

### Includes:

Junio-Stripper, 1 blade 120 mm, tool kit, safety gloves, hearing protection, carrying case, blade cover

### Accessories:

Spare blades 120 mm, 10 pcs.	#13998
Spare blades 200 mm, 10 pcs.	#14000
Leather blade cover	#33199
Combi blade	#15519

115V 115V 230V

(UK)

(US)

# WOOD SAW PS 230

**NEW**

- — Powerful engine allows non-stop working
- — Adjustable cutting depth
- — Access for dust extraction



Image shows wood saw with adjustable distance piece

## Wood Saw PS 230

For fast and precise sawing of wooden floors, while standing.

#84919

- Powerful engine allows non-stop working
- Adjustable cutting depth from 0 - 60 mm
- Access for dust extraction

### Technical specifications:

230 V, 2.0kW, 6,500 rpm, Saw-blade diameter 230 mm, cutting depth 0 – 60 mm, diameter connecting piece 50 mm, weight 28 kg

### Includes:

HM-Blade Ø 230 mm, Tools for the saw-blade-change

### Accessories:

Distance piece Wood Saw	#85141
HM-blade Ø 230 mm	#85147

## ACCESSORIES FOR REMOVING FLOORING

### Ergo Cutter

Ideal tool for precutting strips to prepare for stripping. The long metal handle allows you to work while standing

Ergo Cutter	#62700	Ergo Cutter spare blades	#13421
-------------	--------	--------------------------	--------



### Carpet clamp

A great aid when removing bonded floorings. Extremely strong and high-quality aluminium. The ergonomic design protects hands and fingers. Tested to a pulling force of 200 kp


#13342



### Floor scraper

Very sturdy design, 300 mm wide, handle length 135 cm.

Floor scraper	#13934
Spare blade	#14001



### Hand scraper WOLFF

Working width 10 cm, incl. 5 blades.

Hand scraper WOLFF	#51505
Spare blades, 10 pcs.	#13617



### Professional hand scraper WOLFF

Working width 52 mm. Supplied without blades.

Professional hand scraper WOLFF	#65500
Straight blades (100 pcs.)	#13419



# PREPARING SUBFLOORS

Milling | Grinding | Polishing



# MAMBO EVO



Variable speed control



Angle adjustable handle



Height-adjustable wheels



## Monodisc grinding machine Mambo Evo

The incomparable allrounder for all your grinding, milling and polishing requirements!

#61804

115V 115V 230V

#62551

(UK)

#68952

(US)

- variable speed control from 150 to 450 rpm to match the abrasives perfectly to the grinding surface
- inner dust ring
- wood floor
- high torque for effective and fast operation, with high abrasion capacity and great power even at low speeds
- additional weight for increased abrasion capacity
- folding handle and detachable weight for easy transportation (dimensions when folded 55 x 40 x 88 cm)
- shock-absorbing disc holder
- height adjustable wheels

### Technical specifications:

230 V/115 V, 2.0 kW, limiting speed 150-450 rpm, working width 375-400 mm, weight 52 kg + 18 kg additional weight, with starting current limiter

### Includes:

Mambo grinding machine, protection and dust ring, additional weight 18 kg, hearing protection, comes without disc holder and suction kit

### Accessories:

Cleaning tank	#39709
Extension cable WOLFF (shown on p. 24)	#41811
Large dust ring	#20747
Large spare brush	#20993

# SAMBA

- Powerful machine
- Also suitable for wet cleaning
- Ideal for small to medium-sized areas



Image shows machine with suction kit



## Monodisc grinding machine Samba 1.7 kW

Versatile and very powerful machine for grinding screeds or compounds. Also suitable for wet cleaning wall-to-wall carpeting or for polishing hard floors

#56364

#65218

#63047

115V 115V 230V

(UK)

(US)

- thanks to the powerful motor and the attachable suction kit, subfloors can now be prepared without any problem
- low operating weight
- large range of discs and cleaning accessories provide the perfect solution for any task
- specially reinforced handle and durable steel gearwheels

### Technical specifications:

230 V/115 V, 1,7 kW, 154 rpm, 44 kg, working width 375/400 mm

### Includes:

grinding machine Samba, without suction kit and disc holder

### Accessories for Flamenco, Samba and Jive:

shown on p. 24

## ACCESSORIES FOR SAMBA, FLAMENCO, JIVE AND TANGO

### Additional weight

11 kg	#34097
-------	--------



### Suction kit plastic

Suction kit complete	#13503
----------------------	--------

#### consisting of:

Suction device	#35082
----------------	--------

Hose kit with T-piece	#14038
-----------------------	--------

Dust ring	#14039
-----------	--------

Brush ring	#15353
------------	--------



### Suction kit metal

Suction kit complete	#74177
----------------------	--------

#### consisting of:

Suction device	#35082
----------------	--------


Dust ring with extraction device	#72462
----------------------------------	--------

Hose kit for dust ring	#73385
------------------------	--------



### Paper filter bags 40 cm

40 cm, 10 pcs.	#13504
----------------	--------



### Paper filter bags 80 cm

80 cm, 5 pcs. (for machines from year of construction 2004)	#37299
---	--------



### Extension cable WOLFF

25 m, 2,5 <sup>2</sup>	#41811
------------------------	--------



### Cleaning tank

For wet cleaning with pads and brushes. The cleaning tank is attached to the guide rod of the grinding machine. Tank volume approx. 12 l.	#59831
---	--------



### Metal wheels

For retrofitting older models that are equipped with plastic wheels.	#83950
--	--------





# FLAMENCO

- Powerful machines
- Also suitable for wet cleaning
- Ideal for small to medium-sized areas



## Monodisc grinding machine Flamenco 2.2 kW

Versatile and very powerful machine for grinding screeds or compounds. Also suitable for wet cleaning wall-to-wall carpeting or for polishing hard floors

#56365

- thanks to the powerful motor and the attachable suction kit, subfloors can now be prepared without any problem
- low operating weight
- large range of discs and cleaning accessories provide the perfect solution for any task
- specially reinforced handle and durable steel gear-wheels

### Technical specifications:

230 V, 2.2 kW, 154 rpm, 44 kg, working width 375/400 mm

### Includes:

Grinding machine Flamenco, without suction kit and disc holder

Accessories: shown on p. 24

# JIVE

- Powerful machine, up to 2.2 kW
- 230 rpm
- Ideal for cleaning and polishing



## Monodisc grinding machine Jive 2.200 W / 230 U/min

Specially designed for cleaning and polishing

#56363

### Technical specifications:

Very efficient thanks to a high speed of 230 rpm and a 2.2 kW motor.

### Includes:

Grinding machine Jive without suction kit and disc holder

Accessories: shown on p. 24

# TANGO

- Powerful machine up to 1.0 kW
- Also suitable for wet cleaning
- Ideal for small areas



## Monodisc grinding machine Tango 1.0 kW

Versatile 1.0 kW machine with a broad range of applications

#56366

- grinding screeds and brushing screed or compounds
- sanding wood flooring and cork
- wet cleaning wall-to-wall carpeting and polishing hard floors

### Technical specifications:

230 V, 1.0 kW, 154 rpm, 41 kg, working width 375/400 mm

### Includes:

Grinding machine Tango, without suction kit and disc holder

Accessories: shown on p. 24

## GRINDING PLATES FOR MONODISC GRINDING MACHINES SUITABLE FOR OUR MODELS MAMBO, SAMBA, TANGO, FLAMENCO, AND JIVE

### Disc holder with sponge padding

For abrasive paper, HM grinding disc and abrasive gauze.

Diameter 375 mm	#13299	Diameter 400 mm	#13327
-----------------	--------	-----------------	--------

Spare sponge padding:

Diameter 375 mm	#13500	Diameter 400 mm	#13328
-----------------	--------	-----------------	--------



### Disc holder with felt

Diameter 375 mm

For abrasive paper	#13501	Felt padding	#13526
--------------------	--------	--------------	--------



### Disc holder accessories

Bolt with left-handed thread	#14044	Spring washer	#14043
Allen key SW 8	#14959		

### Abrasive gauze, 10 pcs.

Diameter	150 mm	406 mm
Grit 60	#33511	#12665
Grit 80	#33513	#12666
Grit 100	#33514	#12667
Grit 120	#33515	#12668
Grit 150	#33516	#12669
Grit 180	#33517	#13549



### Abrasive paper discs, double-sided, 10 pcs.


Diameter	375 mm	400 mm
Perforation	40 mm	25 mm
Grit 16	#50820	#51243
Grit 24	#13527	#13329
Grit 40	#13528	#13330
Grit 60	#13529	#13534
Grit	#13530	#13535
Grit 100	#13532	#13536
Grit 120	#13533	#13537



### HM grinding disc, double-sided

For grinding screed or compounds and for removing paint or floor residues. High grinding capacity.

Diameter	375 mm	400 mm
Grit 12	#33291	#33292
Grit 14	#50849	#50850
Grit 16	#13510	#13515
Grit 24	#13517	#13518
Grit 36	—	#38197



## GRINDING PLATES FOR MONODISC GRINDING MACHINES SUITABLE FOR OUR MODELS MAMBO, SAMBA, TANGO, FLAMENCO, AND JIVE

### Grinding plate with hard metal ring

The hard metal ring has the same function as the hard metal discs. However, the ring has a longer service life and offers more aggressive grinding. Well suited to removing old fleece residues.

Grit 16	#14254	Grit 24	#14255
---------	--------	---------	--------

#### Accessories:


Hard metal ring, grit 16	#14256	Hard metal ring, grit 24	#14257
--------------------------	--------	--------------------------	--------



### Flat steel brush disc

For scraping foam, felt or jute residues.  
For roughening self-spreading anhydrite screed and for industrial floor cleaning.  
Wire length 45 mm

#15738



### Brush cup plate

For removing the sintered layer of new anhydrite and magnesite screed

#15735

#### Accessories:

Brush cup set, 6 pcs.	#15736
-----------------------	--------

Mounting kit for brush cup set	#15737
--------------------------------	--------



### Multi grinding plate

For final polishing of wood floors and intermediate grinding of floor sealings.  
For 4 grinding discs, 150 mm. Incl. extra high brush ring (#40982),  
for use with grinding machine Mambo

#14023

#### Accessories:

Brush ring, high	#40982
------------------	--------



### Holding kit for perforated pads

#### Diameter 410 mm

For face grinding freshly installed wooden floors, intermediate grinding of varnish, renovating oiled surfaces and treating sealed wood floors (to remove dirt & dust). Also for matting varnished surfaces and treating engineered stone floors.

Holding kit incl.

Holding kit, complete 410 mm	#40607	Dust absorbing pad 410 mm	#42796
------------------------------	--------	---------------------------	--------



**Perforated pads, 10 pcs.**

Diameter	150 mm	410 mm
Grit 36	–	#40720
Grit 40	# 40775	#40741
Grit 60	#40776	#40742
Grit 80	#40777	#40743
Grit 100	#70754	#40744
Grit 120	–	#40745
Grit 150	–	#40746
Grit 220	–	#40747
Grit 320	#40778	#40748
Grit 400	–	#40749

**Disc holder for pads**

Diameter 400 mm

Disc holder for pads	#13300	Spare pad	#15739
----------------------	--------	-----------	--------

**Cleaning pads**

Diameter		150 mm	406 mm	406 mm	410 mm
Material thickness		10 mm	10 mm	20 mm	10 mm
Items		10 pcs.	10 pcs.	5 pcs.	10 pcs.
For high gloss polishing:	white	#33510	#12679	#12693	–
For waxing and polishing:	beige	#33509	#12676	#12680	–
For cleaning:	red	#33507	#34300	#34298	–
For basic/maintenance cleaning:	green	#33506	#12677	#12691	–
For abrasive cleaning of resilient floorings:	brown	–	–	#65080	–
For abrasive cleaning of ceramic floorings:	black	#33505	#12678	#12692	–
For oiling:		#33525	–	–	#33524
For renovation of PU coated surfaces:	gray	–	–	#80718	–



\* 150 mm pads for multi grinding plate (shown on p. 21)

**Perlon brush, hard**

With hard Perlon bristles for rough cleaning of hard flooring (linoleum, PVC, stone, ceramics) #13507

**Shampooing brush, Not shown**

With soft bristles to clean carpets #13506

**Corrugated wire brush**

For brushing and precleaning surfaces #13539

**Polishing brush, coir, Not shown**

For brushing and polishing hard flooring (linoleum, PVC, stone, ceramics) #13505

**Disc for natural stone**For cleaning natural stone floors.  
Not to be used on the monodisc grinding machine Mambo! #33209**Scrub brush, Not shown**

For maintenance cleaning of hard flooring with coarse or caked soiling #13508

## GRINDING PLATES FOR MONODISC GRINDING MACHINES FROM 1.7 KW

### Bush hammer milling plate Mambo

For removing hard coatings and even roughening of smoothed concrete surfaces. #82497

#### Accessories:

Bush hammer milling head #82560




### Grinding disc with 6 stones, grit 20

For grinding screed or compounds and for removing unevenness, paint or plaster residues. Suitable for grinding machines > 1.7 kW #13540

#### Accessories:

Stone, grit 20 #13490



### Milling disc with rotation principle

For preparing substrates of any kind. Not suitable for grinding machines < 1.7 kW #34284

#### Accessories:

Single milling module #34285

Gliding disc #34286

Wheel set per module, 12 pcs. #34288



### Hard metal (HM) milling plate disc

HM milling plates for removing thick layers of adhesive with fibre, felt or foam residues. Not suitable for grinding machines < 1.7 kW #13569

#### Accessories:

Milling module with HM plate #13550

HM plate (1 pc.) #13566



### Star wheel grinding disc

For roughening coatings and concrete as well as stripping sintered layers. For removing compounds on floorboards. With 3 milling heads. Not suitable for grinding machines < 1.7 kW #14243

#### Accessories:

Star wheels (set of 42 pcs.) #14244

Milling head #14245




### Grinding disc with diamond grinding heads

For grinding all common coatings, compounds and, in particular, concrete floors. Even extremely hard compounds can be ground without any problem. Not suitable for grinding machines < 1.7 kW #14248

#### Accessories:

Diamond grinding head, fan-type helical design #14249




### Basic grinding disc for diamond segments

400 mm diameter complete with segment holders for diamond segments. #51840



# DIAMOND GRINDING DISC NINJA

- Extremely effective diamond grinding plate for all kind of subfloors
- Segments are easy to change due to slide-in system
- Safe and easy application thanks to the diamond segment selector



## Diamond grinding disc Ninja





### Up-to-date, effective, simple

- extremely effective grinding disc for monodisc grinding machines
- high quality and long lasting segments
- unique WOLFF design
- easy change of the segments due to a slide-in system
- diamond segments for several applications

### Accessories:

Ninja complete with PCD Split segments	#68867
Ninja complete with PCD Scraper segments	#68866
Ninja complete with ES K20 segments	#68869
Ninja complete with BT K20 segments	#68868

**DIAMOND DISCS ARE SUITABLE FOR MONODISC GRINDING MACHINES  
150-500 RPM.**

<b>SEGMENT-SELECTOR</b>				
<b>Subfloor</b>	<b>BT K20</b> #68390	<b>ES K20</b> #68391	<b>PCD Split</b> #68389	<b>PCD Scraper</b> #68388
Please choose the right segments for your surface*				
	Allround segment for medium to hard and hard floors	Allround segment for soft to very soft floors	Removes adhesives and thin layers of levelling compounds and coatings	Aggressive segment with 3 PCD teeth for removal of thick adhesives, tile adhesives, jute and fleece backing, thicker layers of levelling compounds
Hard concrete or similar	●			
Cement screed		●		
Anhydrite screed		●		
Mastic asphalt		●		
Magnesia screed	●			
Epoxy layer, thin	●		●	
PU coatings			●	
Synthetic resin floorings			●	
Adhesive layers, thin, < 1 mm			●	●
Adhesive layers, thick, > 1 mm				●
Dispersion tackifier				●
Tile adhesives				●
Insulated cardboard			●	
Foam and fleece backing			●	●
Jute and synthetic secondary backing			●	●

\* Please read the instructions within the operating manual upon receipt of the goods.

# HANDHELD GRINDING MACHINE BS 125

- — Excellent grinding capabilities
- — Spindle lock for easy disc replacement
- — Anti-vibration handle



## Handheld grinder BS 125

Handheld grinding machine with excellent grinding capabilities

#80582

- Excellent grinding capabilities
- Softstart electronic and self-cutout carbon brushes
- Adjustable cover for detailed edge work and dust-free working
- Dust-proof rubber housing
- Anti-vibration handle
- Spindle lock for easy disc replacement

### Technical specifications:

230 V, 50 Hz, 1,5 kW, rotational speed: 11,000 rpm, Discs Ø: 125 mm, weight: 2.6 kg

### Includes:

Grinding wheel Ø 125 ES K20 black, carrying case, hearing protectors, safety goggles

# FLOOR GRINDING MACHINE BS 180

- — Works up to the edge
- — 180 mm working width
- — Versatile machine



## Floor grinding machine BS 180

Hand-operated grinder for preparing subfloors. Can work directly along walls

#15930

#20724

(UK)

Versatile machine to grind stairs, platforms or rail systems near edges, and along walls.

- comes with suction hood to work directly along walls
- removes unevenness as well as adhesive and paint residues
- comes with suction outlet and spring-loaded suction hood
- ensures high suction capacity
- incl. grinding disc ES K20

### Technical specifications:

230 V/115 V, 2.0 kW, 6,600 rpm, working width 180 mm, weight 9.5 kg

### Includes:

Floor grinding machine BS 180, tool kit, hearing protection, safety goggles, carrying case, 1 grinding disc ES K20

### Accessories:

Brush BS 180





#82650

Grinding disc ES K20

#75407



## BLADE SELECTOR

Subfloor	<b>BT K20 gold</b> 125 mm #72984 180 mm #75406	<b>ES K 20 black</b> 125 mm #72983 180 mm #75407	<b>PCD Split, silver</b> 125 mm #75404 180 mm #75408	<b>PCD Scraper, silver</b> 125 mm #75405 180 mm #75409
Please choose the right segments for your surface*	 <p data-bbox="507 667 708 741">Allround segment for medium to hard and hard floors</p>	 <p data-bbox="770 667 987 719">Allround segment for soft to very soft floor</p>	 <p data-bbox="1034 667 1251 770">Flakes of PCD remove adhesives and thin layers of levelling compounds and coatings</p>	 <p data-bbox="1297 667 1530 824">Aggressive segment with half-round PCD teeth, for aggressive removal of thick adhesives, tile adhesives, jute and fleece backing, thicker layers of levelling compounds</p>
Hard concrete or similar	●			
Cement screed		●		
Anhydrite screed		●		
Mastic asphalt		●		
Magnesia screed	●			
Epoxy layer, thin	●		●	
PU coatings			●	
Synthetic resin floorings			●	
Adhesive layers, thin, < 1 mm			●	●
Adhesive layers, thick, > 1 mm				●
Dispersion tackifier				●
Dispersion tackifier				●
Insulated cardboard			●	
Foam and fleece backing			●	●
Jute and synthetic secondary			●	●

\* Please read the instructions within the operating manual upon receipt of the goods.

## ACCESSORIES FOR BS 125 AND BS 180

### Grinding disc ES grit 20, black

For soft to very soft subfloors.

ø 125 mm	#72983
ø 180 mm	#75407



### Grinding disc BT grit 20, gold

All-round segment for medium to hard and hard subfloors.

ø 125 mm	#72984
ø 180 mm	#75406



### Grinding disc PCD Split, silver

For removal of adhesives as well as thin layers of levelling compounds and coatings.

ø 125 mm	#75404
ø 180 mm	#75408



### Grinding disc PCD Scraper, silver

For aggressive removal of thick adhesives, tile adhesives, jute and fleece backing, thicker layers of levelling compounds.

ø 125 mm	#75405
ø 180 mm	#75409



## ACCESSORIES FOR FLOOR GRINDING MACHINE BS 180

### Diamond grinding disc

For repairing concrete and removing coatings.

Diamond grinding disc, single row	#15932	Diamond grinding disc, double row	#15933
-----------------------------------	--------	-----------------------------------	--------



### Diamond grinding disc Raptor

Extremely aggressive diamond grinding disc to remove very tenacious old flooring residues such as epoxy and other coatings. **Suitable for removal only!**


#15953



### HM grinding disc

To remove adhesives and levelling compounds.

HM grinding disc, 180 mm, grit 16	#15934	HM grinding disc, 180 mm, grit 24	#15935
-----------------------------------	--------	-----------------------------------	--------



# FLOOR GRINDING MACHINE NEO 230

- Working close to edges
- Height adjustable allows working in an upgrade position
- Dust-free operation



## Floor grinding machine Neo 230

	#74650	115V 115V 230V
Floor grinding machine for small and medium surfaces	#74895	(UK)
	#75382	(US)

- ideal for surfaces from 30 to max. 50 m<sup>2</sup> and for working close to edges
- integrated skirt for dust-free operation
- three adjustable motor positions for working closer to the edge
- floating skirt follows the contours of the floor
- height adjustable and folding handle
- diamond segments easy to replace

### Technical specifications:

Supply voltage: 230 V/115 V, 50 Hz, motor output: 2.0 kW, speed: 1500 rpm, working width: 230 mm, weight: 45.2 kg, suction connection: 50 mm

### Includes:

Neo 230, disc holder for 4 diamond segments, hearing protection, extension cable, without grinding segments

# FLOOR GRINDING MACHINE **NEW**

## NEO 400

- Grinds up to walls and edges
- Especially for huge surfaces
- Efficient dust-extraction



### Floor grinding machine Neo 400

Floor grinding machine for medium and large areas

#76970

#80765 (US)

- For huge surfaces
- Efficient and aggressive removal
- Height adjustable
- Track widening
- Suction ring with brush
- Connecting piece Ø 50 mm
- Stabilizer wheel allows easy movement of the machine on soft surfaces
- New with an additional inner brush ring and two suction nozzles

#### Technical specifications:

Supply voltage: 400 V, Motor output: 4,0 kW, Speed: 1500 rpm, working width: 400 mm, total weight: 95 Kg, suction connection: 50 mm

#### Includes:

Neo 400, additional weight 15 Kg, disc holder for 12 diamond segments, hearing protection, operating manual, spare parts list, spirit level, without grinding segments

#### Accessories:

Extension cable	#15960
Brush below for suction ring	#77175
Additional weight complete	#72225
Stabilizer wheel	#83702

## DIAMOND SEGMENTS FOR SPECIAL APPLICATIONS. ALL SEGMENTS SUITABLE FOR MONODISC GRINDING MACHINES UP TO 1500 RPM

### Diamond grinding plate, ES - For preparing screed

For grinding and removing sintered layers of screed and for removing thin paint layers on soft mineral substrates. Each of the diamond plates are 400 mm in diameter and are ready fitted with 6 diamond segments of one type.

Diamond segment SC 20	#56306	Diamond segment SC 60	#56309
Diamond segment SC 40	#56308		



### Diamond grinding plate, BT - For preparing concrete substrates

For grinding concrete, coatings and high-grade compounds and for removing thin paint layers on hard substrates. Each of the diamond plates are 400 mm in diameter and are ready fitted with 6 diamond segments of one type.

Diamond segment SS 20	#48038	Diamond segment SS 60	#56303
Diamond segment SS 40	#48041		



### Diamond grinding plate, PCD

For aggressive removal of polyurethane varnishes, compounds and tile adhesives.

**Not suitable for rolled asphalt screeds.** Each of the diamond plates are 400 mm in diameter and are ready fitted with 6 diamond segments of one type.

PKD segment	#48028
-------------	--------



### Diamond grinding plate, PCD splinter

For removing thin epoxy resin layers, paint, synthetic resin, polyurethane and dispersion adhesives.

Suitable for removing fleece backing and textile double backing. **Not suitable for soft screeds.**

Each of the diamond plates are 400 mm in diameter and are ready fitted with 6 diamond segments of one type.

Diamond grinding plate, PCD splinter	#48751	PCD splinter segment	#48036
--------------------------------------	--------	----------------------	--------



### Conversion kit for diamond grinding plates delivered up to 04/2008

For diamond grinding plates delivered up to 04/08 when the above listed segments are used (5 sets are required normally). Includes: Segment holder complete with mounting elements

#48957

**Includes:** Segment holder with mounting elements



### PCD Ultra XT

Segment with 5 straight PCD, but without support segment. For extreme hard residues of levelling compounds, adhesives and coatings. More aggressive, especially for removing thick layers

#75366



### PCD Ultra

Segment with 5 straight PCD and support segment. For extreme hard levelling compounds, adhesive residues and coatings

#75364



### PCD Scraper XT

Like the PCD Scraper but without support segment. For removal of thick layers of levelling compounds and adhesives

#75365



### PCD Cone

Segment with 2 round PCD. For easy removal of cementitious adhesives and levelling compounds

#75367



## ACCESSORIES FOR NEO 400

### Bush hammer milling plate Neo 400

#82557

For removing hard coatings and even roughening of smoothed concrete surfaces.

#### Accessories:

Bush hammer milling head

#82560



## ACCESSORIES FOR SIGMA 550

(in WOLFF-range until 05/2017)

### Bush hammer milling plate Sigma


#82302

For removing hard coatings and even roughening of smoothed concrete surfaces.

#### Accessories:

Bush hammer milling head

#82562



**Sigma PKD Segment Super A**

With five straight PCD. For aggressive removal of adhesive residues and levelling compounds #72268


Sigma PKD Segment Super A Protect #72269

**Sigma PCD segment, hard gold**

For aggressive removal of adhesive residues and levelling compounds. Provides a variety of options required for grinding. #66214

**Sigma PCD segment soft gold**

For more careful removal of adhesive residues and levelling compounds. Provides a variety of options required for grinding. #66213

**Sigma diamond segment single, grit 6, purple**

A rough segment to remove various polyurethane- or epoxy-based finishes. Works well on hard surfaces. #66177

**Sigma diamond segment single BT, grit 16, silver**

Standard segment for concrete. To remove thin layers of paint and adhesives. The segment creates a coarse-textured surface. #66178

**Sigma diamond segment single ES, grit 16, silver**

Standard segment for soft to very soft surfaces (screed). #69452

**Sigma diamond segment single BT, grit 25, gold**

For efficient grinding of concrete flooring before applying primers and coats. #66179

**Sigma diamond segment single ES, grit 25, gold**

For particularly efficient grinding of screed flooring before #69453 applying primers and coats. #69453

**GRINDING VISIBLE AND WEARING SURFACES (GREY, BROWN, BLACK)****Sigma diamond segment double, grit 40-50, grey**

Finer segment for grinding concrete flooring. To remove thin paint layers. Also used for pregrinding before grinding with the brown diamond segment (#66211). #66180

**Sigma diamond segment double, grit 80, brown**

Finer segment to grind concrete, compounds, natural stone and terrazzo. Also used for pregrinding before grinding with the black diamond segment (#66212). #66211

**Sigma diamond segment double, grit 120-200, black**

To grind concrete, natural stone and terrazzo floors to achieve a smooth surface. To create a non-gloss surface. #66212



# CT 200

- Ideal for small to medium-sized areas
- 2.0 kW consumption
- Variable tool insert



## Floor milling machine CT 200

Floor milling machine with a wide range of applications

#13641

- for everything from removing residues to heavy milling jobs
- handy and compact machine for heavy-duty use
- precise adjustment of milling depth
- industrial vacuum cleaner connection for low dust extraction

### Technical specifications:

230 V, 2 kW, working width 200 mm, dimensions (H x L x W) 970 x 800 x 360 mm, weight 52 kg, milling capacity 10-30 m<sup>2</sup>/h (depends largely on the type of flooring, type of tool used and milling depth of machine), suction connection 50 mm

### Includes:

Floor milling machine CT 200, hearing protection, **without milling drum**

### Accessories:

Shafts for milling drum CT 200, set of 4 pcs.	#13646
Extension cable WOLFF, 25 m	#41811
Starting current limiter, external	#13639

## Milling drum CT 200 with milling blades

To roughen concrete. To remove old residues of adhesive, compounds or paint on hard, solid substrates!

**Not to be used on free floating screed**

#13642

Milling blade set for CT 200, 76 pcs.

#13643

Intermediate disc set for milling drum CT 200, 76 pcs.

#13644



## Milling drum CT 200 complete with peeling blades

To remove old residues of adhesive, compounds or coatings on soft substrates and floating screeds

#13648

Peeling blade set for CT 200, 40 pcs., 10 mm

#13649

Intermediate disc set for peeling blade drum CT 200, 72 pcs.

#13650



## Milling drum CT 200 complete with star-shaped blades

To remove thin paint layers and roughen metal surfaces

#38923

Star-shaped blade set for CT 200, 356 pcs.

#38924

Milling drum CT 200 (not shown) without blades

#13645





# SCREED JOINT CUTTER EF 135

- Variable depth adjustment
- Allows dust-reduced cutting and efficient work progress
- Very handy



## Screed joint cutter EF 135

Tool for time-saving and dust reduced cutting of cementitious based substrates. Ideal for stress induced joints and expansion joints. The perfect solution for clean, precise and efficient working

#68679

230V

#81340

(UK)

- cutting depth up to 35 mm
- variable depth adjustment
- cutting disc guide
- very versatile
- efficient dust extraction
- rollers allow convenient cutting

### Technical specifications:

230 V/115 V, 1.4 kW, 12,000 rpm, cutting depth 35 mm, weight approx. 5 kg

### Includes:

Screed joint cutter EF 135, DIA cutting disc Ø 135, connecting piece for industrial vacuum cleaner, protective goggles, hearing protection, tool kit

### Accessories:

DIA cutting disc EF 135	#68602
Carrying case	#84759
Wave connector PU 1.000 pcs.	#13932
Wave connector PU 100 pcs.	#13878



# STARVAC MI55



Fully automatic filter cleaning



1.38 kW consumption



Wet and dry vacuum cleaner



## Starvac MI55

**Compact and powerful vacuum cleaner  
for wet and dry cleaning**

#60800

- fully automatic filter cleaning through patented system
- variable speed control
- fully electrically conductive system including electrically conductive suction hose (4 m)
- casters, suction hose and extra flexible electric cable (7.5 m),
- leaving no marks
- dust class M

### Technical specifications:

(H x W x L) 580 x 380 x 870 mm, weight 17.5 kg, inlet 35 mm, hose length 4 m (electronically conductive and leaves no marks), max. air volume 140 m<sup>3</sup>/h, max. pressure 22.00 kPa, mains voltage 220-240 V, max. consumption 1.38 kW, 54 L container capacity

### Includes:

Starvac MI55, suction hose (4 m), suction wand, paper filter bag, wet/dry floor nozzle 300 mm, crevice nozzle, connecting piece for power tools (3 pcs.), drainage hose, 54 L container

### Accessories:

Suction wand	#60944
Suction hose, 4 m	#60951
Floor nozzle	#60947
Aluminium floor nozzle, 370 mm	#62162
Crevice nozzle	#60950
Filter bags (5 pcs.)	#60948
Wet and dry vacuum cleaner filter	#61933
Dry vacuum cleaner filter	#60949
Starvac disposal bags (10 pcs.)	#62697
Membrane filter	#62562

# POWERFUL PRE-SEPARATORS

- Powerful and constant suction power
- Particle separation rate up to 99%
- Suitable for many electrical machines



## Pre-separator

Powerful pre-separator, which can filter out large amounts of coarse dirt and fine dust, even before vacuuming. It is suitable for wood flooring- and monodisc grinding machines, saws, hand-held sanding machines, many other electrical machines and it can even be used for vacuuming in connection with a floor nozzle.

#72916

- constant suction power
- vacuum cleaner and filter are protected
- particle separation rate up to 99%
- non-marking wheels
- easy disposal using standard rubbish bags

### Technical specifications:

weight 8,9 kg, size Ø 40 x 90 cm, hose length 1,2 m, capacity 30 l

### Includes:

Cyclone separator completely assembled, dirt container, hose 1.2 m (#73102)

### Application note:

The pre-separator is connected between the vacuum cleaner and machine

## Pre-separator antistatic – especially for wooden dust

Powerful pre-separator which can filter out large amounts of coarse dirt and fine dust even before vacuuming.

#82215

- Constant suction power
- Protection of vacuum cleaner and filter
- Separation efficiency up to 99% of the particles
- Easy emptying with standard garbage bags
- Static conductive hose and cyclone
- Due to static conductivity especially suitable for wooden dusts

### Technical specifications:

Weight 10 kg, size Ø 50 x 106 cm, hose length 1,5 m, capacity 50 L

### Includes:

Cyclone completely assembled, dirt container, hose 1,5 m (#82202)

### Application note:

The pre-separator is connected between the vacuum cleaner and machine

# VACUCLEAN 2

- Large surface area
- Dirt can be removed quickly
- Semi-automatic filter cleaning



## Vacuclean 2

**High-performance industrial vacuum cleaner for coarse dirt and dust with a large filter surface area and lever emptying function**

#81148

#84073

#84074

(UK)

(UK)

- Large cartridge filter with 2 m<sup>2</sup> filter surface area (dust class M)
- Semi-automatic and highly efficient filter cleaning system using powerful air blasts for a long service life
- The vacuum display allows you to continuously monitor whether the appliance is functionally perfectly and to detect possible clogging of the filter
- Dirt can be removed quickly, safely and hygienically using the lever emptying function on the mobile collection container
- A HEPA filter is available as an optional accessory
- Very strong PU-hose

### Technical specifications:

(H x W x L) 590 x 480 x 1010 mm, weight 35 kg, hose length 5 m, voltage 230 V, power 2,3 kW, air volume 360 m<sup>3</sup>/h, max. pressure 25 kPa, filter dust class M, container capacity 20 l

### Includes:

Vacuclean 2, reducing piece 50/38, 5 meter PU-hose 50 mm, suction tube, floor nozzle 430 mm

### Accessories:

Connection piece 50 mm	#81990
Floor nozzle 38 mm	#81618
Flat nozzle	#83178
Reducer	#81626
Suction tube	#81620
Hose connector	#13338
Replacement hose 5 m	#13337
Replacement brush for floor nozzle 430 mm	#83446
Standard filter class M	#81613
Filter PTFE	#81615
Filter H14 / HEPA	#81616
Cone nozzle	#81627

Vacuclean 2 HEPA

#82452

# VACUCLEAN 2 LP

- reliable and safe removal of dirt and dust
- lift function facilitates transport
- semi-automatic filter cleaning



## Vacuclean 2 LP

High-performance industrial vacuum cleaner Vacuclean 2 with Longopac system for removing coarse dirt and dust reliably and safely. With a lift function to lower the suction unit to facilitate transport of the appliance.

#81149

#83727

#81706

 115V - 115V - 230V  
 (UK)  
 (US)

- Large cartridge filter with 2 m<sup>2</sup> filter surface area (dust class M)
- Semi-automatic and highly efficient filter cleaning system using powerful air blasts for a long service life
- The vacuum display allows you to continuously monitor whether the appliance is functionally perfectly and to detect possible clogging of the filter
- lift function to lower the suction unit
- 22 meter endless hose
- Very strong PU-hose

### Technical specifications:

(H x W x L) 590 x 480 x 1200 mm, weight 38 kg, hose length 5 m, voltage 230 V, power 2,3 kW, air volume 360 m<sup>3</sup>/h, max. pressure 25 kPa, filter dust class M

### Includes:

Vacuclean 2 LP, reducing piece 50/38, 5 meter PU-hose 50 mm, suction tube, floor nozzle 430 mm, endless hose, cable clip

### Accessories:

Connection piece 50 mm	#81990
Floor nozzle 38 mm	#81618
Flat nozzle	#83178
Reducer	#81626
Suction tube	#81620
Hose connector	#13338
Replacement hose 5 m	#13337
Replacement brush for floor nozzle 430 mm	#83446
Dustbag endless	#81629
Cable ties	#81628
Standard filter class M	#81613
Filter PTFE	#81615
Filter H14 / HEPA	#81616
Cone nozzle	#81627
Vacuclean 2 LP HEPA	#82453

# T-REX

- — Vacuums coarse dirt
- — 3.5 kW consumption
- — Accessories can be selected individually



## T-Rex

**Powerful industrial vacuum cleaner for both coarse dirt and fine dust. Use our sets to create a customised vacuum cleaner!**

#13314

- vacuums coarse dirt, pieces of debris or fine dust from grinding
- manual shaking unit for easy cleaning of the fabric filter
- 50 litre dirt container can be removed and emptied easily
- the industrial vacuum cleaner comes on rugged running gear with large wheels for convenient mobility
- works effectively and powerfully with a hose length of up to 15 m

### Technical specifications:

230 V, 3.5 kW, 50 L container, air suction capacity 570 m<sup>3</sup>/h, suction power, filter surface 3 m<sup>2</sup>, weight 65 kg, power cord 10 m, dimensions 58 x 60 x 125 cm, 25 kPa

### Includes:


T-Rex vacuum cleaner

### Accessories:

T-Rex absolute filter	#51152
Fine dust filter	#14261
Suction hose 50 mm, length 5 m	#13337
Suction wand 50 mm	#13335
T-Rex roller nozzle	#13336
TS 40/T-Rex 50 mm end fitting	#13339
T-Rex 50 mm connecting piece	#13340
Hose damp 40 - 60 mm	#13445
T-Rex suction nozzle, round	#14262
Hose connection 50 mm	#13338
Roller nozzle brush set	#56026
<b>Connecting kit, 50 mm, consisting of:</b>	<b>#48376</b>
- TS 40/T-Rex, diameter 50 mm end fitting	#13339
- T-Rex 50 mm connecting piece	#13340
- Hose clamp, 40 - 60 mm	#13445
<b>Hose kit, 70 mm, consisting of:</b>	<b>#48373</b>
- Suction hose, 70 mm diameter, 15 m	#48371
- 70 mm end fitting	#14273
- 70 mm diameter connecting piece (T40 & T-Rex)	#14268
- Hose clamp, 60 - 80 mm	#14269
- Connecting adapter 70/50	#61802
<b>T-Rex 70 mm add-on nozzle consisting of:</b>	<b>#14263</b>
- Add-on nozzle brush set	#14264
- Add-on nozzle rubber lip	#14265

# PREPARING SUBFLOORS

Stirring | Smoothing



## Mixer Power X 1000

1.010 1-speed gear mixer #83924

- Robust 1-speed gear unit
- Ergonomic handle
- M14 thread
- For mixing fluid mortar (e.g. levelling compounds)

### Technical specifications:

230 V, 1010 W, 0 - 780 rpm, thread M14, max. diameter for mixer: 120 mm, weight: 4,5 kg

### Includes:

Power X 1000, Mixer Type KR 120 S/M14

### Accessories:

Extension 200 mm #68353



**NEW**

## Mixer Power X 1600

1.600 Watt 2-speed-transmission with adjustable Speed. #84169

- Robust 2-speed gear unit
- 1600 W 2-speed transmission with 3 steps
- Ergonomic handle on drive unit
- Solid-shaft electronics: Soft-start, temperature control, overload protection
- For mixing fluid and viscous mortar (e.g. levelling compounds)
- Perfect for mixing big containers up to 75 kg (in combination with WOLFF stirring station 75l)
- Combined mixer for floor layers
- M14 thread

### Technical specifications:

230V, 1600 W, idle speed 1. gear: 10/325/530 rpm, idle speed 2. gear 320/490/780 rpm, M14 thread, max. diameter for mixer: 160 mm, weight ca. 5 kg

### Includes:

Power X 1600, mixer Type KR 140 S/M14

### Accessories:

Extension 200 mm #68353



**NEW**

## Extension


200 mm #68353



## Stirrer, MK type

Rugged professional stirrer with long service life. 3 mixing wings for fast mixing. Great mixing from bottom to top. Machine pod with M14 thread.

Stirrer, MK type 120 mm #13604




## Stirrer, KR type

Easy to clean. Suitable for very viscous adhesives or seals and gypsiferous or bituminous materials. Ideal for compounds. Prevents clotting.

Stirrer, type KE 90S #13605

Stirrer, type KE 120S #13606

Stirrer, type KE 120S (M14 thread) #17057





### 30 L transportation caddy including

To mix up to 30 kg of powder products.

#65846

- 2-stop tip system for perfect balance
- suitable for all common 30 L buckets

#### Includes:

Transportation caddy base frame, 30 L mixing bucket

#### Accessories:

Transportation caddy base frame

#65848

30 L mixing bucket

#65847

Pouring spouts

#15829



### Stirring station, 75 litre, complete

Complete stirring station to mix up to 75 kg of powder products

#65480

- 2-stop tip system for perfect balance
- perfectly matched tools
- suitable for all types of stirring machine thanks to special mounting

#### Includes:

Base frame, mixing bucket 75 L, mounting, stirrer for stirring station, hose holder

#### Accessories:

75 L stirring station base frame

#65481

75 L stirring station mounting

#65491

75 L stirring station stirrer

#65492

75 L stirring station mixing bucket

#65493

75 L stirring station hose holder

#65494



### Stirrer for 75 L stirring station

Large double-wing stirrer to mix up to 75 kg of powder products

#65492



### Mixing bucket 110 l

New enlarged mixing bucket with a capacity of 110 litres.  
For mixing light screeds

#83248

#### Accessories:

Mixer Type MK 160 mm

#13611


**NEW**

### Ripper

Dust-reducing opening aid for levelling compound.  
To clip on the 30l WOLFF mixing bucket.

#84094



### Swiss trowel

500 mm

#56204



### Adhesive trowel

With a 280 mm insert

#56205



### Smoothing trowel

280 x 135 mm

#56203



### Grinding stone

To grind compounds and screed.

Grinding stone

#13493



### HM grinding stone

For rough grinding or to remove residues.  
Contains hard metal splinter for aggressive use.  
Angled work surface for grinding along walls.

HM grinding stone, grit 24

#15718

HM grinding stone, grit 18

#15719



# FLOW-FIX-SET

**NEW**



## Flow-Fix-Set

Tap for quick and ergonomic deployment of the levelling compound on the floor

#84137

- Can be mounted on the mixing bucket with the drill provided
- In combination with the WOLFF Caddy, the levelling compound in the mixing bucket can be emptied easily and precisely to the ground
- Ideal for WOLFF mixing bucket 30 l (# 65847)

### Includes:

Flow-Fix, hand borer

# WATER DOSING DEVICE

**NEW**



## Water dosing device

Simple and quick dosing of a previously defined amount of water when mixing screeds / levelling compounds. Ideal for mixing large quantities.

#84917

### Includes:

Water dosing device, Transportation case, two water connections (compatible with the Gardena-connection), 230 V power supply

### Technical data:

Operating voltage range: DC 24V ± 8V / 1A Operating voltage range solenoid valve: DC 12V, Max. Water quantity solenoid valve: 0,3- 10l/min, water pressure 0,5 - 4 bar, dimension accuracy +/- 0,05 l

### Accessories:

Tripod

#84920

### Adhesive interchangeable spatula, 28 cm with handle

- to apply adhesive while standing #65495
- special hinge imitates movement of the hand
- easy to clean thanks to special design

#### Includes:

Universal telescopic handle, adhesive interchangeable spatula, handle bracket

#### Accessories:

Replacement smoothing compound rake	#65496
Universal telescopic handle	#65497
Handle bracket	#67983



### Smoothing compound rake, 56 cm with handle

- to apply smoothing compounds while standing #65501
- special hinge imitates movement of the hand
- easy to clean thanks to special design

#### Includes:

Universal telescopic handle, smoothing compound rake, handle bracket

#### Accessories:

Replacement smoothing compound rake	#65502
Universal telescopic handle	#65497
Handle bracket	#67983



### Large area rake, 60 cm with handle

- to apply smoothing compounds while standing #65503
- adjustable pins for height adjustment
- special hinge imitates movement of the hand

#### Includes:

Universal telescopic handle, large area rake, handle bracket

#### Accessories:

Replacement large area rake	#65504
Universal telescopic handle	#65497
Replacement pins for large area rake, 1 pair	#65505
Handle bracket	#67983



### Universal telescopic handle

- to work ergonomically while standing #65497
- suitable for various attachments
- can also be used with spike rollers with special adapter
- adjustable length from 97 cm up to 170 cm

#### Includes:

Universal telescopic handle, large area rake, handle bracket

#### Accessories:

Adapter for spike rollers	#65499
---------------------------	--------



## Spike rollers

For ventilating compounds and coatings.  
Splash guard included.

Working width:	25 cm	50 cm	75 cm
Pin length, 11 mm	#13879	#13762	#14270
Pin length, 21 mm	#14272	#14021	#14271
Pin length, 31 mm	#13637	#13636	#13638
<b>Accessories:</b>			
Universal telescopic handle (shown on p.48)			#65497
Adapter for universal telescopic handle (shown on p. 48)			#65499



## Rake

To apply smoothing compounds. Mount for wooden handle to work while standing. Working width, 56 cm. Rake insert with R2 profile included. Adhesive profiles, 56 cm, 10 pcs.	#52298
R1 profile	#13397
R2 profile	#13396
R3 profile	#51546



## Pin rake

To apply smoothing and levelling compounds and coatings. Allows working in an upgrade position. Width 600 mm, with 4 pins and stainless steel blade for level adjustment to any application depth between 0 and 10 mm. Includes stick holder, without stick.	#79742
--	--------



## Pin leveller

With mounting sleeve for handle or telescopic pole, angular steel mounting piece with exchangeable steel blade, 100 mm high, 0.6 mm thick, 2 adjustable pins for level adjustment to any application depth between 6 and 30 mm. Working width 800 mm	#13658
Steel blade	#13659
Spare pins, 2 pcs.	#13660



## Nylon roller, 20 mm

For applying floor adhesives, bituminous coatings, polyester coatings, two-component varnishes and acidproof coatings. Extremely rugged and solvent resistant. **Without roller handle.**

Nylon roller	#13763
Roller handle	#15551



## Super fine foam roller, 20 mm

For applying varnishes and coatings; suitable for synthetic enamels, acrylates, primers and prevarnishes. CFC-free polyester foam. **Without roller handle.**

Super fine foam roller	#15552
Roller handle	#15551



## Roller container

For storing used application rollers.  
Effectively prevents the roller drying out.

Roller container	#41789
------------------	--------



## Ergostar spatula - the No. 1!

- ergonomic, resilient grip
- no rivets used to fix the grip channel, allowing for easier cleaning

Ergostar spatula, 21 cm	#41784
Ergostar spatula, 28 cm	#41787



## Interchangeable spatula

For use with WOLFF adhesive profiles.

Interchangeable spatula, 21 cm	#13378
Interchangeable spatula, 28 cm	#13381



## Adhesive spatula

Working width:	18 cm	25 cm
Adhesive spatula, A1 profile	#13761	#15569
Adhesive spatula, A2 profile	#13876	#13886
Adhesive spatula, B1 profile	#13877	#13841
Adhesive spatula, B2 profile	#15566	#15570
Adhesive spatula, B3 profile	#15567	#15571
Adhesive spatula, B11 profile	#38622	#39923
Adhesive spatula, w/o profile	#15568	#15572



## Height levelling spatula

With adjustable stop for height compensation. For use with WOLFF adhesive profiles

#15582



## Solid board notched trowel

Special notched trowel with B11 notches and 2 raised notches

#65656























## Sample collection

For WOLFF adhesive profiles in accordance with TKB

#51771



WOLFF adhesive profiles, double sided, in accordance with the „Technical Commission on Construction Adhesives“ (TKB) 10 pcs., delivered in a plastic box								
Image in original size	TKB					Width 21 cm	Width 28 cm	Width 56 cm
	A1	0,50	1,50	1,10	55°	#13367	#13382	–
	A2	1,30	1,70	1,40	55°	#13373	#13388	–
	A3	0,40	1,60	1,50	45°	#13374	#13389	–
	A4	0,40	1,10	0,75	55°	#13375	#13390	–
	A5	1,45	1,35	1,00	55°	#13376	#13391	–
	B1	2,60	2,40	2,00	55°	#13370	#13385	–
	B2	2,00	3,00	2,55	55°	#13371	#13386	–
	B3	3,30	3,70	3,25	55°	#13372	#13387	–
	B9	9,90	6,10	5,00	60°	-	#33754	–
	B11	7,90	6,10	5,00	60°	#13380	#13399	–
	R1	1,50	4,00	3,00	–	#13400	#13402	#13397
	R2	2,00	4,00	5,00	–	#13401	#13403	#13396
	R3	2,40	5,00	6,00	–	–	–	#51546
	S2	0,10	4,20	3,35	60°	#13404	#13410	–
	S3	0,10	2,50	1,75	65°	#13409	#13413	–
	S4	0,10	10,30	5,05	90°	#13379	#13398	–

## Levelpin

Self-adhesive height-measurement markers for levelling compounds and screeds #80040



## Nail shoes

For walking on coated or filled substrates and surfaces #51549

### Includes:

Nail shoes, set of spare nails, 2 spare straps #53091



## Nail shoes Spiky

For walking on coated or filled substrates and surfaces

### Includes:

Nail shoes Spiky size M, for size 42 (8) and smaller #80454

Nail shoes Spiky size L, for size 42 (8) - 44 (10) #80455

Nail shoes Spiky size XL, for size 44 (10) - 48 (15) #80456

Spare nails Spiky (packaging unit 32 pieces) #80457

Spare nails round (packaging unit 32 pieces) #83464




## Copper band

For applying conductive flooring. To discharge electrostatic charge.

Roll 50 m #13594

Roll 200 m #13595

Self-adhesive roll 2 cm x 25 m #54874



## Corrugated links

To fix down flexible joints and repair cracks in the subfloor.  
For friction-based sealing of expansion joints, e.g. with UZIN KR-516.  
70 mm long, 2 mm wide.

Corrugated link, 1,000 pcs. #13932


Corrugated link, 100 pcs. #13878





# MEASURING INSTRUMENTS

Measuring devices | Test kit



# HYGROMETER UNIVERSAL V1-D4 PROFESSIONAL



## Hygrometer Universal V1-D4 Professional

- designed for moisture measurement of subfloors
- non-invasive moisture test method with high measuring accuracy
- real-time display of measurements on easy to read display
- suitable for preliminary checks to determine the dryness of materials for CM and RH measurements
- RF-Measurement possible by additional air sensor

#71053

### Constraints:

Moisture Meter VI-D4 does not detect concrete humidity through electricity conducting materials like metal coverings/ linings, PE-rubber or any wet surfaces. It should not be used to measure concrete humidity on covered surfaces.

### Technical specifications:

Dimensions: 147 x 89 x 33mm, power supply: battery supply, 2 x AA 1.5 Volt, display: black-white with background lighting, resolution 128 x 64 pixel, operating temperature range from 5°C to 40°C, accuracy:  $\pm 0.5\%$ , available scales: concrete, carbide method, relative scale and 15.3 Scale, IR surface temperature sensor

### Includes:

Measuring instrument V1-D4 Professional, batteries, case, operating instructions

# HYGROMETER UNIVERSAL V1-D4 BASIC



## Hygrometer Universal V1-D4 Basic

- Basic version of the Hygrometer V1-D4
- For technical details see selector on page 61

#83113

### Constraints:

see V1-D4 Professional

### Technical specifications:

Dimensions: 147 x 89 x 33mm, power supply: battery supply, 2 x AA 1.5 Volt, display: black-white with background lighting, resolution 128 x 64 pixel, operating temperature range from 5°C to 40°C, accuracy:  $\pm 0.5\%$ , available scales: concrete, carbide method, relative scale, 15,3 scale. Without IR surface temperature sensor.

### Includes:

Hygrometer V1-D4 Basic, batteries, case, operating instruction

## ACCESSORIES HYGROMETER UNIVERSAL V1-D4 PROFESSIONAL

### Brush electrodes set BE-03

for measuring screed moisture over 2 holes

#73618



### Flat electrodes set FE-04

can be introduced to edge insulation strips, for detecting moisture under the floating screed

#73619



### Pinhead measuring electrode PP-05

for the moisture measurement of wood

#73772



### Air sensor with cable CS-06

for the determination of temperature, humidity and dew point

#73773



### Air sensor with cable CS-10

For the determination of temperature, humidity and dew point. Remains in the borehole. Is delivered with #73775

#83665



### Sealable sleeve for air sensor

locking device for the borehole to measure the relative humidity in concrete (RFT / KRL method) unit 20 pcs.

#73775



### Resistor measured sample (Set) CE-07

for measuring resistance and measuring conductivity

#73774



## Thermohygrometer LVT 15 Professional

- can be used for measurements of the air temperature, the surface temperature and the relative humidity (RH)
- calculates the dew point
- also features a connection for the thermocouple (type K) for additional measurement of the surface temperature
- visual and acoustic alarm when temperature changes between the surface temperature and material temperature occur

#71055

### Technical specifications:

Power supply: battery supply, 2 x AA 1.5 Volt, current consumption: 34 mA, dimensions: 146 x 79 x 26 mm (H×W×D), display: monochrome with background lighting, resolution 128 x 64 pixel, operating temperature range from 5°C – 40°C, < 80% of relative humidity without condensation

### Includes:

Measuring instrument LVT 15, batteries, case, operating instructions, surface probe OF-02

Surface probe OF-02 Professional

#71057

### Accessories:

Submersible probe TF-01

#71056



## Thermohygrometer LVT 15 IR

- Measurement of air temperature and relative humidity
- Calculation of the dew point
- Surface temperature measurement without additional sensor
- due to the built-in infrared sensor
- Visual and audible alarm at temperature differences
- For technical details see Selector p. 62

#83115

### Technical specifications:

Power supply: battery supply, 2 x AA 1.5 Volt, current consumption: 34 mA, dimensions: 146 x 79 x 26 mm (H×W×D), display: monochrome with background lighting, resolution 128 x 64 pixel, operating temperature range from 5°C – 40°C, < 80% of relative humidity without condensation, with built-in infrared sensor.

### Includes:

Thermohygrometer LVT 15 IR, batteries, case, operating instruction



## Moisture meter GM-200

- for measuring moisture of concrete, gypsum, cement
- moisture measurement of wood
- non-invasive moisture measurement
- compact and ergonomic design with non-slip rubber grip
- quick and convenient measurement due to adjustable display orientation
- custom alarm limit, with acoustic signal


#71054

### Technical specifications:

Dimensions: 142 x 79 x 24 mm, power supply: battery supply, 2 x AA 1.5 Volt, display: monochrome, with 128x63 pixel resolution and background lighting, display orientation, operating temperature from 5°C to 40°C

### Includes:

Measuring instrument GM-200, batteries, case, operating instructions



## V1-D4 BASIC



# 83113

## V1-D4 PROFESSIONAL



# 71053

MEASURING RANGE	V1-D4 BASIC	V1-D4 PROFESSIONAL
Concrete	0 - 6 % H2O	0 - 6 % H2O
Cement screed	0 - 4 % CM	0 - 4 % CM
Cement screed	0 - 6 % H2O	0 - 6 % H2O
Anhydrite screed	0 - 1.9 % CM	0 - 1.9 % CM
Anhydrite screed	0 - 3.5 % H2O	0 - 3.5 % H2O
Relative scale	0 - 100 %	0 - 100 %
IR surface temperature sensor	-	-30 - +250 °C
Caisson scale	0.3 - 15.3	0.3 - 15.3
AVAILABLE SCALES		
Concrete mass weight %	✓	✓
Cement screed CM %	✓	✓
Cement screed mass weight %	✓	✓
Anhydrite screed CM %	✓	✓
Anhydrite screed mass weight %	✓	✓
Relative scale	✓	✓
Caisson scale	✓	✓
IR temperature sensor	-	✓
Wood moisture by wood type	-	✓
Resistance measurement (Ohm-Scale)	-	✓
CONNECTIONS		
3.5 mm Jack connection	-	✓
Mini USB connection	-	✓
ACCESSORIES		
#73618 Brush electrodes set BE-03	-	✓
#73619 Flat electrodes set FE-04	-	✓
#73772 Pinhead measuring electrode PP05	-	✓
#73773 Air sensor with cable CS-06	-	✓
#83665 Air sensor with cable CS-10	-	✓
#73775 Hose for air sensor	-	✓
#73774 Set for resistance measurement	-	✓
Includes		
Measuring instrument V1-D4	✓	✓
Batteries	✓	✓
Case	✓	✓
Operating instruction	✓	✓

## LVT 15 IR



# 83115

## LVT 15 PROFESSIONAL



# 71055

MEASURING RANGE	LVT 15 IR	LVT 15 PROFESSIONAL
Air temperature	-10 - +50 °C	-10 - +50 °C
Humidity	5 - 99 %	5 - 99 %
Dew point	-30 - +100 °C	-30 - +100 °C
IR surface temperature sensor	-30 - +250 °C	-
Surface probe OF-02	-	✓
Submersible probe TF-01	-	OPTIONAL
ACCESSORIES		
#71056 Submersible probe TF-01	-	✓
Includes		
Measuring instrument LVT 15	✓	✓
Surface probe OF-02 (#71057)	-	✓
Batteries	✓	✓
Case	✓	✓
Operating instruction	✓	✓

## Substrate test kit

Contains all the equipment needed to test substrates and carry out all moisture tests in preparation for CCM measurement.

#79320

### 1. Thermohygrometer LVT15 IR (see page 58)

The LVT 15 can be used for measurements of the air temperature, the surface temperature and the relative humidity (RH) as well as to calculate the dew point.

### 2. Screed moisture indicator GM-200 (see page 58)

For measurement of moisture content of screed, gypsum, cement, EPS and wood.

### 3. Scratcher (see page 61)

Set consists of scratcher, scratch template and protective bag.

### 4. Measuring wedge (see page 61)

To measure the lowest point between 2 support points of the straightedge. Measuring wedge can be read from above.

### 5. Practical accessories

Hammer and wire brush.

#### Includes:

Systainer, thermohygrometer LVT 15 IR, screed moisture indicator GM-200, scratcher, hammer, measuring wedge, wire brush.



## Measuring wedge

To measure the lowest point between 2 support points of the straightedge. Measuring wedge can be read from above

#13628



## Subfloor strength tester

Using the scratch method, parallel lines are scratched into the floor at an angle of #13803 40-60°. The scratched grid and the torn-out parts of the floor are used to assess the strength of the floor

#13803

**Includes:** Tester, scratch template, protective bag



# LASER-DISTANCE-ANALYSER PT 400

NEW



## Laser-Distance-Analyser PT 400

- Suitable for measuring distances, surfaces, as well as volume and Pythagoras calculations
- Single and permanent measurements
- Measuring range: 0.05 - 40 m (Measuring distance up to 40 m)
- Small and compact

#84428

### Includes:

Laser-Distance- Analyser, battery, carrying bag, hand loop, manual

# PAINT-CHECKER

NEW



## Paint-Checker

Device to analyse colours in a previously defined colour range.

The results of the Analysis is based on two systems: Two colours, closest to the chosen colour range, as well as the percent of the RGB-colour range, the colour consists of

#84761

### Following colour-range for the colour measurement:

- RAL Effect, RAL Design & RAL Classic
- Pantone
- NCS
- PPG Chromatic
- PPG Voice of Colours
- Caparol 3D System
- SIKKENS 5051

### Includes:

Paint-Checker, batteries, plastic-case



## CCM instrument WOLFF

**Complete set with all instruments required to measure the moisture content.  
Comes with metal carrying case**

#13486

### Includes:

Lump hammer 1000 g, hammer, flat chisel, sampling spoon short, cleaning brush, mechanical sample scale up to 100 g, ball set with 4 steel balls, grinding bowl, 2 sample cups with lid, set of sundries with seals, calibration ampoules, set of 25 carbide ampoules, calibrated standard pressure bottle with surface thermometer, weighing bar for precision spring scales, mechanical manometer up to 2,5bar, stopwatch, metal case

## CCM Set ECO

### Includes:

#65431

Lump hammer 1000 g, flat chisel, sampling spoon short, cleaning brush, digital sample scale up to 200 g, ball set with 4 steel balls, grinding bowl, 2 sample cups with lid, set of sundries with seals, calibration ampoules, set of 25 carbide ampoules, calibrated standard pressure bottle with surface thermometer, weighing bar for precision spring scales, ECO manometer up to 1,6bar with lid, metal case



## CCM-instrument Alu Business Pro

**Complete set in blue aluminium case, including log printer**

#84546

### Includes:

Lump hammer 1000 g, hammer, flat chisel, sampling spoon short, cleaning brush, digital sample scale up to 200 g, ball set with 4 steel balls, grinding bowl, 2 sample cups with lid, set of sundries with seals, calibration ampoules, set of 25 carbide ampoules, calibrated standard pressure bottle with surface thermometer, digital manometer up to 3bar, log printer, aluminium case

### Accessories for all CCM-instruments:

Carbide phials 25 pcs.	#74554	Seal rings (3 small + 3 large rings)	#15872
Carbide phials 100 pcs.	#13662	Ball set, 4 pcs.	#14019
CM pressure gauge	#15874	Smashing bowl	#18372
Digital CM pressure gauge	#15876	Digital scale	#16256
Test phials, 10 pcs.	#14020	Spring scale	#15873



## PressoMess shear strength measuring instrument

**Special measuring instrument for assessors and reviewers from the flooring industry**

#16273

To measure the shear strength of substrates, such as screed, compounds and wooden material.

- shear strength is measured with a hydraulic sensor
- shear strength can be read off the display
- tested by the Materials Testing Institute at the University of Stuttgart
- (MPA Stuttgart, Otto Graf Institute (FMIPA))
- max. test load 5 kN

### Includes:

PressoMess, distance template, hand-held spatula, mixed adhesive, 20 pairs of wooden blocks, carrying case


### Accessories:

Supporting blocks, 100 pcs.	#13922
Test blocks, 100 pcs.	#13923
Mixed adhesive	#13926




# APPLYING FLOORS

Linoleum | Vinyl | Rubber | Textile floors | Wooden floors




# LINOCUT

- The original!
- Comes with 2 bases for more versatile usage
- With depth stop



Base plate for removing factory-cut edges #13449



Base plate for reverse cutting #60676

## Linocut seam cutter

Improvement on a classic tool. Perfect seams for all resilient and needle punch floor coverings. Different base plates for a range of applications!

#40262

- patented technology
- excellent design
- straight cut without straight edge
- ergonomic handle for easy use
- cuts from wall to wall
- two blades to cut in both directions
- cuts the top edge and uses the bottom edge as guide
- can be used on material placed into wet adhesive
- extremely safe
- seam width and depth can be easily adjusted

### Includes:

Linocut, standard base metal sheet 2 mm guide, base for needle punch carpet 4 mm guide, 10 spare blades (2 already mounted)

Spare blades, 10 pcs.

#13429

### Base plates for additional applications:

Standard base 2 mm guide

#13430

Carpet base 8 mm guide

#13432

Needle punch base 4 mm guide

#13431

Base plate for removing factory-cut edges

#13449

**The edge cutting width can be adjusted from 1.5 - 6 cm in three steps.** Suitable for all versions of the Linocut.


### Base plate for reverse cutting

#60676

To use the Linocut as a reverse cutter for scribing resilient floor coverings up to PVC skirting. Suitable for all versions of the Linocut.

# GREENCUT

- Incl. 2 bases for more application possibilities
- With depth stop
- Suitable for right and left-handed users



## WOLFF GreenCut

Practical multi-purpose device

#63998

- for cutting seams
- for neat trimming of factory-cut edges
- incl. 2 bases for needle punch and resilient floor coverings
- all-metal construction
- suitable for right and left-handed users

### Includes:

GreenCut seam and edge cutter, 4 mm guide, 2 mm guide, 3 feeders (5 mm, 10 mm, 15 mm), spacer, 10 hooked blades, 10 straight blades

### Spare blades:

Straight blades (100 pcs.)



#13419


Hooked blades (100 pcs.)



#13421

# RAILCUT

- — For perfect seam cutting
- — Height-adjustable blade
- — Practical and ergonomic



## Railcut

**New tool from WOLFF for perfect seam cutting.**  
The seam cut is made using a rail at the ideal angle of 90° to the floor covering.

#69864

- allows making a perfect seam with resilient floor coverings for example, rubber and vinyl as well as soft textile coverings
- also usable as strip cutter
- height-adjustable blade (0 – 15 mm)
- practical and ergonomic shape for comfort
- 1.40 m anti-slip rail
- rail can be extended
- suitable for right and left handed users

### Includes:

Railcut, 1.40 m anti-slip rail, 10 straight blades

### Accessories:

Spare rail with connector (1.40 m)

#69877

Straight blades (100 pcs.)

#13419

# DESIGN COLLECTION

- — The best tools for installing design floors
- — Proven thousands of times
- — In useful Tanos carrying case
- — Now including Pica-dry marker!



## Design Collection

The complete set for installing design floors. Comes with practical Tanos carrying case for an easy and safe transportation.

#74843

- Perfect seams
- Chamfering the backside of the flooring
- Duo pressure roller to press the seam
- Easy and safe transportation in Tanos carrying case

### Includes:

Linocut seam cutter, FasTrimmer for chamfering the floor backing, Duo pressure roller, Pica-Dry marker, mitrebox shears for design floor, Tanos carrying case

### Accessories:

Tanos carrying case

#74844

## Strip cutter

For cutting strips, e.g. PVC skirting, stairs, borders and factory- cut edges.

For 0 - 8 cm strips	#13350
---------------------	--------

For 3 - 20 cm strips	#13351
----------------------	--------

For 6 - 30 cm strips	#13352
----------------------	--------


### Accessories:

Spare blades, 5 pairs	#13353
-----------------------	--------

Web, 5 pcs.	#13947
-------------	--------

Conversion kit, to use hooked blade	#13354
-------------------------------------	--------

Hooked blades, 100 pcs.	#13421
-------------------------	--------



## Electric strip cutter for linoleum and PVC

LS 35 (35 cm cutting width)	#15661	
	#20669	(UK)
	#68957	(US)

LS 65 (65 cm cutting width)	#16148	
	#68958	(US)

Ideal for cutting heavy or thick material.

For cutting PVC skirting, stairs, borders and factory- cut edges.

### Technical specifications:

1.01 kW, 10,000 rpm, HM saw blade, max. strip width 35 cm / 65 cm,  
max. material thickness 6 mm

### Includes:

LS 35/LS 65, tool kit, protective goggles, hearing protection, dust bag

### Accessories:

Saw blade	#15662
-----------	--------



## Linoleum edge cutter

For trimming the factory-cut edge to remove stress along seams #15605 or transportation damage

#15605

### Includes:

Linoleum edge cutter, 2 blades

### Accessories:

Spare blades, 5 pcs.

#13358



## Circular cutter

**WOLFF circular cutter and scriber for resilient, textile, laminate and solid wood flooring**

#15626

For precise cutting or scribing of circles and circle segments with a diameter of up to 260 cm - over 28 m with extension rails.

- precise, reproducible circles
- fixed with suction cups
- quick radius adjustment
- scribing or cutting
- exact depth adjustment of the blade

### Includes:

Professional circular cutter, Plexiglass disc with adhesive strips, extension rails up to 130 cm radius, pencil, spare blades, carrying case

### Accessories:

Spare blades, 6 pcs.

#15625

Extension rails up to 4.86 m radius

#15629

Connecting piece for top segment

#15627

Adapter for corner and wall radius. To create a circle segment centred on a wall corner or a point along a wall

#15631

Joint groover for circular cutter

#15628


Spare blade

#13427





# DESIGN CUTTER WO 330



## Design Cutter WO 330

#72661

- fast and precise
- quiet and dust-free
- portable and light weight

### Technical specifications:


Blade width 330 mm, max. material thickness 16 mm, max. object width 320 mm, assembled size 650 x 460 x 500 mm, weight 9.34 kg

### Accessories:

Spare blade for WO 330

#72752

# DESIGN CUTTER WO 630



## Design Cutter WO 630

#72663

### Technical specifications:



Blade width 630 mm, max. material thickness 16 mm, max. object width 630 mm, assembled size 520 x 740 x 520 mm, weight 18.8 kg

### Accessories:

Spare blade for WO 630

#72776

# PRESSURE ROLLERS FOR FLOORING



## Pressure rollers for flooring

With carrying handles for more convenient transportation.

- each roller consists of 4 rollers that adjust perfectly to the floor
- the extremely narrow spaces between the rollers to avoid blistering

Pressure roller, 30 kg

#56401

Pressure roller, 50 kg

#56402

Pressure roller, 68 kg

#56403

### Accessories:

Wheels for transportation

#56404



### Pressure roller for floor coverings

Ideal for rolling all types of floor coverings within small to medium-sized areas. The rollers adapt to uneven floors. The surface pressure can be changed by the user. Can be used for right and left handed users.

#15834



### Rubbing device

- lightweight, handy tool for grinding floor coverings, especially for stairs and edges
- Rounded edges: no scratches of wall and floor coverings
- Suitable for edges with 45° und 90°

#83734



### Duo pressure roller

For rolling the seam of resilient and textile floor coverings #73709 into the adhesive.

#73709



### Glide with removable felt coat and handle

Lightweight glide for convenient operation while standing. Ideal for textile and resilient floor coverings. 40 cm width, zinc plated.

#62694

#### Includes:

Glide with handle, felt coat

#### Accessories:

Felt coat for glide

#61201



### Rubbing hammer

Forged in a single piece

#13619



### Cork rubbing board

30 x 12 x 2,5 cm

#60505



## FasTrimmer

To create a chamfered edge of 25° to the surfaces of LVTs and design floor coverings after they have been cut. Comes with a base for fast chamfering on the surface and backing of design floor coverings

#15621

### Includes:

FasTrimmer, base, carrying bag, 6 spare blades

### Accessories:

Base for chamfering the floor backing of PVC tiles and design floors as well as removing rough edges

#15622

Spare blades, 6 pcs.

#15625



## FasTrimmer

Comes with a base for **chamfering floor backings** and cleaning rough edges.

#15623

### Includes:

FasTrimmer, base for chamfering floor backing, carrying bag, 6 spare blades

### Accessories:

Spare blades, 6 pcs.

#15625



## Combi scriber

For scribing and cutting resilient floor coverings.  
Can be used as scriber and reverse scriber.

#13357

### Includes:

Combi scriber, 2 scriber needles for linoleum and 2 pointed blades for PVC and rubber (in the handle)

### Accessories:

Scriber needles, 20 pcs.

#13356

Spare blades, 5 pcs.

#13358



## Seam scriber

For scribing resilient floor coverings. Adjustable scriber needle

#13355

### Accessories:

Scriber needles, 20 pcs.

#13356



## Stair scriber

For scribing stair flooring

#15620

### Accessories:

Scriber needles, 20 pcs.

#13356



## Wall scriber

For scribing resilient floor coverings to the wall.  
The distance from wall can be set from 2 cm to 35 cm

#16145

### Accessories:

Scriber needles, 20 pcs.

#13834



# FRÄSMASTER

- Automatic depth control
- Electronic speed control
- Can be used on very uneven substrates



Example of automatic depth control

## Joint grooving machine Fräsmaster The No. 1!

The powerful WOLFF floor joint groover  
with hard metal grooving disc

#13305

#15711

#50159

115V 115V 230V  
(UK)  
(US)

- automatic depth control to ensure full grooving of joints even on uneven substrates
- comes with adjustable guiding wheel, e.g. for grooving studded rubber floors
- faster and more powerful thanks to improved power transmission
- improved extraction for low dust emission
- hand guard when machine is raised to prevent accidents
- easily changeable grooving discs
- simple setting of grooving depth up to 5 mm
- 3 wheels for stability
- floor surface will not be damaged as the grooving disc recesses automatically when the handle is lifted
- integrated electronic starting current limiter for a soft start

### Technical specifications:

230 V/115 V, 1.5 kW, 6,000 - 10,000 rpm, soft start, semicircular HM grooving disc 3.3 mm, 12 teeth, diameter 130 mm

### Includes:

Fräsmaster, HM grooving disc 3.3 mm, tool kit, dust bag, protective goggles, hearing protection, Systainer box

Accessories see Fräs junior

# FRÄSJUNIOR

- — Up to a depth of 5 mm
- — Excellent extraction
- — Versatile



## Joint grooving machine FräsJunior

	#56092	115V 230V
For grooving all types of resilient flooring	#15712	(UK)
	#50160	(US)

- easy grooving setup up to a depth of 5 mm
- perfect three-point support to prevent wedging
- clean start using the dive-in principle
- improved extraction

### Technical specifications:

230 V/115 V, 1.5 kW, 8,000 rpm, semicircular HM grooving disc 3.3 mm, 12 teeth, diameter 130 mm

### Includes:

FräsJunior, HM grooving disc 3.3 mm, tool kit, dust bag, protective goggles, hearing protection, Systainer box

### Accessories Fräsmaster and FräsJunior:

Elliptic grooving disc, 3.8 mm	#13459
Combi grooving disc, 5 mm	#13461
Elliptic diamond grooving disc, 130 mm, 4 teeth, 3.8 mm	#13460
Semicircular HM grooving disc, 3.3 mm	#21208

# REPAIR-GROOVING MACHINE

○ Milling width 6 mm

○ automatic depth control #



Example of automatic depth control

## Repair-grooving machine

Milling cutter for safe and precise milling of welding cords and fusion wires.

#76859

- for the rehabilitation of defective welds
- Milling width 6 mm
- automatic depth control guarantees full formation the routing groove even on uneven surfaces
- For further machine description, see Fräsmaster

### Technical specifications:

230 V, 1500 W, 6.000 – 10.000 rpm, grooving disc 130 x 6 mm, suction device 30 mm, max. grooving depth 0 - 5 mm

### Includes:

Repair-grooving machine, HM grooving disc 130 x 20 x 6 straight Z6, Systainer, tool kit, dust bag, protective goggles, hearing protection

### Accessories:

HM grooving disc 130 x 20 x 6 straight Z6

#76860

### Joint groover with guiding wheels

Two small wheels to guide along the seam. Adjustable groove depth, 4 grooving blades.

#73710

#### Accessories:

Spare blade

#13427



### Groover

Adjustable guide, 4 grooving blades

#13426

#### Accessories:

Spare blade

#13427



### Groover for rubber floors

#13842

#### Accessories:

Spare blades, 10 Pcs.

#13843



### Joint groover with guiding pin

Adjustable groove depth

#13424

#### Accessories:

Spare blades, 10 Pcs.

#13425



### Seam trimmer

For trimming welded seams to inside and outside corners.

#13485

#### Includes:

Seam trimmer, 1 round blade 6 mm

#### Accessories:

Round blade, 6 mm

#13813

Round blade, 12 mm

#13868

Flat blade

#13870



### Push-off knife

For removal at skirting boards. With lateral distance piece

#14538

#### Accessories:

Spare blade

#14539



### Welding rod roller

To press the weld rod into the joint.

#15610

Welding rod roller, 15 mm

#15611





# WELDMASTER

- Digital temperature control
- Robust and compact design
- Best welding results



## Automatic welding machine Weldmaster

Special nozzle for PUR floors to avoid thermal shock or burns: the WOLFF automatic welding machine.	#56255	115V 230V
	#56259	(UK)
	#56260	(US)

- digital thermometer for precise temperature control
- compact design
- central key pad for easy operation
- can be used for all resilient floor coverings (PVC, linoleum, polyolefin, rubber)
- variable surface pressure for improved welding results
- 4 welding nozzles for even hot air distribution
- rugged and compact machine
- automatic wall cutoff with lifting device: this diverts the hot air to the side nozzles to prevent thermal shock and burns

### Technical specifications:

Materials: PVC, linoleum, polyolefin, rubber, speed 1.7-5.8 m/min, voltage 230 V, total consumption 3.1 kW, Temperature 20-600 °C, weight 14 kg

### Includes:

Automatic welding machine, carrying case

### Accessories:

Heating element, 3.0 kW	#13480
-------------------------	--------

# MILLING AND WELDING SET COMBI



## Milling and welding set Combi

We have put together a set which is unique on the market especially for flooring contractors who lay small or medium-sized resilient flooring coverings	#56357	115V 230V
	#60865	(US)

### Includes:

- joint grooving machine Fräs junior
- the hand-operated welding machine Phoenix 1600
- a quarter moon knife with safety sheath
- a weld seam slide
- a single nozzle 5 mm
- a quick welding nozzle 5 mm
- carrying case

# PHOENIX 1600

- Free adjustable temperature from 40°C-700°C
- Heating tube protection for more security
- Easy-to-clean air filter



## Phoenix 1600

Hand operated welding machine

#80078

#80081

115V 230V

- Free adjustable temperature 40°C-700°C
- Heating tube protection for more security
- Easy-to-clean air filter

### Technical specifications:

230 V/115 V, 1,6 kW, continuously adjustable temperature 40°C-700°C

### Includes:

Phoenix 1600, single nozzle 5 mm, speed welding nozzle 5 mm, in carrying case

### Accessories:

Heating element Phoenix 1,6 kW 230 V #80355

Heating element Phoenix 1,6 kW 115 V #80307

Speed welding nozzle PUR 5 mm #41213

# PHOENIX 1600 SET



## Phoenix 1600 Set

Hand operated welding machine Phoenix 1600 with comprehensive accessories in useful Systainer box.

#80614

### Technical specifications:

230 V/115 V, 1,6 kW, continuously adjustable temperature 40°C-700°C

### Includes:

Phoenix 1600, single nozzle 5 mm, speed welding nozzle 5 mm for polyolefin, joint groover, diamond grindstone, quarter moon knife, weld seam slide, pressure roller 15 mm, cleaning brush, in Systainer box

## Leister Triac set ST

Hand-operated Triac ST welding machine with electronic control and cooled protection tube. Case includes comprehensive accessories. Comes with diamond grindstone to sharpen quarter moon knives.

#74847

### Technical specifications:

230 V, total consumption 1.6 kW, heating element 1.55 kW, temperature 20-650°C

### Includes:

Triac ST, single nozzle 5 mm, speed welding nozzle 5 mm for polyolefin, joint groover, diamond grindstone, quarter moon knife, weld seam slide, pressure roller 15 mm, cleaning brush, in Systainer box



## Leister Triac ST Successor of the Leister Triac S

Hand-operated welding machine, separate, as described in the set

#74845

### Accessories:

Heating element 1.55 kW for Triac ST

#72315

Speed welding nozzle

#13308



## Leister Triac AT

Leister Triac AT, single nozzle round 5 mm

#71991

- The set temperature reaches its level automatically, voltage fluctuations are compensated.
- Quick clean air filters
- Automatic carbon stop and heating element protection provide automatic protective measures
- Functional design: two-component handle and optimum center of gravity ensure good ergonomics
- Suitable for all jobsites

### Accessories:

Heating element Triac AT

#72315

Speed welding nozzle

#13308



## Leister Electron ST

To heat PVC flooring and skirting boards.

#76769

### Technical specifications::

Heating element 3.3 kW, temperature 20-650 °C

### Accessories:

Heating element, 3.3 kW

#13475

Round nozzle

#13476



**PUR welding nozzle****Burns on the floor surface are definitely a thing of the past!**

Special nozzle for thermal welding and jointing of resilient floor coverings which have a factory-applied polyurethane coating. Eliminates scorch and burn marks

#47049

**Single nozzle**

5 mm

#13465

**Speed welding nozzle**

5 mm

#13308

**Speed welding nozzle for polyolefin**

Inlet 4 mm

#13466

Inlet 5 mm

#41213

**Correction nozzle**

Inlet 4 mm

#13469

**Mipolam nozzle**

„Mipolam“ jet-nozzle

#13467

**Accessories:**

Welding rod roll, 25 mm

#15610

Welding rod roll, 15 mm

#15611

**Gooseneck nozzle**

Gooseneck nozzle

#13468

**Radiator nozzle**

Radiator nozzle

#13470

**Broad nozzle**

20 mm

#19524

20 mm, angled

#13472

40 mm

#13473

**Speed welding nozzle**

For PVC wall coverings

#13471



### Mozart speed Trimmer

The Mozart speed trimmer can primary cut and finish cut in a single pass in an upright position. The cutting procedure, blades and slides are the same as the Mozart push-off knife. The slide can be adjusted.

#62183

#### Includes:

Mozart Speed Trimmer, complete, with blade and 0.5 and 0.7 mm slides, boxed, telescopic handle



### Mozart trimming knife

The universal solution for quickly, cleanly and safely removing the excess weld from the seam. Integrated slide for precutting, exchangeable blade, exchangeable slides for variable heights. Eliminates scratching and damaging surfaces. Internal cutting edge

#49875

#### Includes:

Trimming knife with blade and 0.50 mm slide

#### Accessories:

Spare blades, 5 pcs.

#49876

Slider, 0.50 mm

#50772

Slider, 0.70 mm

#51270

Spare screw set

#59856



### Quarter moon knife

To remove the weld rod. Excellent quality.

#13451



### Quarter moon knife

To remove the weld rod, angled

#13452



### Quarter moon knife

To remove the weld rod, bent

#13453



### Weld seam slide

For primary removal of the weld rod

#13450



### Safety sheath

Leather, for quarter moon knife

#60078



### Diamond grindstone

For regrinding of all blades. Grinding surface 153 x 50 mm.

#13491



### Diamond grindstone

For sharpening. Collapsible, fits any bag, grinding surface 110 x 22 mm

#15714



## WOLFF Wallmaster

Special tool to install skirting boards and form coves

#60890

- height is clearly marked
- mitre joints on internal and external corners can be cut easily and accurately
- the corners of floor coverings are levelled and pressed down evenly without the risk of damaging the floor covering

### Accessories:

WOLFF Wallmaster straight edge



## WOLFF Wallmaster straight edge

Special tool for installing floor coverings to walls

#61394

WOLFF Wallmaster is recommended by:



## Installation instructions:

### Day 1:

Before installing: Apply a heat-activated adhesive (UZIN DK 290 recommended) with B1 profile.

### Day 2

Install the floor covering over the desired skirting height. Fold back the PVC floor covering and apply suitable adhesive (UZIN KE 66 recommended) with A2 profile. Lay the covering into the aerated adhesive bed and rub in. Heat the floor covering in the serrated area from behind with the Leister Electron and fit to the internal angle. Cut the mitre using the WOLFF Wallmaster. Then reactivate the heat-activated adhesive (UZIN DK 290) with the Leister Electron and press down the floor covering evenly into the corners and along the wall with the WOLFF Wallmaster.

### Day 3

Thermal weld the seams on the floor and in the corners.



## TOOLS FOR TEXTILE FLOORS

### Carpet cutter

Carpet cutter specially designed for woven and tufted fine velours.  
The extremely fine guiding pin is accurate even in very tight stitch lines

#65659

#### Includes:

Carpet cutter, slot hole blades

#### Accessories:

Slot hole blades (10 pcs.)

#65755

Recommended by:

**GIRLOON** **INFLOOR**  
carpet-fashion



### Carpet awl

For optimum guidance along the stitch line

#65660

Recommended by:

**GIRLOON** **INFLOOR**  
carpet-fashion



### Mittag cutter

For all textile floorings without foam backing. Cuts from top to bottom

#15641

#### Accessories:

Spare blades (10 pcs.)

#13454



### Double head stretcher

Developed and manufactured by WOLFF to balance pattern drift and correct seams. Can be adjusted to any carpet by setting the coarse and fine teeth

#15781

#### Includes:

Double head stretcher, carrying case

#### Accessories:

Pulling angle.

The pulling angle converts the double head stretcher into a tubeless power stretcher

#15782

Recommended by:



### Adjustable knee kicker

With coarse and fine teeth. Coarse teeth comes with depth adjustment to adjust to the flooring. Length adjustment in 5 steps from 50 to 60 cm

#51509

#### Accessories:

Impact padding

#15797

Fine teeth insert, 3 pcs.

#15798

Rough base plate

#15799



### Carpet strip cutter C-cut

To accurately cut carpet skirting. Strip width 2 - 7 cm

#47414

#### Includes:

C-Cut, 10 blades (1 already mounted)

#### Accessories:

Spare blades, 10 pcs.

#13454



### Carpet strip cutter

Extremely hard-wearing and easy to guide! Comes with reinforced blade mount.  
To cut material for skirting strips from 45 mm to 100 mm

#13458

#### Includes:

Carpet strip cutter, 10 blades

#### Accessories:

Spare blades, 10 pcs.

#13454



### Carpet cutter, green

For textile flooring with foam backing. Cuts from the bottom, with slip-on base.  
To double-cut short pile material

#13456

#### Includes:

Carpet cutter with slip-on base, 10 blades

#### Accessories:

Spare blades, 10 pcs.

#13457



### Carpet cutter, red

For all textile floorings without foam backing. Cuts from top to bottom

#13455

#### Includes:

Carpet cutter, 10 blades

#### Accessories:

Spare blades, 10 pcs.

#13454



### Circular cutter

For repairing floor coverings. Adjustable from 4 cm to 21 cm diameter

#15624

#### Includes:

Circular cutter, 4 blades

#### Accessories:

Spare blades, 6 pcs.

#80578





**Seam clamp 5 Pcs.**

To hold difficult seams until the adhesive sets

#13593

**Seam roller, 13 cm wide**

Woven or bonded carpet seams are firmly pressed into the adhesive to create a perfect join

#13943

**Stair tool with roller**

To fix carpets behind the gripper or near stairs

#65853

**Stair tool**

To fix carpets behind the gripper or near stairs

Stair tool, 7 cm

#13809

Stair tool, 9 cm

#13862

**Claw tool**

#15802

**Carpet shears**

Carpet shears for right-handed users, 25 cm

#15654

**Universal carpet shears**

Universal shears, 25 cm

#15659

Carpet shears, serrated blade, 22 cm

#15652

**Napping shears**

Napping shears, 14 cm

#15653

Napping shears, 18 cm

#15658



# WOOD BEVELLER

- New wood beveller from WOLFF
- Guide wheels for accuracy
- Safe and easy to use



## Wood Beveller

Exclusive wood beveller from WOLFF #67323

- new machine to reintroduce the bevel between planks after sanding solid wood flooring
- guide wheels for precision
- safe and easy to use

### Technical specifications:

230 V, 50/60 Hz, 1.5 kW, 8,000 rpm, weight 5.2 kg, noise level 91 dB (A), sound power level 107 dB (A) hand-vibration < 2.5 m/s<sup>2</sup>, groove depth 0 - 5 mm, hard metal grooving disc, diameter 130 mm, thickness 9.0 mm, number of teeth 6


### Includes:

Wood beveller, bevelling disc for profile bevels, adapter for industrial vacuum cleaner, protective goggles, hearing protection, tool kit, dust bag, transport box

### Accessories:

Bevelling disc for profile bevels #63011

# DOOR CASE SAW PIRANHA



## Door case saw Piranha

Comes with HM saw blade. For exact cutting of doors, door frames, door cases and skirting in situ. Can also be used to cut wood and laminate floors after installation.

#16927

#20821

#39452

115V 230V  
(UK)  
(US)

- variable height and depth adjustment: height 25 mm, depth 50 mm
- 1.01 kW motor for more power
- HM saw blade for a long service life
- 6,000 rpm

### Includes:


Door saw with HM blade, Systainer box

### Accessories:

HM saw blade #17227

# USEFUL TOOLS

Work safety equipment | Straight edges | Knives | Blades



**WOLFF knife**

Blade can be swapped without a screw driver. Plastic sheath. Without blades.  
Delivered in appealing POS dispenser for orders of 20 pcs. or more

#48221

- with fixing magnets for convenient blade change
- premium quality knife
- specially hardened blade mount



**Blades** Tried and tested, top quality blades.

Straight blade 0.65 mm, 100 pcs., in dispenser


#13419

Hooked blades, 0.65 mm, 100 pcs., in dispenser

#13421

Super hooked blade, 0.65 mm, 100 pcs., in dispenser

#13422

**Break-off knife**

Delivered in appealing POS dispenser for orders of 20 pcs. or more

#55030

**Accessories:**

Break-off blade 18 mm, 100 pcs., in appealing alloy box.

#13420

Sheath

#62727

**Double knife sheath for WOLFF knife #48221**

Made of leather, for durability and security. With spare blade holder

#15591

**Dolphin knife**

- most popular knife used of carpet fitters to cut carpets, vinyl flooring, carpet tiles, insulations, etc.
- easy blade exchange thanks to improved locking system
- complete with safety case

#13484

**Blades with titanium coating**

Extremely long life and sharpness.

**Delivered in convenient alloy box.**

Straight blade with titanium coating, 100 pcs.

#21149

Hooked blade with titanium coating, 100 pcs.

#21150

Super hooked blade with titanium coating, 100 pcs.

#21151

**Combined hooked/straight blade**

Double-sided cutting blades, 100 pcs.

#32713

**Concave blade**

100 pcs.

#32760

**Designer cutting knife**

Handle, incl. blade

#13880

**Accessories:**

Blade no. 22, 10 pcs.

#15617

Handle for spare blade

#15619



### Pica-Dry Marker

Marker for hard to reach places on construction sites. For all surfaces. With dust and moisture protection.

#84773

#### Accessories:

Refill green

#84775

Refill graphit

#84774



### Height scriber

For accurate marking of skirting height

#15555



### Skirting board shears

With stop

#15651

#### Accessories:

Mitre-box stop

#33196

Spare blade

#17471

Spare pad

#60736

Bolt with nut and sleeve (Set)

#71213



### Mitre-box shears

Double action, with stop, for wood and plastic

#15648

#### Accessories:

Spare blade

#15649

Spare pad

#15650



### Mitre-box shears for design floors

Double action, with stop

#55031

#### Accessories:

Blades, 50 pcs.

#56530

Blade holder

#71910



### Steel pins 1,000 pcs., uncoated

1,5 x 25 mm

#60425

1,5 x 30 mm

#60426

1,5 x 35 mm

#60427



### Skirting board punching machine

To punch the mitres of rigid PVC skirting with a height of 6 - 10 cm

#15915

#### Accessories:

Spare blade

#15918

Spare spring

#15916



## Spirit Level

Length: 110 cm #84185




## Door straight edge, raised

Hardened and polished. Adjustable from 60 cm - 130 cm. Steel sheet 0.7 mm thick. #60643

### Accessories:

Hook set #74986



## Head seam straight edge

800 x 75 mm #15561



## Chamfer and mitre templates

Includes a triangle template 30 x 15 cm, 90° and 45° angle as well as a chamfer template #74949



## Flexible steel straight edge

### Premium quality in stainless steel!

Stainless steel, raised, with retaining clip.  
Guaranteed straightness from 1.5 to 2.0 mm over 3 metres.

Flexible steel straight edge 210 x 8 cm #48421

Flexible steel straight edge 410 x 8 cm #48422

Flexible steel straight edge 510 x 8 cm #48423



## Flexible steel straight edge with T stop

### Premium quality in stainless steel!

Stainless steel, raised, with retaining clip.  
Guaranteed straightness from 1.5 to 2.0 mm over 3 metres.

Flexible steel straight edge 210 x 8 cm #48425

Flexible steel straight edge 410 x 8 cm #48426

Flexible steel straight edge 510 x 8 cm #48428



## Flexible steel straight edge

### With anti-slip backing. Rubberised, does not scratch the floor.

Guaranteed straightness from 1.5 to 2.0 mm over 3 metres.

Flexible steel straight edge 205 cm #13872

Flexible steel straight edge 405 cm #13873



## Stair bevel

To determine lengths and angles quickly and easily #15563



## Cartridge gun

- for silicone cartridges and tubular bags (400 ml)
- robust full metal construction, hardened push rod
- automatic readjustment
- with trailing stop
- Delivery incl. universal nozzle

#84247



## Rubber mallet

**Specially designed to install switchTec products!**

Weight 335 g, diameter 40 mm

#47450

Weight 600 g, diameter 50 mm

#15901



## Soft-head hammer

**For diamond segments**

Weight 400 g, diameter 50 mm

#80208



## Tapping block

Universal, made of plastic, unbreakable

#15852



## Hammer bar

Zinc plated, with felt backing

Hammer bar, 42.5 cm

#15832

Hammer bar, 54.5 cm

#13840



## Slide hammer tool

- length-adjustable version to work in areas difficult to reach
- easy operation for fast working
- hammer, tapping block and hammer bar in a single tool

Length 41 cm

#13626

Adjustable length, 41 or 64 cm

#13627



## Brooms, horsehair blend

Attached with screws.

Broom 50 cm

#15924

Broom 60 cm

#15925

Coir broom, 60 cm

#15926

Metal handle

#15927



## Knee protector 200 Pro

Very comfortable knee protector with hardwearing and waterproof outer layer and wide support area for maximum stability

#81715

### Accessories:

Extra inlays

#81717

Extra elastics

#81718



## Knee pads

To be inserted into trousers with knee pad pockets

#51560



## Safety Poly knee protectors

Ergonomically shaped knee bed for comfort

#65398

Certified in accordance with DIN EN 14404, PPE type 1.



## Knee protectors

Corresponds to current DIN standard. Nylon knee protectors, ultra light.  
2 elasticised straps with hook-and-loop fastener.

#55037



## Leather knee protectors

Inner felt lining for comfort

#15813

### Accessories:

Spare straps

#15811



## Rubber knee protectors

Sturdy and protective shaped knee protector with antislip underside

#15810



## Medical knee protectors

Lightweight rubber knee protectors with hook-and loop fastener.

#16255

Developed in co-operation with professional associations and medical

practitioners to prevent damage to the knee joints.

Hook-and-loop fastener

#17433





## Hearing protection

Hearing protection	#15315
--------------------	--------

## Protective goggles

Protective goggles	#15316
--------------------	--------

## Dust mask

Dust mask	#16254
-----------	--------

## Safety gloves

Safety gloves	#15809
---------------	--------



## Dust Mask Air+

The first disposable dust-mask with a fan - removes humidity and CO2.

- With a micro-fan
- Very Good fit
- Added safety through expiratory-outlet
- Foldable and easy to adjust

Air+ FFP2: Preserves 94% of the particles up to a size of 0,6µm (10 pcs.)	#83925
---	--------

Air+ FFP3: Preserves at least 99% of the particles dangerous for the health up to a size of 0,6µm (10 pcs.)	#83926
---	--------

### Includes:

Dust Mask Air+, without micro fan
-----------------------------------

### Accessories:

Micro fan for Air+ mask	#83927
-------------------------	--------



## Dust Door System

Simple solution to keep side-rooms dust free. With the zip fastening the accessibility of all areas is still ensured. The very stable fabric is ideal for long-term use and is easy to install.	#84246
---	--------



# CleanSpace

- For working environment with high dust-exposure
- Maintenance-free and easy to clean
- Comfortable to wear and made for long operating times.



## CleanSpace

Fan-powered dust mask, protective against dust and pollutants.

- Low weight (500 g) and compact
- Intrinsically safe
- No hoses, cables or battery-belts
- Operating time up to 8 hours
- Overpressure Dust Mask with breath-response
- No maintenance
- Compatibility with personal protective equipment
- Particulate and gas filters available

### Technical data:

Visual and audible alarms – 75dB(A) – at ear, Max. Airflow: 220 l/min, Automatic Switch-Off 3 minutes after idle, Weight (Power unit): 500g, AC Adaptor charger: Input range 100 – 240V, Internal battery charging time < 2 hours (to 95%), Output range 13.5V ± 5%

Only Cleanspace without mask	#79922
Half mask large	#79923
Half mask medium	#79924
Half mask small	#79925

### Accessories:

Combination filter A1P3 (organic Gas & steam + particles)	#79931
Combination filter ABE1P3 (Organic, inorganic & acid & steam + particles)	#79932
Filter adaptor	#79930
Particle filter (Packaging unit = 3 pcs.)	#79927
Pre-filter (Packaging unit = 10 pcs.)	#79928

# CleanSpace EX

NEW



## CleanSpace EX

Fan-supported breathing protection, especially designed for potential explosive surroundings.

- Intrinsically safe for an explosive surrounding
- Compatible with the CleanSpace full mask

### Technical Data:

Visual and Audible Alarms – 75dB (A) at ear, Maximum air flow – 220L/min, Automatic Switch-Off 3 minutes after idle, Weight (Power unit): 500g, AC Adaptor charger: Input range 100 – 240V, Internal battery duration – UP to 8 hours, Internal battery charging time < 2 hours (to 95%), Output range 13.5V ± 5%

Only Cleanspace EX without mask	#84209
Half mask large	#79923
Half mask medium	#79924
Half mask small	#79925
Full face mask	#84239

### Accessories:

Combination filter A1P3 (organic Gas & steam + particles)	#79931
Combination filter ABE1P3 (Organic, inorganic, acid & steam + particles)	#79932
Filter adaptor	#79930
Particle filter (packaging unit = 3 pcs.)	#79927
Pre-filter Clean Space Ex	#84206
Protection cover Clean Space Ex	#84208

## Cleanbox

Highly effective cleaning cloth to remove adhesive residues on surfaces, hands and tools. #38465



## Power Cleaner

Highly active cleaner for machines, engines and tools. #80229



## Cable drum

Cable length 25 meters (3 x 2,5 m<sup>2</sup>), ABS case, with thermo switch #80460



## Extension cable WOLFF

Extension cable, 25.0 m #41811

Extension cable, 12.5 m #47382



## Extension cable 400 V

25 m, 400 V, 16 A #15960



## External starting current limiter

Provides the connected machine with low voltage only when turned on.  
Ideal to solve problems and save time when working in poorly protected areas.

Starting current limiter #13639

As above, with Swiss plug #13986



# **CLEANING AND CARE**



## Cleanfox

New Cleaning machine for basic-, intermediate- and final cleaning.

- Use in battery- or current mode
- For in- and outdoor use

7,5 l 10 Ah	#83124
7,5 l 20 Ah	#83125

### Technical data:

Battery 24 V, operating-time: 1 hour, Cleaning-width 330 mm, Suction-width 420 mm, Ground coverage up to 800 m<sup>2</sup>/h, weight: ca. 26, 5 kg (including battery), Capacity – clean/ dirty water: 7,5 / 8 l, specific pressure step 1/2/3: 36 / 75 / 160 g/m<sup>2</sup>

### Includes:

Cleanfox incl. battery, cylindrical brush medium (blue), battery charger

### Accessories:

Cylindrical brush soft (grey)	#83146
Cylindrical brush medium (blue)	#83145
Cylindrical brush hard (black)	#83147
Tynex brush (green)	#83148
Microfiber cloth (green)	#84569
Microfiber cloth	#83929
Battery-Charger for the car	#83152
Replacement Battery 10 Ah	#83150
Replacement Battery 20 Ah	#83151
Power device	#83153
suction-lips	#83933
suction-lips Set Para (red)	#83149



**NEW**

## Polishing machine Rumba 0.5 kW

Ideal for polishing, cleaning or finishing small areas #13509

- Small and lightweight machine for all types of polishing work on hard floors.
- Also suitable for wet cleaning wall-to-wall carpeting or hard floors in combination with the cleaning tank.

### Technical specifications:

230 V, 0.5 kW, 188 rpm, 19 kg, working width 330 mm

### Includes:

Polishing machine Rumba, without disc holder and cleaning tank

### Accessories:

Polishing brush, soft	#13521
Polishing brush, hard	#13522
Disc holder for pads	#13520
Polishing pad	#13523



## Monodisc grinding machine Tango 1.0kW

Versatile 1.0 kW machine with a broad range of applications #56366

- grinding screeds and brushing screed or compounds
- sanding wood flooring and cork
- wet cleaning wall-to-wall carpeting and polishing hard floors

### Technical specifications:

230 V, 1.0 kW, 154 rpm, 41 kg, working width 375/400 mm

### Includes:

Grinding machine Tango, without suction kit and disc holder



### Power Cleaner

Highly active cleaner for machines, engines and tools.

#80229



### Cleanbox

Highly effective cleaning cloth to remove adhesive residues on surfaces, hands and tools.

#38465



### Perlon brush, hard

With hard Perlon bristles for rough cleaning of hard flooring (linoleum, PVC, stone, ceramics)

#13507

### Shampooing brush, Not shown

With soft bristles to clean carpets

#13506



### Corrugated wire brush

For brushing and precleaning surfaces

#13539

### Polishing brush, coir, Not shown

For brushing and polishing hard flooring (linoleum, PVC, stone, ceramics)

#13505



### Disc for natural stone

For cleaning natural stone floors.

**Not to be used on the monodisc grinding machine Mambo!**

#33209

### Scrub brush, Not shown

For maintenance cleaning of hard flooring with coarse or caked soiling

#13508



# WOOD FLOORING

Frank



# SPIDER

- Extremely easy to use
- Perfect sanding results
- Quiet in operation



## Sanding machine SPIDER

**Extremely easy to use and quiet in operation. Highest quality materials and a newly developed drive mechanism, with connection to external vacuum means perfect sanding results.**

#80113

- connectible power reserve
- extra additional weights increase the grinding pressure
- perfect sanding because of the three disc technology
- durable chain drive
- easy to clean
- speed infinitely variable 50 - 400 RPM
- high removal rate
- safety grip
- smooth start
- infinitely variable handle adjustment
- powerful dust removal from floor
- adapter for PALLMANN DUST
- quality stainless steel
- dust seal
- big soft tyres
- ball bearing axle
- non marking wheels

### Technical Data:

230V, 2,0 kW, Rotation speed 50 - 400 rpm (with satellite add-on drive 50-504 rpm), Total weight 42 kg, width of grinding 400 mm

### Includes:

- Additional weight á 15 kg
- 1x Dust seal ring
- Cable 12,5 m
- Triple-disc-plate + Velcro 180 mm
- 3 x Support pads 180 mm
- 3 x Support pads, soft 180 mm
- 3 x Exhaust pads 180 mm
- 3 x Shim washers
- 1 x Pad disk Ø400 mm
- 3 x Hook-and-loop disks 178 mm with 10 holes K40, K60, K80
- Safety at work - kit

### Accessories:

DUST	#60091
Additional weight	#72225



# COBRA 09



- Powerful and safe
- 2.5 kW consumption
- Quiet and smooth performance

## Sanding machine Cobra 09

The new generation sanding machine, powerful, safe and WOLFF-class quality. The technology of this new machine has been improved by combining tried and tested FRANK technology with WOLFF-class quality.

#62228

- utilises the maximum width of the belt to provide high sanding capacity
- height-adjustable handle, for convenient operation
- control panel operation: all switches are easily accessible in ergonomic working position
- lighting can be switched on to highlight working area
- bag-in-bag system: disposable inner dust bags
- includes bag for maximum dust reduction by vacuum
- connection for external dust extraction very smooth and silent running thanks to new generation of belts
- quick and convenient belt replacement
- automatic belt tensioning
- running gear can be adjusted easily
- narrow and compact design
- handle, motor and dust pipe can be disassembled for easy transportation
- even and balanced distribution of weight
- tilt mechanism for convenient and safe roller adjustment
- wheels on both sides for wall protection
- new design

### Technical specifications:

230 V, 2.5 kW, roller width 200 mm, roller speed 2,100 rpm, abrasive belt dimensions 200 x 750 mm, total weight 88 kg, connection for external dust extraction and voltmeter

### Includes:

Cobra sanding machine, tool bag, 2 dust bags and 10 plastic inner dust bags, 12 m PUR cable, hearing protection, dust mask, special spare V belt

### Accessories:

Sanding roller	#13587
Dust bag	#71730
Dust bag with zipper (for inlays)	#71725
Disposable inlays, 10 pcs.	#52442
Transport carriage	#64310

Large pneumatic tyres for a easy transportation of the machine even over long and difficult distances. Safe base to store and fix the machine in a vehicle.

# COBRA CLASSIC

- High sanding capacity
- Shoulder free sanding
- Easy transportation



## Sanding machine COBRA CLASSIC

Powerful belt sanding machine with  
endless abrasive belt

#71845

- abrasive belt principle for high sanding capacity
- grooved roller for additional sanding effect
- soft raising for shoulder free sanding
- effective dust suction
- sanding pressure is set with the roller control
- detachable steering rod and motor for easy transportation

### Technical specifications:

230 V, 2,5 kW, roller width 200 mm, limiting roller speed 2,100 rpm, abrasive belt dimensions 200 mm x 750 mm, weight 82 kg

### Includes:

- Sanding machine Cobra Classic
- Abrasive belt kit 2 x grit 36, 2 x grit 60, 1 x grit 100
- Tool bag
- Dust bag
- 12 m cable
- Adapter for external suction kit

### Accessories:

Sanding roller	#13587
Dust bag	#71730
Disposable inlays, 10 pcs.	#52442
Transport carriage	#64310

# PYTHON CLASSIC



## Sanding machine Python Classic

Powerful belt sanding machine #16874 with 250 mm continuous abrasive belt #71844

- abrasive belt principle for high sanding capacity
- grooved roller for additional sanding effectiveness
- soft lowering for sanding with no visible overlap
- effective dust extraction
- sanding pressure can be adjusted using the roller control
- detachable steering rod and motor for easy transportation
- belt can be adjusted from the outside for safety

### Technical specifications:

230 V, 2.5 kW, roller width 250 mm, roller speed 2,100 rpm, abrasive belt dimensions 250 x 750 mm, weight 90 kg

### Includes:

Python sanding machine, abrasive belt set 2 x grit 36, 2 x grit 60, 1 x grit 100, tool bag, dust bag, 12 m cable

### Accessories:

Sanding roller	#43879
Dust bag	#71730
Transport carriage	#64310

# VIPER



## Parquet sanding machine Viper

Viper without soft lift #71841

Viper with soft lift #71842

### Compact belt sanding machine

- paper tension device to change abrasive belts quickly and conveniently
- effective dust extraction
- adjustable sanding pressure
- detachable steering rod and motor for easy transportation
- belt can be adjusted from the outside for safety

### Technical specifications:

230 V, 1.85 kW, roller width 200 mm, roller speed 1,900 rpm, abrasive belt dimensions 200 x 750 mm, weight 62 kg

### Includes:

Viper sanding machine, tool bag, dust bag, 12 m cable, dust mask, Multiclip, wheel adjustment tool

### Accessories:

Sanding roller	#14201
Dust bag	#71730

# GECKO STAR 2.0



Edge sanding machine

## Gecko Star 2.0

**Sanding of wood flooring and wood planks now gets even easier with the new Gecko Star**

- small and versatile
- ideal position of the handles
- efficient dust extraction
- lightweight
- convenient lights to highlight working area

### Technical specifications:

230 V, 50 Hz, 1.8 kW, diameter of grinding plate 150/178 mm, 3,000 - 3,800 rpm, weight 9,6 kg, sanding attachment length Ø 150 long 370 mm/ short 130 mm, sanding attachment length Ø 178 long 385 mm/ short 175 mm, adapter for external suction kit 38/35 mm, height adjustment range of the wheels 12mm

### Includes:

Edge sanding machine Gecko Star with grinding attachment, 1 adapter for PALLMANN Dust, 3 hose holders, 1 dust pipe long, 1 dust pipe short, dust bag, hearing protectors, dust mask, hook-and-loop shim, spare hook-and-loop disc, 2x hook-and-loop tape

Gecko Star Ø 150 mm, short sanding attachment	#71735
---	--------

Gecko Star Ø 150 mm, long sanding attachment	#71742
--	--------

Gecko Star Ø 178 mm, short sanding attachment	#71743
---	--------

Gecko Star Ø 178 mm, long sanding attachment	#71791
--	--------

# GECKO FLEX



Edge sanding machine

## Gecko Flex

Small and versatile edge sanding machine with high removal rate.

#71782
--------

- for edges, corners and stairs
- ideal position of the handle
- efficient dust extraction

### Technical specifications:

230 V, 50 Hz, 1.5 kW, diameter of grinding plate 180 mm, 1400-4200 rpm, weight 4.5 kg, connection for external dust extraction 28 mm

### Includes:

Edge sanding machine Gecko Flex, sanding disc with clamping plate, 1 adapter for vacuum cleaner PALLMANN Dust, 3 hose holders, 1 additional brush, tools, side handle, hearing protectors, dust mask, hook-and-loop discs grit 40 and grit 80

### Accessories:

Vacuum cleaner PALLMANN Dust	#60091
------------------------------	--------

Carrying case	#64135
---------------	--------



### Corundum abrasive belts 200 x 750 mm

Grit 12	#15759	10 pcs.
Grit 16	#12621	10 pcs.
Grit 24	#12622	10 pcs.
Grit 30	#12623	10 pcs.
Grit 36	#12624	10 pcs.
Grit 40	#12625	10 pcs.
Grit 50	#12626	10 pcs.
Grit 60	#12627	10 pcs.
Grit 80	#12628	10 pcs.
Grit 100	#12629	10 pcs.
Grit 120	#12630	10 pcs.

### Corundum abrasive belts 250 x 750 mm

Grit 24	#48546	10 pcs.
Grit 36	#48542	10 pcs.
Grit 40	#48660	10 pcs.
Grit 60	#48543	10 pcs.
Grit 80	#48548	10 pcs.
Grit 100	#48544	10 pcs.
Grit 120	#48549	10 pcs.

### Zirconia abrasive belts 200 x 750 mm

Grit 24	#11478	10 pcs.
Grit 36	#11479	10 pcs.
Grit 40	#11480	10 pcs.
Grit 60	#11481	10 pcs.
Grit 80	#11482	10 pcs.
Grit 100	#11483	10 pcs.
Grit 120	#11484	10 pcs.

### Corundum abrasive belts 200 x 550 mm

Grit 16	#38176	10 pcs.
Grit 24	#11485	10 pcs.
Grit 36	#11486	10 pcs.
Grit 40	#11487	10 pcs.
Grit 60	#11488	10 pcs.
Grit 80	#11489	10 pcs.



### Grinding discs 150 mm with hole

Grit 24	#12640	25 pcs.
Grit 36	#32690	25 pcs.
Grit 40	#12642	50 pcs.
Grit 60	#12643	50 pcs.
Grit 80	#12644	50 pcs.
Grit 100	#12645	50 pcs.

### Grinding discs 178 mm with hole

Grit 24	#12649	25 pcs.
Grit 36	#33231	25 pcs.
Grit 40	#12661	50 pcs.
Grit 60	#12662	50 pcs.
Grit 80	#12663	50 pcs.
Grit 100	#12664	50 pcs.

### Hook-and-loop discs 150 mm with hole

Grit 16	#41054	25 pcs.
Grit 24	#41055	25 pcs.
Grit 36	#41056	25 pcs.
Grit 40	#41057	50 pcs.
Grit 60	#41059	50 pcs.
Grit 80	#41060	50 pcs.
Grit 100	#41111	50 pcs.
Grit 120	#41112	50 pcs.

### Hook-and-loop discs 178 mm with hole

Grit 16	#41113	25 pcs.
Grit 24	#41114	25 pcs.
Grit 36	#41115	25 pcs.
Gw 40	#41117	50 pcs.
Grit 60	#41119	50 pcs.
Grit 80	#41120	50 pcs.
Grit 100	#41121	50 pcs.
Grit 120	#41122	50 pcs.

**SERVICE**



# CONTACT ADDRESSES WORLDWIDE

## Contact information

### Customer service for commercial customers:

**Orders / order processing:**  
 Telephone +49 731 4097-301  
 Fax +49 731 4097-230  
 E-mail info@wolff-tools.com

### Technical Customer Service:

Telephone +49 7062 91556 -28, -43, -54, -59  
 Fax +49 7062 91556 -55  
 E-mail tks-wolff@wolff-tools.com

### Application Technology

Frank Wehrmann  
 Mobile +49 160 8836031  
 E-mail frank.wehrmann@wolff-tools.com  
 Karl-Heinz Würth  
 Mobile +49 160 3642058  
 E-mail karl-heinz.wuerth@wolff-tools.com

### Availability

Monday - Friday 7:30 - 16:15

 **Australia**  
**Uzin Utz South Pacific Ltd.**  
 PO Box 426 – Whangaparaoa 0943  
 Telephone +64 21 933780  
 Telefax +64 9 4240366  
 E-mail info@ufloor-systems.net

 **Azerbaijan**  
**Uzin Utz AG**  
 Dieselstrasse 3  
 Germany, 89079 Ulm  
 Telephone +49 731 4097 205  
 Telefax +49 731 4097 107  
 E-mail boris.schulmann@uzin-utz.com  
 E-mail biuro@uzin-utz.com

 **Republik Belarus**  
**Representative Office Uzin Utz AG**  
 220035 Minsk  
 Cimirazieva Strasse 67, Office 932  
 Postfach 121  
 Telephone +375 (17) 235 00 50  
 Telefax +375 (17) 235 00 50  
 Mobil +375 (29) 655 56 26  
 Email ivan.rak@uzin-utz.com

 **Belgium**  
**Uzin Utz Belgie n.v.**  
 Poortakkerstraat 41a  
 B-9051 Gent  
 Telephone +32 9 2225848  
 Telefax +32 9 222 3380  
 E-mail info@unipro.be

 **China**  
**Uzin Utz Construction**  
**Materials (Shanghai) Co. Ltd.**  
 N° 3968 Huqingping Highway  
 Zhaoxiang – District Qingpu  
 Shanghai 201703  
 Telephone +86 21 5975 7890  
 Telefax +86 21 5975 8695  
 E-mail info@uzin.com.cn

 **Croatia**  
**Unikem d.o.o.**  
 Trgova ka 6  
 CMP, Savica-Sanci  
 HR-10000 Zagreb  
 Telephone +385 1 2498214  
 Telefax +385 1 2498215  
 E-mail info@unikem.hr

 **Cyprus**  
**IDS – Interior Design Services**  
**Total Solution Contract**  
 197 Old Nicosia  
 Limassol Road P.O. Box 11107  
 Nicosia  
 Telephone +357 22461133  
 Telefax +357 22610020  
 E-mail idsids@cytanet.com.cy

 **Czech Republic**  
**Uzin Utz Česká Republika s.r.o.**  
 Českomoravská 12a  
 CZ-19000 Praha 9  
 Telephone +420 2 8308 3314  
 Telefax +420 2 8308 3419  
 E-mail info@uzin.cz

 **Denmark**  
**Uzin Utz Denmark ApS**  
 Kongelundsvej 294  
 2770 Kastrup  
 Telephone +45 40 88 94 92  
 E-mail info@uzin.dk


 **Finland**  
 Salesman Toni Müller  
 Malmö  
 Telephone +46 70 9157000  
 E-mail toni.mueller@wolff-tools.com

 **France**  
**Uzin Utz France SAS**  
 6 avenue du Professeur  
 André Lemierre  
 F-75980 Paris Cedex 20  
 Telephone +33 1 41632720  
 Telefax +33 1 41632721  
 E-mail info@uzin.fr

 **Germany**  
**WOLFF GmbH & Co. KG**  
 Ungerhalde 1  
 D-74360 Ilsfeld  
 Telephone +49 7062 91556 0  
 Telefax +49 7062 91556 10  
 E-mail info@wolff-tools.com  
 Internet www.wolff-tools.de

 **Greece**  
**Uzin Hellas**  
 Polychimiki G. Matziaris S.A.  
 14 km National Road  
 Thessaloniki-Veria  
 GR-57011 N. Anchialos  
 Telephone +30 2310 7229 912  
 Telefax +30 2310 7225 71  
 E-mail uzin@otenet.gr





 **Hungary**  
**Uzin Utz**  
**Magyarország Kft.**  
 Újhegyi út 14  
 H-1108 Budapest  
 Telephone +36 1 431 9422  
 Telefax +36 1 431 9423  
 E-mail info-hungary@uzin-utz.com

 **Iceland**  
**Gólfefni ehf.**  
 Skútuvogi 6  
 104 Reykjavík  
 Telephone +354 568 6755  
 Telefax +354 568 1277  
 E-mail alfaborg@alfaborg.is

 **Indonesia**  
**PT Uzin Utz**  
 Plaza Pasifik B2 No. 32  
 Kelapa Gading  
 ID – Jakarta 14240  
 Telephone +62 21 4587 6116  
 Telefax +62 21 4587 6115  
 E-mail sugi\_wei@yahoo.com

 **ITALY**  
**Unikor GmbH**  
 Bergwerkweg 16  
 I-39018 Terlano (BZ)  
 Telephone +39 0471 258871  
 Telefax +39 0471 257831  
 E-mail info@korkland.it

Salesman Luigi Riccio  
 Via Francesco Solimena 155  
 IT-80129 Napoli  
 Telephone: +39 348 3255509  
 Email: luigi.riccio@uzin-utz.com

 **Lithuania**  
**UZIN Representative Office in Baltic**  
 Architektu str. 64A-19  
 04110 Vilnius Lithuania  
 Telephone +370 52 483788  
 Telefax +370 52 483788  
 Mobil +370 617 39271  
 Mobil +48 607 419 907  
 E-mail jaroslaw.baum@uzin-utz.com

 **Malta**  
**de Valier Co. Ltd.**  
 Fairline Centre – St. Marta Street  
 Victoria Gozo – VCT 2552  
 Telephone +356/21/556694  
 Telefax +356/21/554175  
 E-mail info@devalier.com.mt

 **Netherlands**  
**Uzin Utz Nederland bv**  
 Bouwstraat 18  
 7483 PA HAAKSBERGEN  
 Telephone: +31 (0)53 5737373  
 Telefax: +31 (0)53 5737333  
 E-mail: info@uzin.nl

 **New Zealand**  
**Uzin Utz South Pacific Ltd.**  
 PO Box 426 – Whangaparaoa 0943  
 Telephone +64 21 933780  
 Telefax +64 9 4240366  
 E-mail info@ufloor-systems.net


 **Norway**  
**Uzin Utz Group Norge AS**  
 Elveveien 34 – bygg 4  
 N-3262 Larvik  
 Telephone +47 35 50 64 00  
 Internet www.uzin.no

 **Poland**  
**Uzin Polska Sp.z o.o.**  
 ul. Jaworzy ska 287  
 PL-59-220 Legnica  
 Telephone +48 76 723 9150  
 Telefax +48 76 723 9151  
 E-mail biuro@uzin-utz.com

 **Russia**  
**Uzin Utz AG**  
 Dieselstrasse 3  
 Germany, 89079 Ulm  
 Telephone +49 731 4097 205  
 Telefax +49 731 4097 107  
 E-mail boris.schulmann@uzin-utz.com  
 E-mail biuro@uzin-utz.com

 **Serbia**  
**Unihem Trading d.o.o.**  
 Kumodraška 257  
 11050 BEOGRAD  
 Telephone +381 11 3989 044  
 Telefax +381 11 3989 088  
 E-mail office@unihem.rs

 **Slovakia**  
**HA-UZ market s.r.o.**  
 Štrková ulica . 94  
 SK-01001 Žilina  
 Telephone +421 41565 1794  
 Telefax +421 41500 6014  
 E-mail ha-uz@za.psg.sk

 **Slovenia**  
**Unihem d.o.o.**  
 Kajakaska c.30  
 SLO-1211 Ljubljana  
 Telephone +386 1 511 0200  
 Telefax +386 1 5116290  
 E-mail prodaja@unihem.si

 **South Africa**  
**Contract Flooring Distribution (Pty) Ltd.**  
 22 Dublin Road  
 Brabley View Ext 6  
 Johannesburg 2090  
 Telephone +27 11 882 1000  
 Telefax +27 11 882 5403  
 E-mail info@cfd flooring.co.za

 **Spain**  
**Laboratorios Rayt S.A.**  
 Garriga, 188-200 P.O.Box 39  
 E-08910 Badalona  
 Telephone +34 93 460 7820  
 Telefax +34 93 383 6356  
 E-mail info@rayt.com

 **Sweden**  
**Englund-Gruppen Sverige AB**  
 Salesman Toni Müller  
 Malmö  
 Telephone +46 70 9157000  
 E-mail toni.mueller@wolff-tools.com

 **Switzerland**  
**DS-Derendinger AG**  
 Freiburgerstraße 830 a  
 CH-3174 Thörishaus  
 Telephone +41 31 888 12-00  
 Telefax +41 31 888 12-01  
 E-mail info@ds-derendinger.ch

 **Turkey**  
**DENLAKS Adhesives**  
 Cihançir Mash. Güvercin Cad. No:11  
 Haramidere  
 Avcılar 34310 Istanbul  
 Telephone +90 212 4221100  
 Telefax +90 212 4221099

 **United Kingdom**  
**Uzin Utz UK Ltd.**  
 Unit 2, Mitchell Court  
 Central Park, Rugby  
 Warwickshire, CV23 0UY  
 Telephone +44 1788 530 080  
 Telefax +44 1788 536 508  
 E-mail info@uzin.co.uk

 **Ukraine**  
**UZIN Representative Office**  
 Dr. Yuri Rudchenko  
 DIC, 43, Borodinskaya St.  
 49029 Dnepropetrovsk, Ukraine  
 Telephone +38 056 744 8843  
 Telefax +38 056 448843  
 E-mail uzinua@i.ua

 **USA & Canada**  
**Uzin Utz North America, Inc.**  
 14509 E; 33rd Place  
 Unit G  
 Aurora, CO 80011  
 Telephone +1 720 374 4810  
 Telefax +1 720 374 2113  
 E-mail info@ufloorsystems.com

**All other countries:**  
**WOLFF GmbH & Co. KG**  
 Jürgen Rehmann  
 Ungerhalde 1  
 D-74360 Ilsfeld  
 Telephone +49 7062 91556 0  
 Telefax +49 7062 91556 10  
 E-mail info@wolff-tools.com  
 Internet www.wolff-tools.de

12665	Abrasive gauze Ø 406 mm K 60	26	13413	Adhesive Profiles, double sided, S3, 28cm, 10 pcs.	55
12666	Abrasive gauze Ø 406 mm K 80	26	13419	Straight blades (100 pcs.)	68
12667	Abrasive gauze Ø 406 mm K100	26	13420	Break-off blade 18 mm, 100 pcs.	92
12668	Abrasive gauze Ø 406 mm K120	26	13421	Hooked blades, 0.65 mm, 100 pcs.	92
12669	Abrasive gauze Ø 410 mm K150	26	13422	Super hooked blade, 0.65 mm, 100 pcs.	92
12676	Cleaning pads Ø 410/10 mm beige 10 pcs.	28	13424	Joint groover with guiding pin	80
12677	Cleaning pads Ø 410/10 mm green 10 pcs.	28	13425	Spare blades for Joint groove, 10 Pcs.	80
12678	Cleaning pads Ø 410/10 mm black 10 pcs.	28	13426	Groover	80
12679	Cleaning pads Ø 410/10 mm white 10 pcs.	28	13427	Spare blade for Groover	80
12680	Cleaning pads Ø 410/20 mm beige 5 pcs.	28	13429	Spare blades, 10 pcs.	67
12691	Cleaning pads Ø 410/20 mm green 5 pcs.	28	13430	Standard base 2 mm guide	67
12692	Cleaning pads Ø 410/20MM black 5 pcs.	28	13431	Needle punch base 4 mm guide	67
12693	Cleaning pads Ø 410/20 mm weiß 5 pcs.	28	13432	Carpet base 8 mm guide	67
13299	Disc holder with sponge padding, Ø 375mm	26	13445	Hose damp 40 - 60 mm	46
13300	Disc holder for pads Ø 400mm	28	13449	Base plate for removing factory-cut edges	67
13305	Joint grooving machine Fräsmaster	77	13450	Weld seam slide	85
13308	Speed welding nozzle	83	13451	Quarter moon knife	85
13314	T-Rex 230V	46	13452	Quarter moon knife	85
13327	Disc holder with sponge padding, Ø 400mm	26	13453	Quarter moon knife	85
13328	Spare sponge padding, Ø 400mm	26	13454	Spare blades for Mittag cutter (10 pcs.)	87
13329	Abrasive paper discs Ø 400mm K 24	26	13455	Carpet cutter, red	88
13330	Abrasive paper discs Ø 400mm K 40	26	13456	Carpet cutter, green	88
13335	Suction wand 50 mm f. T-Rex	46	13457	Spare blades, 10 pcs.	88
13336	T-Rex roller nozzle	46	13458	Carpet strip cutter	88
13337	Suction hose 50 mm, length 5 m	46	13459	Elliptic grooving disc, 3.8 mm	77
13338	Hose connection 50 mm	46	13460	Elliptic diamond grooving disc, 130 mm, 4 teeth, 3.8 mm	77, 78
13339	TS 40/T-Rex 50 mm end fitting	46	13461	Combi grooving disc, 5 mm	77, 78
13340	T-Rex 50 mm connecting piece	46	13465	Single nozzle	84
13342	Carpet clamp	20	13466	Speed welding nozzle for polyolefin Inlet 4 mm	84
13344	Spare blades 210x60x0,7mm Duro/Vario/Eco	17	13467	„Mipolam“ jet-nozzle	84
13345	Spare blades 210x60x1,0mm Duro/Vario/Eco	17	13468	Gooseneck nozzle	84
13346	Spare blades 210x60x1,5mm Duro/Vario/Eco	17	13469	Correction nozzle Inlet 4 mm	84
13347	Duro-Stripper 230V/50Hz	16	13470	Radiator nozzle	84
13348	Duro-Stripper VG 230V/50Hz	16	13471	Speed welding nozzle - for PVC wall coverings	84
13349	Metal carrying f. Duro-Stripper	17	13472	Broad nozzle, 20 mm, angled	84
13350	For 0 - 8 cm strips	71	13473	Broad nozzle 40 mm	84
13351	For 3 - 20 cm strips	71	13475	Heating element, 3.3 kW	83
13352	For 6 - 30 cm strips	71	13476	Round nozzle	83
13353	Spare blades, 5 pairs	71	13480	Heating element, 3.0 kW	81
13354	Conversion kit, to use hooked blade	71	13484	Dolphin knife	92
13355	Seam scriber	76	13485	Seam trimmer	80
13356	Scriber needles, 20 pcs.	76	13486	CCM instrument WOLFF	65
13357	Combi scriber	76	13490	Stone, grit 20	29
13358	Spare blades, 5 pcs.	72, 76	13491	Diamond grindstone	85
13367	Adhesive Profiles, double sided, A1, 21cm 10 pcs.	55	13493	Grinding stone	50
13370	Adhesive Profiles, double sided, B1, 21cm 10 pcs.	55	13500	Spare sponge padding, Ø 375mm	26
13371	Adhesive Profiles, double sided, B2, 21cm 10 pcs.	55	13501	Disc holder with felt, Ø 375mm	26
13372	Adhesive Profiles, double sided, B3, 21cm 10 pcs.	55	13502	Reinigungstank Rumba/Mambo	101
13373	Adhesive Profiles, double sided, A2, 21cm 10 pcs.	55	13503	Suction kit plastic	24
13374	Adhesive Profiles, double sided, A3, 21cm 10 pcs.	55	13504	Paper filter bags 40cm f. 13503 10 pcs.	24
13375	Adhesive Profiles, double sided, A4, 21cm 10 pcs.	55	13505	Polishing brush, coir	28
13376	Adhesive Profiles, double sided, A5, 21cm 10 pcs.	55	13506	Shampooing brush	28
13378	Interchangeable spatula, 21 cm	54	13507	Perlon brush	28
13380	Adhesive Profiles, double sided, B11, 21cm 10 pcs.	55	13508	Scrub brush	28
13381	Interchangeable spatula, 28 cm	54	13509	Polishing machine Rumba 0.5 kW	101
13382	Adhesive Profiles, double sided, A1, 28cm 10 pcs.	55	13510	HM grinding disc Ø 375mm K 16	26
13385	Adhesive Profiles, double sided, B1, 28cm 10 pcs.	55	13515	HM grinding disc Ø 400mm K 16	26
13386	Adhesive Profiles, double sided, B2, 28cm 10 pcs.	55	13517	HM grinding disc Ø 375mm K 24	26
13387	Adhesive Profiles, double sided, B3, 28cm 10 pcs.	55	13518	HM grinding disc Ø 400mm K 24	26
13388	Adhesive Profiles, double sided, A2, 28cm 10 pcs.	55	13520	Disc holder for pads	101
13389	Adhesive Profiles, double sided, A3, 28cm 10 pcs.	55	13521	Polishing brush, soft	101
13390	Adhesive Profiles, double sided, A4, 28cm 10 pcs.	55	13522	Polishing brush, hard	101
13391	Adhesive Profiles, double sided, A5, 28cm 10 pcs.	55	13523	Polishing pad	101
13396	Rake R2 profile	53, 55	13526	Felt padding Ø 375mm	26
13397	Rake R1 profile	53, 55	13527	Abrasive paper discs Ø 380mm K 24	26
13398	Adhesive Profiles, double sided, S4, 28cm 10 pcs.	55	13528	Abrasive paper discs Ø 380mm K 40	26
13399	Adhesive Profiles, double sided, B11 28cm 10 pcs.	55	13529	Abrasive paper discs Ø 380mm K 60	26
13400	Adhesive Profiles, double sided, R1, 21cm 10 pcs.	55	13530	Abrasive paper discs Ø 380mm K 80	26
13401	Adhesive Profiles, double sided, R2, 21cm 10 pcs.	55	13532	Abrasive paper discs Ø 380mm K100	26
13402	Adhesive Profiles, double sided, R1, 28cm 10 pcs.	55	13533	Abrasive paper discs Ø 380mm K120	26
13403	Adhesive Profiles, double sided, R2, 28cm 10 pcs.	55	13534	Abrasive paper discs Ø 400mm K 60	26
13404	Adhesive Profiles, double sided, S2, 21cm, 10 pcs.	55	13535	Abrasive paper discs Ø 400mm K 80	26
13409	Adhesive Profiles, double sided, S3, 21cm, 10 pcs.	55	13536	Abrasive paper discse Ø 400mm K100	26
13410	Adhesive Profiles, double sided, S2, 28cm, 10 pcs.	55	13537	Abrasive paper discs Ø 400mm K120	26

13539	Corrugated wire brush	28	14019	Ball set, 4 pcs.	65
13540	Grinding disc with 6 stones, grit 20	29	14020	Test phials, 10 pcs.	65
13549	Abrasive gauze, Ø 406 mm K180	26	14021	Spike rollers 50cm / 21mm	53
13550	Milling module with HM plate	29	14023	Multi grinding plate	27
13566	HM plate (1 pc.)	29	14038	Hose kit with T-piece	24
13569	HM milling plate disc	29	14039	Dust ring	24
13593	Seam clamp 5 Pcs.	89	14043	Spring washer 90mm	26
13594	Copper band, Roll 50 m	56	14044	Bolt with left-handed thread	26
13595	Copper band, Roll 200 m	56	14243	Star wheel grinding disc	29
13604	Stirrer, MK type 120 mm	48	14244	Star wheels (set of 42 pcs.)	29
13605	Stirrer, type KE 90S	48	14245	Milling head	29
13606	Stirrer, type KE 120S	48	14248	Grinding disc with diamond grinding heads	29
13611	Mixer Type MK 160 mm	48	14249	Diamond grinding head, fan-type helical design	29
13617	Spare blades for Hand scraper 10 pcs.	20	14254	Grinding plate with hard metal ring K 16	27
13619	Rubbing hammer	75	14255	Grinding plate with hard metal ring K 24	27
13626	Slide hammer tool, Length 41 cm	95	14256	hard metal ring K 16	27
13627	Slide hammer tool, Adjustable length, 41 or 64 cm	95	14257	hard metal ring K 24	27
13628	Measuring wedge	63	14261	Fine dust filter	46
13636	Spike rollers 50cm / 31mm	53	14262	T-Rex suction nozzle, round	46
13637	Spike rollers 25cm / 31mm	53	14263	T-Rex 70 mm add-on nozzle	46
13638	Spike rollers 75cm / 31mm Sta.	53	14264	Add-on nozzle brush set	46
13639	Starting current limiter	99	14265	Add-on nozzle rubber lip	46
13641	Floor milling machine CT 200	40	14268	70 mm diameter connecting piece	46
13642	Milling drum CT 200 with milling blades	40	14269	Hose clamp, 60 - 80 mm	46
13643	Milling blade set for CT 200, 76 pcs.	40	14270	Spike rollers 75cm / 11mm	53
13644	Intermediate disc set for milling drum CT 200, 76 pcs.	40	14271	Spike rollers 75cm / 21mm	53
13645	Milling drum CT 200 (not shown) without blades	40	14272	Spike rollers 25cm / 21mm	53
13646	Shafts for milling drum CT 200, set of 4 pcs.	40	14273	70 mm end fitting	46
13648	Milling drum CT 200 complete with peeling blades	40	14538	Push-off knife	80
13649	Peeling blade set for CT 200, 40 pcs., 10 mm	40	14539	Spare blade	80
13650	Intermediate disc set for peeling blade drum CT 200, 72 pcs.	40	14959	Allen key SW 8	26
13658	Pin leveller	53	15315	Hearing protection	97
13659	Steel blade	53	15316	Protective goggles	97
13660	Spare pins, 2 pcs.	53	15353	Brush ring	24
13662	Carbide phials 100 pcs.	65	15519	Spare blades Combi-Str. 13,5cm	18
13761	Adhesive spatula, A1 profile	54	15532	Special blade heavy duty	9
13762	Spike rollers 50cm / 11mm	54	15540	Duro-Stripper 115V UK	16
13763	Nylon roller	53	15551	Roller handle	53
13803	Subfloor strength tester	63	15552	Super fine foam roller	53
13809	Stair tool, 7 cm	89	15555	Height scriber	93
13813	Round blade, 6 mm	80	15561	Head seam straight edge	94
13834	Scriber needles, 20 pcs.	76	15563	Treppenschmiege	94
13840	Hammer bar, 54.5 cm	95	15566	Adhesive spatula, B2 profile, 18cm	54
13841	Adhesive spatula, B1 profile, 25 cm	54	15567	Adhesive spatula, B3 profile, 18cm	54
13842	Groover for rubber floors	80	15568	Adhesive spatula, w/o profile 18cm	54
13843	Spare blades for Groover for rubber floors, 10 Pcs.	80	15569	Adhesive spatula, A1 profile, 25cm	54
13862	Stair tool, 9 cm	89	15570	Adhesive spatula, B2 profile, 25cm	54
13868	Round blade, 12 mm	80	15571	Adhesive spatula, B3 profile, 25cm	54
13870	Flat blade	80	15572	Adhesive spatula, w/o profile 25cm	54
13872	Flexible steel straight edge 205 cm	94	15582	Height levelling spatula	54
13873	Flexible steel straight edge 405 cm	94	15591	Double knife sheath for WOLFF knife	92
13876	Adhesive spatula, A2 profile, 18cm	54	15605	Linoleum edge cutter	72
13877	Adhesive spatula, B1 profile, 18cm	54	15610	Broad nozzle	84
13878	Corrugated link, 100 pcs.	56	15611	Welding rod roller, 15 mm	80
13879	Spike rollers 25cm / 11mm	53	15617	Blade no. 22, 10 pcs.	92
13880	Designer cutting knife	92	15619	Handle for spare blade	92
13886	Adhesive spatula, A2 profile, 25cm	54	15620	Stair scriber	76
13922	Supporting blocks, 100 pcs.	65	15621	FasTrimmer	76
13923	Test blocks, 100 pcs.	65	15622	Base for chamfering the floor	76
13926	Mixed adhesive	65	15623	FasTrimmer	76
13932	Wave connector PU 1.000 pcs.	41	15624	Circular cutter, 4 - 21cm	88
13934	Floor scraper	20	15626	Circular cutter	72
13943	Seam roller, 13 cm wide	89	15627	Connecting piece for top segment	72
13947	Web, 5 pcs.	71	15628	Joint groover for circular cutter	72
13978	Spare blades Turbo 350x60x1,0mm 10Stk/VE	12	15629	Extension rails up to 4.86 m radius	72
13979	Spare blades Turbo 350x60x1,5mm 10Stk/VE	12	15631	Adapter for corner and wall radius	72
13980	Spare blades Turbo 200x60x1,5mm 10Stk/VE	12	15641	Mittag cutter	87
13981	Spare blades Turbo 150x60x1,5mm 10Stk/VE	12	15648	Mitre-box shears	93
13982	Spare blades f. Turbo 350x120x1,5mm	12	15649	Spare blade	93
13983	Special blades U 350x90° top cutting edge	12	15650	Spare pad	93
13998	Spare blades Junio-Stripper 120mm 10S/VE	18	15651	Skirting board shears with stop	93
14000	Spare blades Junio-Stripper 200mm 10S/VE	18	15652	Carpet shears, serrated blade, 22 cm	89
14001	Spare blades for Floor scraper	20	15653	Napping shears, 14 cm	89

15654	Carpet shears	89	32760	Concave blade	92
15658	Napping shears, 18 cm	89	33196	Mitre-box stop	93
15659	Universal shears, 25 cm	89	33199	Leather blade cover f. Junio	18
15661	LS 35 (35 cm cutting width)	71	33203	Leather blade cover f. Duro/Vario/Eco/Primo	18
15662	Saw blade	71	33204	Leather blade cover	9
15711	Joint grooving machine Fräsmaster 115V UK	77	33209	Disc for natural stone	28
15712	Joint grooving machine Fräs junior 115V UK	78	33291	HM grinding disc Ø 375mm K 12	26
15714	Diamond grindstone	85	33292	HM grinding disc Ø 400mm K 12	26
15718	HM grinding stone, grit 24	50	33505	Cleaning pads Ø 150mm black 10 pcs.	28
15719	HM grinding stone, grit 18	50	33506	Cleaning pads Ø 150mm green 10 pcs.	28
15735	Brush cup plate	27	33507	Cleaning pads Ø 150mm red 10 pcs.	28
15736	Brush cup set, 6 pcs.	27	33509	Cleaning pads Ø 150mm beige 10 pcs.	28
15737	Mounting kit for brush cup set	27	33510	Cleaning pads Ø 150mm white 10 pcs.	28
15738	Flat steel brush disc	27	33511	Abrasive gauze Ø 150mm K 60	26
15739	Spare pad Ø 400mm	28	33513	Abrasive gauze Ø 150mm K 80	26
15781	Double head stretcher	87	33514	Abrasive gauze Ø 150mm K 100	26
15797	Impact padding	87	33515	Abrasive gauze Ø 150mm K 120	26
15798	Fine teeth insert, 3 pcs.	87	33516	Abrasive gauze Ø 150mm K 150	26
15799	Rough base plate	87	33517	Abrasive gauze Ø 150mm K 180	26
15802	Claw tool	89	33524	Cleaning pads Ø 410mm for oiling 10 pcs.	28
15809	Safety gloves	97	33525	Cleaning pads Ø 150mm for oiling 10 pcs.	28
15810	Rubber knee protectors	96	33754	Adhesive Profiles, double sided, B9, 28cm, 10 pcs.	55
15811	Spare straps for Leather knee protectors	96	34097	Additional weight 11kg Samba,Jive,Flamenco,T	24
15813	Leather knee protectors	96	34284	Milling disc with rotation principle	29
15829	Pouring spouts	49	34285	Single milling module	29
15832	Hammer bar, 42.5 cm	95	34286	Gliding disc	29
15834	Pressure roller for floor coverings	75	34288	Wheel set per module, 12 pcs.	29
15852	Tapping block	95	34298	Cleaning pads Ø 410/20mm red 5 pcs.	28
15872	Seal rings (3 small + 3 large rings)	65	34300	Cleaning pads Ø410/10mm red 10 pcs.	28
15873	Spring scale	65	35082	Suction device 230V/50Hz f. Samba/Tango	24
15874	CM pressure gauge	65	37299	Paper filter bags 80cm f. 13503 5 pcs.	24
15876	Digital CM pressure gauge	65	38197	HM grinding disc Ø 400mm K 36	26
15901	Weight 600 g, diameter 50 mm	95	38535	Additional weight, 30 kg f. Turbo2	9
15915	Skirting board punching machine	93	38588	Extro-Stripper2 230V/50Hz	10
15916	Spare spring	93	38622	Adhesive spatula, B11 profile, 18cm	54
15918	Spare blade	93	38764	Vario-Stripper Silent 230V/50Hz	14
15924	Broom 50 cm	95	38765	Spare blades 250x60x0,7mm Vario 10St/VE	15
15925	Broom 60 cm	95	38766	Spare blade 250x60x1,0mm Vario 10St/VE	15
15926	Coir broom, 60 cm	95	38767	Spare blade 250x60x1,5mm Vario 10St/VE	15
15927	Metal handle	95	38768	Special blade U 250x90° Top cutting edge Vario	15
15930	Floor grinding machine BS 180	32	38923	To remove thin paint layers and roughen metal surfaces	40
15932	Diamond grinding disc, single row	34	38924	Star-shaped blade set for CT 200, 356 pcs.	40
15933	Diamond grinding disc, double row	34	38932	Special blade U 250x90° Bottom cutting edge Vario	15
15934	HM grinding disc, 180 mm, grit 16	34	38933	Special blades U 350x90° bottom cutting edge	12
15935	HM grinding disc, 180 mm, grit 24	34	39086	Turbo-Stripper2 115V US	8
15953	Diamond grinding disc Raptor	34	39087	Turbo-Stripper2 115V UK	8
15960	Extension cable	36	39090	Extro-Stripper2 115V US	10
16145	Wall scribe	76	39121	Extro-Stripper2 115V UK	10
16148	LS 65 (65 cm cutting width)	71	39189	Three star handle nut D 80 x M 10	11
16151	Spare wheel f. Duro-Stripper	17	39362	Special blade heavy duty	9
16254	Dust mask	97	39452	Door case saw Piranha 115V US	90
16255	Medical knee protectors	96	39709	Cleaning tank f. Mambo 2/Evo	22
16256	Digital scale	65	39923	Adhesive spatula, B11 profile, 25cm	54
16273	PressoMess shear strength measuring instrument	65	40262	Linocut seam cutter	67
16876	Junio-Stripper 230V/50Hz	18	40607	Holding kit for perforated pads Ø 410mm kompl.	27
16927	Door case saw Piranha	90	40720	Perforated pads P 36 Ø 410mm	28
17057	Stirrer, type KE 120S (M14 thread)	48	40741	Perforated pads P 40 Ø 410 mm	28
17227	HM saw blade	90	40742	Perforated pads P 60 Ø 410MM	28
17433	Hook-and-loop fastener	96	40743	Perforated pads P 80 Ø 410 mm	28
17471	Spare blade	93	40744	Perforated pads P100 Ø 410 mm	28
18372	Smashing bowl	65	40745	Perforated pads P120 Ø 410 mm	28
19524	Broad nozzle 20 mm	84	40746	Perforated pads P150 Ø 410 mm	28
20669	LS 35 (35 cm cutting width) 115V UK	71	40747	Perforated pads P220 Ø 410 mm	28
20724	Floor grinding machine BS 181 115V UK	32	40748	Perforated pads P320 Ø 410MM	28
20747	Large dust ring	22	40749	Perforated pads P400 Ø 410MM	28
20819	Junio-Stripper 115V UK	18	40775	Perforated pads P 40 Ø 150mm	28
20821	Door case saw Piranha 115V UK	90	40776	Perforated pads P 60 Ø 150 mm	28
20993	Large spare brush Mambo	22	40777	Perforated pads P 80 Ø 150 mm	28
21149	Straight blade with titanium coating, 100 pcs.	92	40778	Perforated pads P320 Ø 150mm	28
21150	Hooked blade with titanium coating, 100 pcs.	92	40982	Brush ring, high Mambo	27
21151	Super hooked blade with titanium coating, 100 pcs.	92	41213	Speed welding nozzle PUR 5 mm	82
21208	Semicircular HM grooving disc, 3.3 mm	77	41784	Ergostar spatula 21cm	54
32713	Combined hooked/straight blade	92	41787	Ergostar spatula 28cm	54

41789	Roller container	53	56530	Blades, 50 pcs.	93
41811	Extension cable, 25.0 m	99	59831	Cleaning tank f. Samba 2010	24
42453	Vario-Stripper Silent 115V UK	14	59856	Spare screw set	85
42796	Dust absorbing pad 410 mm	27	60078	Safety sheath	85
43778	Turbo-Stripper2 230V	8	60425	Steel pins 1,000 pcs., uncoated 1,5 x 25 mm	93
47049	PUR welding nozzle	84	60426	Steel pins 1,000 pcs., uncoated 1,5x30 mm	93
47382	Extension cable, 12.5 m	99	60427	Steel pins 1,000 pcs., uncoated 1,5x35mm	93
47414	Carpet strip cutter C-cut	88	60505	Cork rubbing board	75
47450	Rubber mallet, Weight 335 g, diameter 40 mm	95	60643	Door straight edge, raised	94
48028	Diamond grinding plate, PCD	37	60676	Base plate for reverse cutting	67
48036	PCD splinter segment	37	60736	Spare pad	93
48038	Diamond segment SS 20	37	60800	Starvac MI55	42
48041	Diamond segment SS 40	37	60865	Milling and welding set Combi 115V US	81
48221	WOLFF knife	92	60890	WOLFF Wallmaster	86
48371	Suction hose, 70 mm diameter, 15 m	46	60944	Suction wand f. Starvac+PallmannDust	42
48373	Hose kit, 70 mm	46	60947	Floor nozzle Starvac+PallmannDust	42
48376	Connecting kit, 50 mm	46	60948	Paper filter bags f. Starvac 5 pcs.	42
48401	Serrated blades 250x60x1Vario1Silent	15	60949	Dry vacuum cleaner filter	42
48402	Serrated blades 210x60x1mm Duro	17	60950	Crevice nozzle Starvac MI55	42
48421	Flexible steel straight edge 210 x 8 cm	94	60951	Suction hose, 4 m f.Starvac/PallmannDust	42
48422	Flexible steel straight edge 410 x 8 cm	94	61201	Felt coat for glide	75
48423	Flexible steel straight edge 510 x 8 cm	94	61394	WOLFF Wallmaster straight edge	86
48425	Flexible steel straight edge 210 x 8 cm	94	61804	Monodisc grinding machine Mambo Evo 230V/50Hz	22
48426	Flexible steel straight edge 410 x 8 cm	94	61933	Wet and dry vacuum cleaner filter Starvac/Pallmann Dust	42
48428	Flexible steel straight edge 510 x 8 cm	94	62162	Aluminium floor nozzle, 370 mm	42
48957	Conversion kit for diamond grinding plates	37	62183	Mozart speed Trimmer	85
49875	Mozart trimming knife	85	62227	Running gear f. Turbo	9
49876	Spare blades for Mozart trimming knife, 5 pcs.	85	62551	Monodisc grinding machine Mambo Evo 115V UK	22
50070	Duro-Stripper 115V US	16	62694	Glide with removable felt coat and handle	75
50080	Junio-Stripper 115V US	18	62697	Starvac disposal bags (10 pcs.)	42
50159	Joint grooving machine Fräsmaster 115V US	77	62700	Ergo Cutter	20
50160	Joint grooving machine Fräsjunior 115V US	78	62727	Sheath green for WOLFF knife 48221	92
50202	Vario-Stripper Silent 115 V UK	14	63011	Bevelling disc for profile bevels	90
50772	Slider, 0.50 mm	85	63047	Monodisc grinding machine Samba 115V US	23
50820	Abrasive paper discs Ø 380mm K 16 Gew.	26	63752	Deflector for Turbo versions New f. Turbo2	9
50849	HM grinding disc Ø 375mm K 14	26	63753	Blade holder for deflector for Turbo2	9
50850	HM grinding disc Ø 400mm K 14	26	63754	Wood flooring stripper set Turbo2	9
51243	Abrasive paper discs Ø 400mm K 16 Gew.	26	63998	WOLFF GreenCut	68
51270	Slider, 0.70 mm	85	65080	Cleaning pads Ø 410/20mm brown 5 pcs.	28
51505	Hand scraper WOLFF	20	65218	Monodisc grinding machine Samba 115V UK	23
51509	Adjustable knee kicker	87	65398	Safety Poly knee protectors	96
51546	Adhesive profiles R3, 56cm 10 pcs.	53	65431	CCM Set ECO	65
51549	Nail shoes	56	65480	Stirring station, 75 litre, complete	49
51560	Knee pads	96	65481	75 L stirring station base frame	49
51771	Sample collection	59	65491	75 L stirring station mounting	49
51840	Basic grinding disc for diamond segments	24	65492	75 L stirring station stirrer	49
52298	Rake	53	65493	75 L stirring station mixing bucket	49
53415	Undercarriage protection f. Turbo2	9	65494	75 L stirring station hose holder	49
54874	Copper band ,Self-adhesive roll 2 cm x 25 m	56	65495	Adhesive interchangeable spatula, 28 cm with handle	52
55030	Break-off knife	92	65496	Replacement smoothing compound rake	52
55031	Double action, with stop	93	65497	Universal telescopic handle	52
55037	Knee protectors	96	65499	Adapter for spike rollers	52
56026	Roller nozzle brush set	46	65500	Professional hand scraper WOLFF	20
56092	Joint grooving machine Fräsjunior	78	65501	Smoothing compound rake, 56 cm with handle	52
56203	Smoothing trowel	50	65502	Replacement smoothing compound rake	52
56204	Swiss trowel	50	65503	Large area rake, 60 cm with handle	52
56205	Adhesive trowel	50	65504	Replacement large area rake	52
56255	Automatic welding machine Weldmaster	81	65505	Replacement pins for large area rake, 1 pair	52
56259	Automatic welding machine Weldmaster 115V UK	81	65656	Solid board notched trowel	54
56260	Automatic welding machine Weldmaster 115V US	81	65659	Carpet cutter	87
56303	Diamond segment SS 60	37	65660	Carpet awl	87
56306	Diamond segment SC 20	37	65755	Slot hole blades (10 pcs.)	87
56308	Diamond segment SC 40	37	65846	30 L transportation caddy including	49
56309	Diamond segment SC 60	37	65847	30 L mixing bucket	49
56357	Milling and welding set Combi	81	65848	Transportation caddy base frame	49
56363	Einsch.schleifm. Jive 2010 230V	25	65853	Stair tool with roller	89
56364	Monodisc grinding machine Samba 2010 230V	23	66177	Sigma diamond segment single, grit 6, purple	39
56365	Einsch.schleifm. Flamenco 2010 230V	25	66178	Sigma diamond segment single BT, grit 16, silver	39
56366	Einsch.schleifm. Tango 2010 230V	25	66179	Sigma diamond segment single BT, grit 25, gold	39
56401	Pressure roller, 30 kg	74	66180	Sigma diamond segment double, grit 40-50, grey	39
56402	Pressure roller, 50 kg	74	66211	Sigma diamond segment double, grit 80, brown	39
56403	Pressure roller, 68 kg	74	66213	Sigma PCD segment soft gold	39
56404	Wheels for transportation	74	66214	Sigma PCD segment, hard gold	39

67323	Wood Beveller	90	75406	Grinding disc Ø180mm BT grit 20, gold BS 180	34, 33
67983	Handle bracket	52	75407	Grinding disc Ø180mm ES grit 20, black, BS 180	34, 33
68353	Extension 200 mm	48	75408	Grinding disc Ø180mm PCD Split, silver BS 180	34, 33
68388	DS PCD scraper silver	31	75409	Grinding disc Ø180mm PCD Scraper, silver BS 180	34, 33
68389	DS PCD split silver	31	76769	Leister Electron ST	83
68390	DS BT K 20 gold	31	76970	NEO 400 4kW/400V	36
68391	DS ES K 20 black	31	79320	Substrate test kit	63
68602	DIA cutting disc EF 135	41	79634	Spare blade 350x150x3	7
68679	Screed joint cutter EF 135	41	79635	Spare blade 350x150x3 gezahnt	7
68866	Ninja complete with PCD Scraper segments	30	79636	Special blades 350x120x3	12, 13
68867	Ninja complete with PCD Split segments	30	79637	Special blades 200x120x3	12, 13
68868	Ninja complete with ES K20 segments	30	79638	Special blades 100x120x3	12, 13
68869	Ninja kpl. mit DS ES K 20 black	30	79639	Special blades 350x120x3	12, 13
68952	Monodisc grinding machine Mambo Evo 115V US	22	79742	Pin rake	53
68957	LS 35 (35 cm cutting width) 115V US	71	79922	Only Cleanspace without mask	98
68958	LS 65 (65 cm cutting width) 115V US	71	79923	Half mask large	98
69452	Sigma diamond segment single ES, grit 16, silver	39	79924	Half mask medium	98
69453	Sigma diamond segment single ES, grit 25, gold	39	79925	Half mask small	98
69864	Railcut	69	80040	Levelpin	56
69877	Spare rail with connector (1.40 m)	69	80078	Phoenix 1600 230V	82
70754	Multi-Lochpad P100 Ø 150 mm	28	80081	Phoenix 1600 115V	82
71053	Hygrometer Universal V1-D4 Professional	58	80208	Soft-head hammer	95
71054	Moisture meter GM-200	60	80229	Power Cleaner	99
71055	Thermohygrometer LVT 15 Professional	62	80274	Locking device for torsion Robo	7
71056	Submersible probe TF-01	62	80355	Heating element Phoenix 1,6 kW 230 V	82
71057	Surface probe OF-02 Professional	62	80358	Spare blade 350x150x3 serrated with deflector	7
71213	Bolt with nut and sleeve (Set)	93	80359	Spare blade 350x150x3 with deflector	7
71910	Blade holder	93	80454	Nail shoes Spiky size M, for size 42 (8) and smaller	56
71991	Leister Triac AT	83	80455	Nail shoes Spiky size L, for size 42 (8) - 44 (10)	56
72268	Sigma PKD Segment Super A	39	80456	Nail shoes Spiky size XL, for size 44 (10) - 48 (15)	56
72269	Sigma PKD Segment Super A Protect	39	80457	Spare nails Spiky (packaging unit 32 pieces)	56
72315	Heating element 1.55 kW for Triac ST	83	80460	Cable drum	99
72462	Dust ring with extraction device Samba	24	80578	Spare blades for circular cutter, 6 pcs.	76
72661	Design Cutter WO 330	73	80582	Handheld grinder BS 125	32
72663	Design Cutter WO 630	73	80614	Phoenix 1600 Set	82
72752	Spare blade for WO 330	73	80765	Neo 400 60Hz US	36
72776	Spare blade for WO 630	73	81148	Vacuclean 2 230V	44
72916	Pre-separator	43	81149	Vacuclean 2 LP 230V	45
72983	Grinding disc Ø125mm ES grit 20, black, BS 125	33, 34	81205	Special blades 350x60x1,5mm	12, 13
72984	Grinding disc Ø125mm BT grit 20, gold BS 125	33, 34	81340	Screed joint cutter EF 135 115V UK	41
73102	hose 1.2 m	43	81615	Filter PTFE f.Vacuclean2+LP	44
73385	Hose kit for dust ring	24	81616	Filter H14/HEPA f.Vacuclean2+LP	44
73389	Blade holder for Wood flooring stripper set	9	81627	Cone nozzle f. Vacuclean2	44
73618	Brush electrodes set BE-03	59	81629	Dustbag endless 4x22m f.Vacuclean2 LP	45
73619	Flat electrodes set FE-04	59	81706	Vacuclean 2 LP 115V US	45
73709	Duo pressure roller	75	81715	Knee protector 200 Pro	96
73710	Joint groover with guiding wheels	80	81717	Knee protector 200 Pro Extra inlays	96
73772	Pinhead measuring electrode PP-05	59	81718	Knee protector 200 Pro Extra elastics	96
73773	Air sensor with cable CS-06	59	82215	Pre-separator antistatic	43
73774	Resistor measured sample (Set) CE-07	59	82348	Primo-Stripper 230V/50Hz	18
73775	Sealable sleeve for air sensor	59	82497	Bush hammer milling plate Mambo	29
73888	Robo-Stripper 230V	6	82557	Bush hammer milling plate Neo 400	38
74000	Robo-Stripper 115V	6	82643	Leister Triac SET AT 230V/50Hz	83
74177	Suction kit metal	24	82650	Brush BS 180	32
74215	Twin wheels Robo Stripper	7	83113	Hygrometer Universal V1-D4 Basic	58
74554	Carbide phials 25 pcs.	65	83115	Thermohygrometer LVT 15 IR	60
74650	NEO 230 2kW/230V	35	83124	Cleanfox 7,5 10Ah	101
74843	Design Collection	70	83125	Cleanfox 7,5 20Ah	101
74844	Tanos carrying case	70	83145	Cylindrical brush medium (blue)	101
74845	Leister Triac ST	83	83146	Cylindrical brush soft (grey)	101
74847	Leister Triac set ST	83	83147	Cylindrical brush hard (black)	101
74895	Neo 230 115V UK	35	83148	Tynex brush (green)	101
74949	Chamfer and mitre templates	94	83150	Replacement Battery 10 Ah	101
74986	Hook set	94	83151	Replacement Battery 20 Ah	101
75010	Special blade U-shape 450 Top cutting edge Robo	7	83152	Battery-Charger for the car	101
75011	Special blade U-shape 450 Bottom cutting edge Robo	7	83178	Flat nozzle f. Vacuclean2	44
75364	PCD Ultra	37	83248	Mixing bucket 110 l	49
75365	PCD Scraper XT	37	83464	Spare nails round (packaging unit 32 pieces)	56
75366	PCD Ultra XT	37	83665	Air sensor with cable CS-10	59
75367	PCD Cone	37	83702	Stabilizer wheel Neo 400	36
75382	Neo 230 115V US	35	83727	Vacuclean 2 LP 115V UK	45
75404	Grinding disc Ø125mm PCD Split, silver BS 125	34, 33	83734	Rubbing device	75
75405	Grinding disc Ø125mm PCD Scraper, silver BS 125	34, 33	83924	Mixer Power X 1000	48

---

83925	Dust Mask Air+ FFP2 (10 pcs.)	97
83926	Dust Mask Air+ FFP3 (10 pcs.)	97
83927	Micro fan for Air+ mask	97
83933	suction-lips	101
83950	Metal wheels	24
84073	Vacuclean 2 230V UK	44
84074	Vacuclean 2 115V UK	44
84094	Wolff Ripper	50
84137	Flow-Fix-Set	51
84169	Mixer Power X 1600	48
84185	Spirit Level 110cm	94
84206	Pre-filter Clean Space Ex	98
84209	Only Cleanspace EX without mask	98
84239	Full face mask	98
84246	Dust Door System	97
84247	Cartridge gun	95
84428	LASER-DISTANCE-ANALYSER PT 400	64
84546	CCM-instrument Alu Business Pro	65
84569	Microfiber cloth (green)	101
84759	Carrying case EF 135	41
84761	Paint-Checker	64
84773	Pica-Dry Marker	93
84774	Refill graphit	93
84775	Refill green	93
84917	Water dosing device	51
84919	Wood Saw PS 230	19
84920	Tripod for Water dosing device	51
85141	Distance piece Wood Saw	19
85147	HM-blade Ø 230 mm	19

**A**

Abrasive gauze Ø 150mm K 60	26
Abrasive gauze Ø 150mm K 80	26
Abrasive gauze Ø 150mm K 100	26
Abrasive gauze Ø 150mm K 120	26
Abrasive gauze Ø 150mm K 150	26
Abrasive gauze Ø 150mm K 180	26
Abrasive gauze Ø 406 mm K 60	26
Abrasive gauze Ø 406 mm K 80	26
Abrasive gauze Ø 406 mm K100	26
Abrasive gauze Ø 406 mm K120	26
Abrasive gauze Ø 410 mm K150	26
Abrasive gauze, Ø 406 mm K180	26
Abrasive paper discs Ø 380mm K 16 Gew.	26
Abrasive paper discs Ø 380mm K 24	26
Abrasive paper discs Ø 380mm K 40	26
Abrasive paper discs Ø 380mm K 60	26
Abrasive paper discs Ø 380mm K 80	26
Abrasive paper discs Ø 380mm K100	26
Abrasive paper discs Ø 380mm K120	26
Abrasive paper discs Ø 400mm K 16 Gew.	26
Abrasive paper discs Ø 400mm K 24	26
Abrasive paper discs Ø 400mm K 40	26
Abrasive paper discs Ø 400mm K 60	26
Abrasive paper discs Ø 400mm K 80	26
Abrasive paper discs Ø 400mm K120	26
Abrasive paper discse Ø 400mm K100	26
Adapter for corner and wall radius	72
Adapter for spike rollers	52
Add-on nozzle brush set	46
Add-on nozzle rubber lip	46
Additional weight 11kg Samba,Jive,Flamenco,T	24
Additional weight, 30 kg f. Turbo2	9
Adhesive interchangeable spatula, 28 cm with handle	52
Adhesive profiles R3, 56cm 10 pcs.	53
Adhesive Profiles, double sided, A1, 21cm 10 pcs.	55
Adhesive Profiles, double sided, A1, 28cm 10 pcs.	55
Adhesive Profiles, double sided, A2, 21cm 10 pcs.	55
Adhesive Profiles, double sided, A2, 28cm 10 pcs.	55
Adhesive Profiles, double sided, A3, 21cm 10 pcs.	55
Adhesive Profiles, double sided, A3, 28cm 10 pcs.	55
Adhesive Profiles, double sided, A4, 21cm 10 pcs.	55
Adhesive Profiles, double sided, A4, 28cm 10 pcs.	55
Adhesive Profiles, double sided, A5, 21cm 10 pcs.	55
Adhesive Profiles, double sided, A5, 28cm 10 pcs.	55
Adhesive Profiles, double sided, B1, 21cm 10 pcs.	55
Adhesive Profiles, double sided, B1, 28cm 10 pcs.	55
Adhesive Profiles, double sided, B11 28cm 10 pcs.	55
Adhesive Profiles, double sided, B11, 21cm 10 pcs.	55
Adhesive Profiles, double sided, B2, 21cm 10 pcs.	55
Adhesive Profiles, double sided, B2, 28cm 10 pcs.	55
Adhesive Profiles, double sided, B3, 21cm 10 pcs.	55
Adhesive Profiles, double sided, B3, 28cm 10 pcs.	55
Adhesive Profiles, double sided, B9, 28cm, 10 pcs.	55
Adhesive Profiles, double sided, R1, 21cm 10 pcs.	55
Adhesive Profiles, double sided, R1, 28cm 10 pcs.	55
Adhesive Profiles, double sided, R2, 21cm 10 pcs.	55
Adhesive Profiles, double sided, R2, 28cm 10 pcs.	55
Adhesive Profiles, double sided, S2, 21cm, 10 pcs.	55
Adhesive Profiles, double sided, S2, 28cm, 10 pcs.	55
Adhesive Profiles, double sided, S3, 21cm, 10 pcs.	55
Adhesive Profiles, double sided, S3, 28cm, 10 pcs.	55
Adhesive Profiles, double sided, S4, 28cm 10 pcs.	55
Adhesive spatula, A1 profile	54
Adhesive spatula, A1 profile, 25cm	54
Adhesive spatula, A2 profile, 18cm	54
Adhesive spatula, A2 profile, 25cm	54
Adhesive spatula, B1 profile, 18cm	54
Adhesive spatula, B1 profile, 25 cm	54
Adhesive spatula, B11 profile, 18cm	54
Adhesive spatula, B11 profile, 25cm	54
Adhesive spatula, B2 profile, 18cm	54
Adhesive spatula, B2 profile, 25cm	54
Adhesive spatula, B3 profile, 18cm	54

Adhesive spatula, B3 profile, 25cm	54
Adhesive spatula, w/o profile 18cm	54
Adhesive spatula, w/o profile 25cm	54
Adhesive trowel	50
Adjustable knee kicker	87
Air sensor with cable CS-06	59
Air sensor with cable CS-10	59
Allen key SW 8	26
Aluminium floor nozzle, 370 mm	42
Automatic welding machine Weldmaster	81
Automatic welding machine Weldmaster 115V UK	81
Automatic welding machine Weldmaster 115V US	81

**B**

Ball set, 4 pcs.	65
Base for chamfering the floor	76
Base plate for removing factory-cut edges	67
Base plate for reverse cutting	67
Basic grinding disc for diamond segments	29
Battery-Charger for the car	101
Bevelling disc for profile bevels	90
Blade holder	93
Blade holder for deflector for Turbo2	9
Blade holder for Wood flooring stripper set	9
Blade no. 22, 10 pcs.	92
Blades, 50 pcs.	93
Bolt with left-handed thread	26
Bolt with nut and sleeve (Set)	93
Break-off blade 18 mm, 100 pcs.	92
Break-off knife	92
Broad nozzle	84
Broad nozzle 20 mm	84
Broad nozzle 40 mm	84
Broad nozzle, 20 mm, angled	84
Broom 50 cm	95
Broom 60 cm	95
Brush BS 180	32
Brush cup plate	27
Brush cup set, 6 pcs.	27
Brush electrodes set BE-03	59
Brush ring	24
Brush ring, high Mambo	27
Bush hammer milling plate Mambo	29
Bush hammer milling plate Neo 400	38

**C**

Cable drum	99
Carbide phials 100 pcs.	65
Carbide phials 25 pcs.	65
Carpet awl	87
Carpet base 8 mm guide	67
Carpet clamp	20
Carpet cutter	87
Carpet cutter, green	88
Carpet cutter, red	88
Carpet shears	89
Carpet shears, serrated blade, 22 cm	89
Carpet strip cutter	88
Carpet strip cutter C-cut	88
Carrying case EF 135	41
Cartridge gun	95
CCM instrument WOLFF	65
CCM Set ECO	65
CCM-instrument Alu Business Pro	65
Chamfer and mitre templates	94
Circular cutter	72
Circular cutter, 4 - 21cm	88
Claw tool	89
Cleanfox 7,5 10Ah	101
Cleanfox 7,5 20Ah	101



Cleaning pads Ø 150mm beige 10 pcs.	28	Distance piece Wood Saw	19
Cleaning pads Ø 150mm black 10 pcs.	28	Dolphin knife	92
Cleaning pads Ø 150mm for oiling 10 pcs.	28	Door case saw Piranha	90
Cleaning pads Ø 150mm green 10 pcs.	28	Door case saw Piranha 115V UK	90
Cleaning pads Ø 150mm red 10 pcs.	28	Door case saw Piranha 115V US	90
Cleaning pads Ø 150mm white 10 pcs.	28	Door straight edge, raised	94
Cleaning pads Ø 410/10 mm beige 10 pcs.	28	Double action, with stop	93
Cleaning pads Ø 410/10 mm black 10 pcs.	28	Double head stretcher	87
Cleaning pads Ø 410/10 mm green 10 pcs.	28	Double knife sheath for WOLFF knife	92
Cleaning pads Ø 410/10 mm white 10 pcs.	28	Dry vacuum cleaner filter	42
Cleaning pads Ø 410/20 mm beige 5 pcs.	28	DS BT K 20 gold	31
Cleaning pads Ø 410/20 mm green 5 pcs.	28	DS ES K 20 black	31
Cleaning pads Ø 410/20 mm weiß 5 pcs.	28	DS PCD scraper silver	31
Cleaning pads Ø 410/20MM black 5 pcs.	28	DS PCD split silver	31
Cleaning pads Ø 410/20mm brown 5 pcs.	28	Duo pressure roller	75
Cleaning pads Ø 410/20mm red 5 pcs.	28	Duro-Stripper 115V UK	16
Cleaning pads Ø 410mm for oiling 10 pcs.	28	Duro-Stripper 115V US	16
Cleaning pads Ø410/10mm red 10 pcs.	28	Duro-Stripper 230V/50Hz	16
Cleaning tank f. Mambo 2/Evo	22	Duro-Stripper VG 230V/50Hz	16
Cleaning tank f. Samba 2010	24	Dust absorbing pad 410 mm	27
CM pressure gauge	65	Dust Door System	97
Coir broom, 60 cm	95	Dust mask	97
Combi grooving disc, 5 mm	77, 78	Dust Mask Air+ FFP2 (10 pcs.)	97
Combi scribe	76	Dust Mask Air+ FFP3 (10 pcs.)	97
Combined hooked/straight blade	92	Dust ring	24
Concave blade	92	Dust ring with extraction device Samba	24
Cone nozzle f. Vacuclean2	44	Dustbag endless 4x22m f. Vacuclean2 LP	45
Connecting kit, 50 mm	46		
Connecting piece for top segment	72		
Conversion kit for diamond grinding plates	37		
Conversion kit, to use hooked blade	71		
Copper band ,Self-adhesive roll 2 cm x 25 m	56	<b>E</b>	
Copper band, Roll 200 m	56	Einsch.schleifm. Flamenco 2010 230V	25
Copper band, Roll 50 m	56	Einsch.schleifm. Jive 2010 230V	25
Cork rubbing board	75	Einsch.schleifm. Tango 2010 230V	25
Correction nozzle Inlet 4 mm	84	Elliptic diamond grooving disc, 130 mm, 4 teeth, 3.8 mm	77, 78
Corrugated link, 100 pcs.	56	Elliptic grooving disc, 3.8 mm	77
Corrugated wire brush	28	End fitting 70 mm	46
Crevice nozzle Starvac MI55	42	Ergo Cutter	20
Cylindrical brush hard (black)	101	Ergostar spatula 21cm	54
Cylindrical brush medium (blue)	101	Ergostar spatula 28cm	54
Cylindrical brush soft (grey)	101	Extension 200 mm	48
		Extension cable	36
		Extension cable, 12.5 m	99
		Extension cable, 25.0 m	99
		Extension rails up to 4.86 m radius	72
<b>D</b>		Extro-Stripper2 115V UK	10
Deflector for Turbo versions New f. Turbo2	9	Extro-Stripper2 115V US	10
Design Collection	70	Extro-Stripper2 230V/50Hz	10
Design Cutter WO 330	73		
Design Cutter WO 630	73	<b>F</b>	
Designer cutting knife	92	FasTrimmer	76
DIA cutting disc EF 135	41	FasTrimmer	76
Diameter connecting piece 70 mm	46	Felt coat for glide	75
Diamond grinding disc Raptor	34	Felt padding Ø 375mm	26
Diamond grinding disc, double row	34	Filter H14/HEPA f. Vacuclean2+LP	44
Diamond grinding disc, single row	34	Filter PTFE f. Vacuclean2+LP	44
Diamond grinding head, fan-type helical design	29	Fine dust filter	46
Diamond grinding plate, PCD	37	Fine teeth insert, 3 pcs.	87
Diamond grindstone	85	Flat blade	80
Diamond grindstone	85	Flat electrodes set FE-04	59
Diamond segment SC 20	37	Flat nozzle f. Vacuclean2	44
Diamond segment SC 40	37	Flat steel brush disc	27
Diamond segment SC 60	37	Flexible steel straight edge 205 cm	94
Diamond segment SS 20	37	Flexible steel straight edge 210 x 8 cm	94
Diamond segment SS 40	37	Flexible steel straight edge 210 x 8 cm	94
Diamond segment SS 60	37	Flexible steel straight edge 405 cm	94
Diamond segment SS 60	37	Flexible steel straight edge 410 x 8 cm	94
Diamond segment SS 60	37	Flexible steel straight edge 410 x 8 cm	94
Diamond segment SS 60	37	Flexible steel straight edge 510 x 8 cm	94
Digital CM pressure gauge	65	Flexible steel straight edge 510 x 8 cm	94
Digital scale	65	Floor grinding machine BS 180	32
Disc for natural stone	28	Floor grinding machine BS 181 115V UK	32
Disc holder for pads	101		
Disc holder for pads Ø 400mm	28		
Disc holder with felt, Ø 375mm	26		
Disc holder with sponge padding, Ø 375mm	26		
Disc holder with sponge padding, Ø 400mm	26		

Floor milling machine CT 200	40	Hooked blades, 0.65 mm, 100 pcs.	92
Floor nozzle Starvac+PallmannDust	42	hose 1.2 m	43
Floor scraper	20	Hose clamp, 60 - 80 mm	46
Flow-Fix-Set	51	Hose connection 50 mm	46
For 0 - 8 cm strips	71	Hose damp 40 - 60 mm	46
For 3 - 20 cm strips	71	Hose kit for dust ring	24
For 6 - 30 cm strips	71	Hose kit with T-piece	24
Full face mask	98	Hose kit, 70 mm	46
		Hygrometer Universal V1 -D4 Basic	58
		Hygrometer Universal V1 -D4 Professional	58
<b>G</b>			
Glide with removable felt coat and handle	75	<b>I</b>	
Gliding disc	29	Impact padding	87
Gooseneck nozzle	84	Interchangeable spatula, 21 cm	54
Grinding disc Ø125mm BT grit 20, gold BS 125	33, 34	Interchangeable spatula, 28 cm	54
Grinding disc Ø125mm ES grit 20, black, BS 125	33, 34	Intermediate disc set for milling drum CT 200, 76 pcs.	40
Grinding disc Ø125mm PCD Scraper, silver BS 125	34, 33	Intermediate disc set for peeling blade drum CT 200, 72 pcs.	40
Grinding disc Ø125mm PCD Split, silver BS 125	34, 33		
Grinding disc Ø180mm ES grit 20, black, BS 180	34, 33		
Grinding disc Ø180mm BT grit 20, gold BS 180	34, 33	<b>J</b>	
Grinding disc Ø180mm PCD Scraper, silver BS 180	34, 33	Joint groover for circular cutter	72
Grinding disc Ø180mm PCD Split, silver BS 180	34, 33	Joint groover with guiding pin	80
Grinding disc with 6 stones, grit 20	29	Joint groover with guiding wheels	80
Grinding disc with diamond grinding heads	29	Joint grooving machine Fräsjunior	78
Grinding plate with hard metal ring K 16	27	Joint grooving machine Fräsjunior 115V UK	78
Grinding plate with hard metal ring K 24	27	Joint grooving machine Fräsjunior 115V US	78
Grinding stone	50	Joint grooving machine Fräsmaster	77
Groover	80	Joint grooving machine Fräsmaster 115V UK	77
Groover for rubber floors	80	Joint grooving machine Fräsmaster 115V US	77
		Junio-Stripper 115V UK	18
		Junio-Stripper 115V US	18
		Junio-Stripper 230V/50Hz	18
<b>H</b>			
Half mask medium	98	<b>K</b>	
Half mask small	98	Knee pads	96
Hammer bar, 42.5 cm	95	Knee protector 200 Pro	96
Hammer bar, 54.5 cm	95	Knee protector 200 Pro Extra elastics	96
Hand scraper WOLFF	20	Knee protector 200 Pro Extra inlays	96
Handheld grinder BS 125	32	Knee protectors	96
Handle bracket	52		
Handle for spare blade	92	<b>L</b>	
hard metal ring K 16	27	Large area rake, 60 cm with handle	52
hard metal ring K 24	27	Large dust ring	22
Head seam straight edge	94	Large spare brush Mambo	22
Hearing protection	97	LASER-DISTANCE-ANALYSER PT 400	64
Heating element 1.55 kW for Triac ST	83	Leather blade cover	9
Heating element Phoenix 1,6 kW 230 V	82	Leather blade cover f. Duro/Vario/Eco/Primo	18
Heating element, 3.0 kW	81	Leather blade cover f. Junio	18
Heating element, 3.3 kW	83	Leather knee protectors	96
Height levelling spatula	54	Leister Electron ST	83
Height scribe	93	Leister Triac AT	83
HM grinding disc Ø 375mm K 12	26	Leister Triac SET AT 230V/50Hz	83
HM grinding disc Ø 375mm K 14	26	Leister Triac set ST	83
HM grinding disc Ø 375mm K 16	26	Leister Triac ST	83
HM grinding disc Ø 375mm K 24	26	Levelpin	56
HM grinding disc Ø 400mm K 12	26	Linocut seam cutter	67
HM grinding disc Ø 400mm K 14	26	Linoleum edge cutter	72
HM grinding disc Ø 400mm K 16	26	Locking device for torsion Robo	7
HM grinding disc Ø 400mm K 24	26	LS 35 (35 cm cutting width)	71
HM grinding disc Ø 400mm K 36	26	LS 35 (35 cm cutting width) 115V UK	71
HM grinding disc, 180 mm, grit 16	34	LS 35 (35 cm cutting width) 115V US	71
HM grinding disc, 180 mm, grit 24	34	LS 65 (65 cm cutting width)	71
HM grinding stone, grit 18	50	LS 65 (65 cm cutting width) 115V US	71
HM grinding stone, grit 24	50		
HM milling plate disc	29		
HM plate (1 pc.)	29		
HM saw blade	90		
HM-blade Ø 230 mm	19		
Holding kit for perforated pads Ø 410mm kompl.	27		
Hook set	94		
Hook-and-loop fastener	96		
Hooked blade with titanium coating, 100 pcs.	92		

<b>M</b>		
Measuring wedge		
Medical knee protectors		
Metal carrying f. Duro-Stripper		
Metal handle		
Metal wheels		
Micro fan for Air+ mask		
Microfiber cloth (green)		
Milling and welding set Combi		
Milling and welding set Combi 115V US		
Milling blade set for CT 200, 76 pcs.		
Milling disc with rotation principle		
Milling drum CT 200 (not shown) without blades		
Milling drum CT 200 complete with peeling blades		
Milling drum CT 200 with milling blades		
Milling head		
Milling module with HM plate		
Mipolam jet-nozzle		
Mitre-box shears		
Mitre-box stop		
Mittag cutter		
Mixed adhesive		
Mixer Power X 1000		
Mixer Power X 1600		
Mixer Type MK 160 mm		
Mixing bucket 110 l		
Mixing bucket 30 L		
Moisture meter GM-200		
Monodisc grinding machine Mambo Evo 115V UK		
Monodisc grinding machine Mambo Evo 115V US		
Monodisc grinding machine Mambo Evo 230V/50Hz		
Monodisc grinding machine Samba 115V UK		
Monodisc grinding machine Samba 115V US		
Monodisc grinding machine Samba 2010 230V		
Mounting kit for brush cup set		
Mozart speed Trimmer		
Mozart trimming knife		
Multi grinding plate		
Multi-Lochpad P100 Ø 150 mm		
<b>N</b>		
Nail shoes		
Nail shoes Spiky size L, for size 42 (8) - 44 (10)		
Nail shoes Spiky size M, for size 42 (8) and smaller		
Nail shoes Spiky size XL, for size 44 (10) - 48 (15)		
Napping shears, 14 cm		
Napping shears, 18 cm		
Needle punch base 4 mm guide		
Neo 230 115V UK		
Neo 230 115V US		
NEO 230 2kW/230V		
NEO 400 4kW/400V		
Neo 400 60Hz US		
Ninja complete with ES K20 segments		
Ninja complete with PCD Scraper segments		
Ninja complete with PCD Split segments		
Ninja kpl. mit DS ES K 20 black		
Nylon roller		
<b>O</b>		
Only Cleanspace EX without mask		
Only Cleanspace without mask		
<b>P</b>		
Paint-Checker		
Paper filter bags 40cm f. 13503 10 pcs.		
Paper filter bags 80cm f. 13503 5 pcs.		
Paper filter bags f. Starvac 5 pcs.		
PCD Cone		37
PCD Scraper XT	63	37
PCD splinter segment	96	37
PCD Ultra	17	37
PCD Ultra XT	95	37
Peeling blade set for CT 200, 40 pcs., 10 mm	24	40
Perforated pads P 36 Ø 410mm	97	28
Perforated pads P 40 Ø 150mm	101	28
Perforated pads P 40 Ø 410 mm	81	28
Perforated pads P 60 Ø 150 mm	81	28
Perforated pads P 60 Ø 410MM	40	28
Perforated pads P 80 Ø 150 mm	29	28
Perforated pads P 80 Ø 410 mm	40	28
Perforated pads P100 Ø 410 mm	40	28
Perforated pads P120 Ø 410 mm	40	28
Perforated pads P150 Ø 410 mm	29	28
Perforated pads P220 Ø 410 mm	29	28
Perforated pads P320 Ø 150mm	84	28
Perforated pads P320 Ø 410MM	93	28
Perforated pads P400 Ø 410MM	93	28
Perlon brush	87	28
Phoenix 1600 115V	65	82
Phoenix 1600 230V	48	82
Phoenix 1600 Set	48	82
Pica-Dry Marker	48	93
Pin leveller	49	53
Pin rake	49	53
Pinhead measuring electrode PP-05	60	59
Polishing brush, coir	22	28
Polishing brush, hard	22	101
Polishing brush, soft	22	101
Polishing machine Rumba 0.5 kW	23	101
Polishing pad	23	101
Pouring spouts	23	49
Power Cleaner	27	99
Pre-filter Clean Space Ex	85	98
Pre-separator	85	43
Pre-separator antistatic	27	43
PressoMess shear strength measuring instrument	28	65
Pressure roller for floor coverings		75
Pressure roller, 30 kg		74
Pressure roller, 50 kg		74
Pressure roller, 68 kg		74
Primo-Stripper 230V/50Hz	56	18
Professional hand scraper WOLFF	56	20
Protective goggles	56	97
PUR welding nozzle	56	84
Push-off knife	89	80
<b>Q</b>		
Quarter moon knife	35	85
Quarter moon knife	36	85
Quarter moon knife	36	85
<b>R</b>		
Radiator nozzle	53	84
Railcut		69
Rake		53
Rake R1 profile		53, 55
Rake R2 profile		53, 55
Refill graphit	98	93
Refill green	98	93
Reinigungstank Rumba/Mambo		101
Replacement Battery 10 Ah		101
Replacement Battery 20 Ah		101
Replacement large area rake		52
Replacement pins for large area rake, 1 pair	64	52
Replacement smoothing compound rake	24	52
Replacement smoothing compound rake	24	52
Resistor measured sample (Set) CE-07	42	59

Robo-Stripper 115V		
Robo-Stripper 230V		
Roller container		
Roller handle		
Roller nozzle brush set		
Rough base plate		
Round blade, 12 mm		
Round blade, 6 mm		
Round nozzle		
Rubber knee protectors		
Rubber mallet, Weight 335 g, diameter 40 mm		
Rubbing device		
Rubbing hammer		
Running gear f. Turbo		
<b>S</b>		
Safety gloves		
Safety Poly knee protectors		
Safety sheath		
Sample collection		
Saw blade		
Screed joint cutter EF 135		
Screed joint cutter EF 135 115V UK		
Scriber needles, 20 pcs.		
Scriber needles, 20 pcs.		
Scrub brush		
Seal rings (3 small + 3 large rings)		
Sealable sleeve for air sensor		
Seam clamp 5 Pcs.		
Seam roller, 13 cm wide		
Seam scriber		
Seam trimmer		
Semicircular HM grooving disc, 3.3 mm		
Serrated blades 210x60x1mm Duro		
Serrated blades 250x60x1VarioSilent		
Shafts for milling drum CT 200, set of 4 pcs.		
Shampooing brush		
Sheath green for WOLFF knife 48221		
Sigma diamond segment double, grit 40-50, grey		
Sigma diamond segment double, grit 80, brown		
Sigma diamond segment single BT, grit 16, silver		
Sigma diamond segment single BT, grit 25, gold		
Sigma diamond segment single ES, grit 16, silver		
Sigma diamond segment single ES, grit 25, gold		
Sigma diamond segment single, grit 6, purple		
Sigma PCD segment soft gold		
Sigma PCD segment, hard gold		
Sigma PKD Segment Super A		
Sigma PKD Segment Super A Protect		
Single milling module		
Single nozzle		
Skirting board punching machine		
Skirting board shears with stop		
Slide hammer tool, Adjustable length, 41 or 64 cm		
Slide hammer tool, Length 41 cm		
Slider, 0.50 mm		
Slider, 0.70 mm		
Slot hole blades (10 pcs.)		
Smashing bowl		
Smoothing compound rake, 56 cm with handle		
Smoothing trowel		
Soft-head hammer		
Solid board notched trowel		
Spare blade		
Spare blade		
Spare blade		
Spare blade		
Spare blade 250x60x1,0mm Vario 10St/VE		
Spare blade 250x60x1,5mm Vario 10St/VE		
Spare blade 350x150x3		
Spare blade 350x150x3 gezahnt		
6 Spare blade 350x150x3 serrated with deflector		7
6 Spare blade 350x150x3 with deflector		7
53 Spare blade for Groover		80
53 Spare blade for WO 330		73
46 Spare blade for WO 630		73
87 Spare blades 210x60x0,7mm Duro/Vario/Eco		17
80 Spare blades 210x60x1,0mm Duro/Vario/Eco		17
80 Spare blades 210x60x1,5mm Duro/Vario/Eco		17
83 Spare blades 250x60x0,7mm Vario 10St/VE		15
96 Spare blades Combi-Str. 13,5cm		18
95 Spare blades f. Turbo 350x120x1,5mm		12
75 Spare blades for circular cutter, 6 pcs.		76
75 Spare blades for Floor scraper		20
9 Spare blades for Groover for rubber floors, 10 Pcs.		80
Spare blades for Hand scraper 10 pcs.		20
Spare blades for Joint groove, 10 Pcs.		80
Spare blades for Mittag cutter (10 pcs.)		87
Spare blades for Mozart trimming knife, 5 pcs.		85
97 Spare blades Junio-Stripper 120mm 10S/VE		18
96 Spare blades Junio-Stripper 200mm 10S/VE		18
85 Spare blades Turbo 150x60x1,5mm 10Stk/VE		12
54 Spare blades Turbo 200x60x1,5mm 10Stk/VE		12
71 Spare blades Turbo 350x60x1,0mm 10Stk/VE		12
41 Spare blades Turbo 350x60x1,5mm 10Stk/VE		12
41 Spare blades, 10 pcs.		67
76 Spare blades, 10 pcs.		88
76 Spare blades, 5 pairs		71
28 Spare blades, 5 pcs.		72, 76
65 Spare nails round (packaging unit 32 pieces)		56
59 Spare nails Spiky (packaging unit 32 pieces)		56
89 Spare pad		93
89 Spare pad		93
76 Spare pad Ø 400mm		28
80 Spare pins, 2 pcs.		53
77 Spare rail with connector (1.40 m)		69
17 Spare screw set		85
15 Spare sponge padding, Ø 375mm		26
40 Spare sponge padding, Ø 400mm		26
28 Spare spring		93
92 Spare straps for Leather knee protectors		96
39 Spare wheel f. Duro-Stripper		17
39 Special blade heavy duty		9
39 Special blade heavy duty		9
39 Special blade U 250x90° Bottom cutting edge Vario		15
39 Special blade U 250x90° Top cutting edge Vario		15
39 Special blade U-shape 450 Bottom cutting edge Robo		7
39 Special blade U-shape 450 Top cutting edge Robo		7
39 Special blades 350x120x3		12, 13
39 Special blades 100x120x3		12, 13
39 Special blades 200x120x3		12, 13
39 Special blades 350x120x3		12, 13
29 Special blades 350x60x1,5mm		12, 13
84 Special blades U 350x90° bottom cutting edge		12
93 Special blades U 350x90° top cutting edge		12
93 Speed welding nozzle		83
95 Speed welding nozzle - for PVC wall coverings		84
95 Speed welding nozzle for polyolefin Inlet 4 mm		84
85 Speed welding nozzle PUR 5 mm		82
85 Spike rollers 25cm / 11mm		53
87 Spike rollers 25cm / 21mm		53
65 Spike rollers 25cm / 31mm		53
52 Spike rollers 50cm / 11mm		54
50 Spike rollers 50cm / 21mm		53
95 Spike rollers 50cm / 31mm		53
54 Spike rollers 75cm / 11mm		53
80 Spike rollers 75cm / 21mm		53
93 Spike rollers 75cm / 31mm Sta.		53
93 Spirit Level 110cm		94
93 Spring scale		65
15 Spring washer 90mm		26
15 Stabilizer wheel Neo 400		36
7 Stair scriber		76
7 Stair tool with roller		89

Stair tool, 7 cm	89	<b>U</b>	
Stair tool, 9 cm	89	Undercarriage protection f. Turbo2	9
Standard base 2 mm guide	67	Universal shears, 25 cm	89
Star wheel grinding disc	29	Universal telescopic handle	52
Star wheels (set of 42 pcs.)	29		
Star-shaped blade set for CT 200, 356 pcs.	40		
Starting current limiter	99		
Starvac disposal bags (10 pcs.)	42	<b>V</b>	
Starvac MI55	42	Vacuclean 2 115V UK	44
Steel blade	53	Vacuclean 2 230V	44
Steel pins 1,000 pcs., uncoated 1,5 x 25 mm	93	Vacuclean 2 230V UK	44
Steel pins 1,000 pcs., uncoated 1,5x30 mm	93	Vacuclean 2 LP 115V UK	45
Steel pins 1,000 pcs., uncoated 1,5x35mm	93	Vacuclean 2 LP 115V US	45
Stirrer, MK type 120 mm	48	Vacuclean 2 LP 230V	45
Stirrer, type KE 120S	48	Vario-Stripper Silent 115 V UK	14
Stirrer, type KE 120S (M14 thread)	48	Vario-Stripper Silent 115V UK	14
Stirrer, type KE 90S	48	Vario-Stripper Silent 230V/50Hz	14
Stirring station base frame 75 L	49		
Stirring station hose holder 75 L	49	<b>W</b>	
Stirring station mixing bucket 75 L	49	Wall scriber	76
Stirring station mounting 75 L	49	Water dosing device	51
Stirring station stirrer 75 L	49	Wave connector PU 1.000 pcs.	41
Stirring station, 75 litre, complete	49	Web, 5 pcs.	71
Stone, grit 20	49	Weight 600 g, diameter 50 mm	95
Straight blade with titanium coating, 100 pcs.	68	Weld seam slide	85
Straight blades (100 pcs.)	63	Welding rod roller, 15 mm	80
Subfloor strength tester	62	Wet and dry vacuum cleaner filter Starvac/Pallmann Dust	42
Submersible probe TF-01	63	Wheel set per module, 12 pcs.	29
Substrate test kit	24	Wheels for transportation	74
Suction device 230V/50Hz f. Samba/Tango	46	WOLFF GreenCut	68
Suction hose 50 mm, length 5 m	42	WOLFF knife	92
Suction hose, 4 m f. Starvac/PallmannDust	46	Wolff Ripper	50
Suction hose, 70 mm diameter, 15 m	24	WOLFF Wallmaster	86
Suction kit metal	46	WOLFF Wallmaster straight edge	86
Suction kit plastic	24	Wood Beveller	90
Suction wand 50 mm f. T-Rex	46	Wood flooring stripper set Turbo2	9
Suction wand f. Starvac+PallmannDust	42	Wood Saw PS 230	19
suction-lips	101		
Super fine foam roller	53		
Super hooked blade with titanium coating, 100 pcs.	92		
Super hooked blade, 0.65 mm, 100 pcs.	92		
Supporting blocks, 100 pcs.	65		
Surface probe OF-02 Professional	62		
Swiss trowel	50		
<b>T</b>			
T-Rex 230V	46		
T-Rex 50 mm connecting piece	46		
T-Rex 70 mm add-on nozzle	46		
T-Rex roller nozzle	46		
T-Rex suction nozzle, round	46		
Tanos carrying case	70		
Tapping block	95		
Test blocks, 100 pcs.	65		
Test phials, 10 pcs.	65		
Thermohygrometer LVT 15 IR	60		
Thermohygrometer LVT 15 Professional	62		
Three star handle nut D 80 x M 10	11		
To remove thin paint layers and roughen metal surfaces	40		
Transportation caddy base frame	49		
Transportation caddy including 30 L	49		
Treppenschmiege	94		
Tripod for Water dosing device	51		
TS 40/T-Rex 50 mm end fitting	46		
Turbo-Stripper2 115V UK	8		
Turbo-Stripper2 115V US	8		
Turbo-Stripper2 230V	8		
Twin wheels Robo Stripper	7		
Tynex brush (green)	101		













# WE LIVE FLOORS! STRONG BRANDS FOR STRONG WORKMANSHIP.

The Uzin Utz AG is a company that essentially incorporates a whole wealth of flooring skills.

With the brands UZIN, WOLFF, PALLMANN, Arturo, codex, and RZ, we offer an extensive range of products, systems and services.

We encompass anything and everything to do with the installation, renovation, and maintenance of all types of floor coverings, wood flooring, coatings, ceramic tiles and natural stone floors. For all questions concerning flooring we are a competent and reliable partner.



**UZIN. The floor belongs to you.**

Installation systems for screeds, flooring and wood flooring.



**WOLFF. Going beyond your limits.**

Machinery and special tools for subfloor preparation and installation of floor coverings.



**PALLMANN.**

Complete product range for the installation, renovation and maintenance of wood flooring.



**Arturo. What a floor can do.**

Resin flooring with passion for design.



**codex. Exclusive to real tilers.**

Installation systems for tiling and natural stone.



**RZ. We love floors.**

Cleaning and care systems for all types of floor coverings.



**WOLFF | A COMPANY OF UZIN UTZ GROUP**

Wolff GmbH & Co. KG  
Ungerhalde 1 | 74360 Ilsfeld, Germany  
Telephone +49 7062 91556-0 | Fax +49 7062 91556 -10  
info@wolff-tools.com | www.wolff-tools.com

**WWW.WOLFF-TOOLS.COM**



**going beyond your limits**