

DEWALT®

WITH DEWALT
**THE
TOUGH
GET
TOUGHER**

**NORDIC CORDLESS
FASTENING
ASSORTMENT**



www.DEWALT.com

GUARANTEED TOUGH.®

18V CORDLESS FASTENING NO GAS

18V XR



XR CORDLESS NAILERS

30 DAYS NO RISK SATISFACTION GUARANTEE

30

**DAYS NO RISK
SATISFACTION
GUARANTEE**

XR **CORDLESS
NAILERS**

30 DAYS – For comfort you can return your cordless 18V XR nailer product within 30 days with a receipt for a full refund.


XR
18V
BRUSHLESS

XR
5
AH

18V XR 33° FRAMING NAILER DCN692

Two speed framing nailers featuring brushless motor technology and 5.0ah battery packs. Both tools fire 33° paper tape and wire weld stick nails ranging from 50 mm – 90 mm.

SPECIFICATION

Fastener type	DNW / DNPT
Fastener range	50 - 90 mm
Magazine capacity	55
Magazine angle	33°
Weight	4.1 kg

ART.NO.

DESCRIPTION

DCN692P2-QW	CT Trigger Framing Nailer, 2 x 5Ah & Charger
DCN692N-XJ	33° CT Trigger Framing Nailer Bare Unit
DNPT031B90HDZ	3,1 X 90 mm barbed hot dip galvanissed full-head



18V XR 33° FRAMING NAILER DCN695

Two speed framing nailers featuring brushless motor technology and 5.0ah battery packs. The DCN695P2 includes Rapid Cycle™ for faster working. Both tools fire 33° paper tape and wire weld stick nails ranging from 50 mm – 90 mm.

SPECIFICATION

Fastener type	DNW / DNPT
Fastener range	50 - 90 mm
Magazine capacity	55
Magazine angle	33°
Weight	4.1 kg

ART.NO.

DCN695P2-QW

DESCRIPTION

Rapid Cycle Framing Nailer, 2 x 5Ah & Charger



18V XR CONNECTING NAILER DCN693

18V XR Li-Ion cordless metal connecting nailer with Rapid Cycle™ featuring brushless motor technology.

SPECIFICATION

Fastener type	DNM
Fastener range	40 / 50 / 60 mm
Magazine capacity	27
Magazine angle	33°
Weight	4.2 kg

ART.NO.

DESCRIPTION

DCN693P2-QW	Metal Connecting Nailer, 2 x 5Ah & Charger
DCN693N-XJ	Metal Connecting Nailer Bare Unit
DNM40R40HDZ	40 mm ring Anchor Nail hot dip galvanised



1,8
MM

18V XR 15GA 33° FINISH NAILER DCN650

Sequential mode allows for precision placement and the bump operating mode provides the user with production speed of up to 4 nails per second. Depth of drive can be easily adjusted using the thumb wheel depth adjuster.

SPECIFICATION

Fastener type	DNBDA15
Fastener range	15 - 57 mm
Magazine capacity	110
Magazine angle	33°
Weight	2.6 kg

ART.NO.

DESCRIPTION

DCN650P2-QW	15GA Angled Finish Nailer, 2 x 5Ah & Charger
DCN650N-XJ	15GA Angled Finish Nailer Bare Unit
DNBDA1550GZ	33° 15GA Finish Nail 50 mm galvanised



18V XR 16GA GAUGE NAILER ANGLED 20° DCN660

The DEWALT DCN660 16 Gauge angled finish nailer drives 16 Gauge angled finish nails from 32 to 63mm which makes it ideal for fastening crown molding, casing, and baseboards. With its brushless motor powered by 18V XR battery technology the DCN660 is ready to go to work without the hassle of using gas, compressor, and hoses. Tackle jobs both large and small with the features of a pneumatic tool and the freedom of cordless.

SPECIFICATION

Fastener type	DNBA16
Fastener range	32 - 63 mm
Magazine capacity	110
Magazine angle	20°
Weight	2.4 kg

ART.NO.

DESCRIPTION

DCN660P2-QW	16GA Angled Finish Nailer, 2 x 5Ah & Charger
DCN660D2-QW	16GA Angled Finish Nailer, 2 x 2Ah & Charger
DCN660N-XJ	16GA Angled Finish Nailer Bare Unit
DNBA1638GZ	20° 16GA Brad Nail 38 mm galvanised



**MICRONOSE FOR
CORRECT PLACEMENT
OF THE NAIL**



**1,6
MM**

NEW

18 V XR 16G STRAIGHT NAILER DCN662

Finish nailer with micro nose for accurate placement of fastener. Mechanical rather than gas operation offers low running costs and consistent performance at low temperatures. Sequential mode allows for precision placement and the bump operating mode provides the user with production speed of up to 4 nails per second. Depth of drive can be easily adjusted using the thumb wheel depth adjuster.


SPECIFICATIONS

Power	18 V
Motor type	Brushless
Magazine angle	Straight
Magazine capacity	110 nails
Nailtype	16 ga, 1,6 mm
Nail length	32 - 64 mm

ART.NR.

PRODUCT DESCRIPTION

DCN662N-XJ	18V XR 16G Straight nailer, bare
DCN662NT-XJ	18V XR 16G Straight nailer, bare, TSTAK
DCN662D2-QW	18V XR 16G Straight nailer, 2 x 2.0 Ah, TSTAK
DNBSB1638Z	16GA Finish Nail 38 mm galvanised



18V XR 18GA BRAD NAILER DCN680

The DEWALT DCN680 18 Gauge Brad Nailer drives 18 Gauge brad nails from 15 to 54mm which makes it ideal for fastening decorative molding, casing, kitchen crown, and shoe molding. With its brushless motor powered by a DEWALT 18V XR battery the DCN680 is ready to work without the hassle of using gas, compressor, and hose. Tackle jobs both large and small with the features of a pneumatic tool and the freedom of cordless.

SPECIFICATION

Fastener type	DNBT18
Fastener range	15 - 54 mm
Magazine capacity	110
Magazine angle	0°
Weight	2.4 kg

ART.NO.

DESCRIPTION

DCN680D2-QW	18GA Finish Nailer, 2 x 2Ah & Charger
DCN680NT-XJ	18GA Finish Nailer Bare Unit, Charger & TSTAK
DCN680N-XJ	18GA Finish Nailer Bare Unit
DNBT1850GZ	18GA Brad Nail 50 MM galvanised



5,6
MM

18V XR 5,6 MM NARROW CROWN STAPLER DCN681

The DEWALT DCN681 18 Gauge Crown Stapler drives narrow crown staples from 12 to 38mm which makes it ideal for cabinetry, furniture, paneling, and flooring underlayment. With its brushless motor powered by a DEWALT 18V XR battery the DCN681 is ready to work without the hassle of using gas, compressor, and hose.

SPECIFICATION

Sømtype	5.6 mm
Sømsortiment	12 - 38 mm
Magasinkapacitet	110
Magasinvinkel	0°
Vægt	2.7 kg

ART.NO.

DESCRIPTION

DCN681D2-QW	Stapler, 2 x 2Ah & Charger
DCN681N-XJ	Stapler Bare Unit
DSTS35Z	SX Staple 35 mm galvanised



**5,6
MM**

XR

18V
BRUSHLESS

XR

2
AH

18V XR FLOORING STAPLER DCN682

Latest generation 18V XR Li-Ion Brushless 18Ga dedicated flooring stapler offers the cutting edge in nailing technology. BRUSHLESS motor offers runtime that cannot be beaten in a compact package. Compact, lightweight and ergonomic design makes the tool easy and comfortable to use but durable enough for worksite environment.

SPECIFICATION

Fastener type	DSTX
Fastener range	12 - 38 mm
Magazine capacity	110
Magazine angle	0°
Weight	2.8 kg

ART.NO.

DESCRIPTION

DCN682D2-QW	Flooring Stapler, 2 x 2Ah & Charger
DCN682N-XJ	Flooring Stapler Bare Unit
DSTX35Z	SX Staple 35 mm galvanised



WORLD'S
FIRST



3,05
MM

18V XR ROOFING NAILER DCN45RN

This fast-firing roofing nailer shoots 3 times per sec and up to 500 shots when used with a 2,0 Ah battery. 15-degree magazine and 120 nails capacity.

SPECIFICATION

Nail type	3.05 - 3.40 mm
Nail assortment	19 - 45 mm
Magazine capacity	120
Magazine angle	15°
Weight	3.5 kg

ART.NO.

DESCRIPTION

DCN45RND2-QW	Roofing nailer, 2 x 2,0 Ah battery and charger
DCN45RNN-XJ	Roofing nailer without battery or charger
DNR3122HDZ	Coil nail 3,1 x 22 mm hot dip galvanised head



WORLD'S
FIRST



3,05
4,00
MM



18V XR FENCING STAPLER DCFS950

Fencing stapler for firing fences fast. Includes both single and multi-shot functions and shoots up to 400 shots when used with 5,0 Ah battery. Using cordless stapler is much more efficient than using handheld hammer and loose single cramps.

SPECIFICATION

Nail type	DFS
Nail assortment	40 - 45 - 50 mm
Magazine capacity	30
Magazine angle	0°
Weight	4.7 kg

ART.NO.

DESCRIPTION

DCFS950P2-QW	Fencing stapler, 2 x 5,0 Ah battery and charger
DCFS950N-XJ	Fencing stapler without batteries or charger
DFS9150B1G	Fencing staple 40 mm G12 galvanised
DFS9175B1G	Fencing staple 45 mm G12 galvanised
DFS9200B1G	Fencing staple 50 mm G12 galvanised



18V XR ELECTRICIANS STAPLER DCN701

With the 18V XR series DCN701 staple gun electricians can quickly and effectively fasten cables on site. The tool adjusts the firing depth automatically based on the cable thickness and the clamp sits tight without squeezing.

SPECIFICATION

Staple diameter	19 mm Crown
Staple size	25 mm
Magazine capacity	35
Magazine angle	0°
Weight	2.2 kg

ART.NO.

DESCRIPTION

DCN701D2-QW	Stapler, 2 x 2Ah & Charger
DCN701N-XJ	Stapler Bare Unit
DRS18100-XJ	Insulated crown cable staple 19 x 25 mm

DEWALT

**“WE NEED A
TOOL THAT’S AS
TOUGH AS US
TO DO THIS JOB”**



GUARANTEED TOUGH.®



XR[®]

18V
BRUSHLESS

XR[®]

5
AH

**TOUGH JOBSITES
NEED TOUGHER TOOLS
THAT'S WHY JAMES
CHOOSES DEWALT[®]**

DEWALT is setting new industry standards with tools designed to meet more demanding job site challenges and exceed expectations.

WITH DEWALT

**THE
TOUGH
GET
TOUGHER**

DISCOVER MORE AT DEWALT.COM



18V XR CONCRETE NAILER DCN890

18V XR concrete nailer offers optimum power and flexibility with Rapid Cycle™ for fast installation. This nailer fires 15° plastic collated pins in lengths from 13 mm – 57 mm.

SPECIFICATION

Fastener type	DCN
Fastener range	13 - 57 mm
Magazine capacity	30
Magazine angle	15°
Weight	4.2 kg

ART.NO.

DESCRIPTION

DCN890P2-QW	Concrete Nailer, 2 x 5Ah & Charger
DCN890N-XJ	Concrete Nailer Bare Unit
DCN8903017	Concrete nails XH 3,0 x 17 mm galvanised



NEW

18 V XR NAILER TWIN KIT DCK2046

Kit contains the following: 18V Finishing nailer DCN660, 18V 2 Speed Framing nailer DCN692, 2 x 5.0 Ah Batteries, Multi-Vage Charger and a softbag.
Ideal kit for the construction site for outdoor and indoor applications.

SPECIFICATIONS

Power	18 V
DCN660:	
Magazine angle	20°
Nail length	32 - 63 mm
Nail diameter	1,6 mm
DCN692:	
Magazine angle	30-34°
Naill length	50 - 90 mm
Nail diameter	2,8 - 3,3 mm

ART.NR.

DCK2046P2-QW

PRODUCT DESCRIPTION

18V XR Kit DCN692, DCN660 2 x 5.0 Ah, softbag



18V XR DEWALT COMBOKIT DCK282P2T

The DEWALT combokit is the craftmans first aid kit on site, when doing the fixing and repairs. The drilldriver is a strong 70Nm unit, compact and with long lifetime on the brushless motor. The finishing nailer is perfect for finishing carpentry and with only 1.2 mm nails you get a nice result.

SPECIFICATIONS

Drilldriver DCD791:

Power	18 V
Max Torque	70 Nm
Weight without battery	1,1 kg

Finish Nailer DCN680:

Power	18V
Nail length	15-54 mm
Nail diameter	1,2 mm
Magazine angle	0 degree

ART.NR.

PRODUCT DESCRIPTION

DCK282P2T-QW 18V XR 2 KIT DCD791, DCN680, 2X5,0 AH, 1XDCB115, TSTAK

DEWALT NAIL GUIDE



DEWALT 18V XR Nail Guide

Dewalt SKU number	Description	EAN
FINISH NAILS		
DCN650 15GA FINISH NAILER		
DCN650N-XJ DCN650P2-QW 		
FINISH NAILS 1.8 MM GALVANISED		
DNBDA1532GZ	33° 15GA FINISH NAIL 32 MM GALVANISED	5902013951520
DNBDA1538GZ	33° 15GA FINISH NAIL 38 MM GALVANISED	5902013951513
DNBDA1545GZ	33° 15GA FINISH NAIL 45 MM GALVANISED	5902013951506
DNBDA1550GZ	33° 15GA FINISH NAIL 50 MM GALVANISED	5902013951490
DNBDA1564GZ	33° 15GA FINISH NAIL 64 MM GALVANISED	5902013951483
FINISH NAILS 1.8 MM STAINLESS STEEL A2 AISI 304		
DNBDA1538SZ	33° 15GA FINISH NAIL 38 MM SS304	5902013951476
DNBDA1550SZ	33° 15GA FINISH NAIL 50 MM SS304	5902013951469
DCN660 16GA FINISH NAILER		
DCN660N-XJ DCN660NT-XJ DCN660D2-QW DCN660P2-QW 		
GA 16 BRAD NAIL 1.6 MM GALVANISED 20° ANGLE		
DNBA1632GZ	20° 16GA BRAD NAIL 32 MM GALVANISED	5902013961178
DNBA1638GZ	20° 16GA BRAD NAIL 38 MM GALVANISED	5902013961161
DNBA1644GZ	20° 16GA BRAD NAIL 44 MM GALVANISED	5902013961154
DNBA1650GZ	20° 16GA BRAD NAIL 50 MM GALVANISED	5902013961147
DNBA1663GZ	20° 16GA BRAD NAIL 63 MM GALVANISED	5902013961130
GA 16 BRAD NAIL 1.6 MM STAINLESS STEEL A2 AISI 304. 20° ANGLE		
DNBA1632SZ	20° 16GA BRAD NAIL 32 MM STAINLESS STEEL A2	5902013961123
DNBA1638SZ	20° 16GA BRAD NAIL 38 MM STAINLESS STEEL A2	5902013961116
DNBA1644SZ	20° 16GA BRAD NAIL 44 MM STAINLESS STEEL A2	5902013961109
DNBA1650SZ	20° 16GA BRAD NAIL 50 MM STAINLESS STEEL A2	5902013961093
DNBA1663SZ	20° 16GA BRAD NAIL 63 MM STAINLESS STEEL A2	5902013961086

DEWALT 18V XR Nail Guide

Dewalt SKU number	Description	EAN
DCN662 16GA Straight Finish Nailer		

DCN662N-XJ
DCN662NT-XJ
DCN662D2-QW



FINISH NAILS 1.6 MM GALVANISED

DNBSB1625Z	16GA FINISH NAIL 25 MM GALVANISED	5902013951667	5.000
DNBSB1632Z	16GA FINISH NAIL 32 MM GALVANISED	5902013951650	2.500
DNBSB1638Z	16GA FINISH NAIL 38 MM GALVANISED	5902013951643	2.500
DNBSB1645Z	16GA FINISH NAIL 45 MM GALVANISED	590201395163 6	2.500
DNBSB1650Z	16GA FINISH NAIL 50 MM GALVANISED	5902013951629	2.500
DNBSB1657Z	16GA FINISH NAIL 57 MM GALVANISED	5902013951612	2.500
DNBSB1664Z	16GA FINISH NAIL 64 MM GALVANISED	5902013957980	2.500

FINISH NAILS 1.6 MM STAINLESS STEEL A4 AISI 316

DNBSB1618S316Z	16GA FINISH NAIL 18 MM STAINLESS STEEL A4	5902013960041	2.500
DNBSB1632S316Z	16GA FINISH NAIL 32 MM STAINLESS STEEL A4	5902013960010	2.500
DNBSB1638S316Z	16GA FINISH NAIL 38 MM STAINLESS STEEL A4	5902013960003	2.500
DNBSB1650S316Z	16GA FINISH NAIL 50 MM STAINLESS STEEL A4	5902013959991	2.500



DEWALT 18V XR Nail Guide

	Description	EAN
--	-------------	-----

DCN680 18GA Brad Nailer

DCN680N-XJ
DCN680NT-QW
DCN680D2-QW



BRAD NAIL 1.2 MM GALVANISED

DNBT1815GZ	18GA BRAD NAIL 15 MM GALVANISED	5902013951841
DNBT1820GZ	18GA BRAD NAIL 20 MM GALVANISED	5902013951834
DNBT1825GZ	18GA BRAD NAIL 25 MM GALVANISED	5902013951810
DNBT1830GZ	18GA BRAD NAIL 30 MM GALVANISED	5902013951797
DNBT1835GZ	18GA BRAD NAIL 35 MM GALVANISED	5902013951773
DNBT1838GZ	18GA BRAD NAIL 38 MM GALVANISED	5902013951759
DNBT1840GZ	18GA BRAD NAIL 40 MM GALVANISED	5902013951742
DNBT1845GZ	18GA BRAD NAIL 45 MM GALVANISED	5902013951728
DNBT1850GZ	18GA BRAD NAIL 50 MM GALVANISED	5902013951704

BRAD NAIL 1.2 MM STAINLESS STEEL A2 AISI 304

DNBT1820SZ	18GA BRAD NAIL 20 MM STAINLESS STEEL	5902013951827
DNBT1825SZ	18GA BRAD NAIL 25 MM STAINLESS STEEL	5902013951803
DNBT1830SZ	18GA BRAD NAIL 30 MM STAINLESS STEEL	5902013951780
DNBT1835SZ	18GA BRAD NAIL 35 MM STAINLESS STEEL	5902013951766
DNBT1840SZ	18GA BRAD NAIL 40 MM STAINLESS STEEL	5902013951735
DNBT1845SZ	18GA BRAD NAIL 45 MM STAINLESS STEEL	5902013951711
DNBT1850SZ	18GA BRAD NAIL 50 MM STAINLESS STEEL	5902013951698

STAPLES

DCN681 & DCN682 5,6mm Construction Staplers

DCN681N-QW
DCN681D2-XJ



DCN682N-QW
DCN682D2-XJ



GALVANISED STAPLES 5.6 MM 6000 SERIES

DSTSX12Z	SX STAPLE 12 MM GALVANISED	5902013951605
DSTSX15Z	SX STAPLE 15 MM GALVANISED	5902013951599

DEWALT 18V XR Nail Guide

Dewalt SKU number	Description	EAN
GALVANISED STAPLES 5.6 MM 6000 SERIES		
DSTSX19Z	SX STAPLE 19 MM GALVANISED	5902013951582
DSTSX22Z	SX STAPLE 22 MM GALVANISED	5902013951575
DSTSX25Z	SX STAPLE 25 MM GALVANISED	5902013951568
DSTSX30Z	SX STAPLE 30 MM GALVANISED	5902013951551
DSTSX35Z	SX STAPLE 35 MM GALVANISED	5902013951544

STAINLESS STEEL A2 AISI 304 STAPLES 5.6 MM 6000 SERIES

DSTSX18SE	SX STAPLE 18 MM SS304	5902013951452
DSTSX30SE	SX STAPLE 30 MM SS304	5902013951421
DSTSX35SE	SX STAPLE 35 MM SS304	5902013951414

DCFS950 FENCING STAPLER

DCFS950N-XJ
DCFS950P2-QW



GALVANISED STAPLES 3.7 MM FOR FENCING

DFS9150B1G-QZ	FENCING STAPLE 40 MM G12 GALVANISED	5035048699867
DFS9175B1G-QZ	FENCING STAPLE 45 MM G12 GALVANISED	5035048699874
DFS9200B1G-QZ	FENCING STAPLE 50 MM G12 GALVANISED	5035048699881

DCN701 ELECTRICIANS STAPLER

DCN701N-XJ
DCN701D2-QW



STAPLES FOR ELECTRICIANS

DRS18100-XJ	INSULATED CROWN CABLE STAPLE 19 X 25 MM	5035048709122
-------------	---	---------------

FRAMING NAILS

DCN692 & DCN695 33° FRAMING NAILERS

DCN692N-XJ
DCN692P2-QW



DCN695P2-QW



DEWALT 18V XR Nail Guide

Dewalt SKU number	Description	EAN
FRAMING NAILS 33° PAPER TAPE		
2.8-3.1 MM PLAIN D-HEAD BRIGHT 33°		
DNPT2863Z	2.8 X 63 MM PLAIN BRIGHT D-HEAD	
DNPT3190Z	3.1 X 63 MM PLAIN BRIGHT D-HEAD	
2.8-3.1 MM PLAIN D-HEAD GALVANISED 12 µm 33°		
DNPT2863G12Z	2.8 X 63 MM PLAIN GALVANISED D-HEAD	
DNPT3190G12Z	3.1 X 90 MM PLAIN GALVANISED D-HEAD	
2.8-3.1 MM BARBED D-HEAD HOT DIP GALVANISED 33°		
DNPT28B75HDZ	2.8 X 75 MM BARBED HOT DIP GALVANISED D-HEAD	5902013959960
DNPT31B90HDZ	3.1 X 90 MM BARBED HOT DIP GALVANISED D-HEAD	5902013959953
2.8-3.1 MM BARBED FULL-HEAD HOT DIP GALVANISED 33°		
DNPT028B50HDZ	2.8 X 50 MM BARBED HOT DIP GALVANISED FULL-HEAD	5902013959946
DNPT028B63HDZ	2.8 X 63 MM BARBED HOT DIP GALVANISED FULL-HEAD	5902013959939
DNPT028B75HDZ	2.8 X 75 MM BARBED HOT DIP GALVANISED FULL-HEAD	5902013959922
DNPT031B90HDZ	3.1 X 90 MM BARBED HOT DIP GALVANISED FULL-HEAD	5902013959915
2.8-3.1 MM RING D-HEAD BRIGHT 33°		
DNPT28R50Z	2.8 X 50 MM RING BRIGHT D-HEAD	
DNPT28R63Z	2.8 X 63 MM RING BRIGHT D-HEAD	
DNPT28R75Z	2.8 X 75 MM RING BRIGHT D-HEAD	
DNPT31R90Z	3.1 X 90 MM RING BRIGHT D-HEAD	
2.8-3.1 MM RING D-HEAD GALVANISED 12 µm 33°		
DNPT28R50G12Z	2.8 X 50 MM RING GALVANISED D-HEAD	
DNPT28R63G12Z	2.8 X 63 MM RING GALVANISED D-HEAD	
DNPT28R75G12Z	2.8 X 75 MM RING GALVANISED D-HEAD	
DNPT31R90G12Z	3.1 X 90 MM RING GALVANISED D-HEAD	
2.8-3.1 MM RING D-HEAD HOT DIP GALVANISED 33°		
DNPT28R50HDZ	2.8 X 50 MM RING HOT DIP GALVANISED D-HEAD	5902013961512
DNPT28R63HDZ	2.8 X 63 MM RING HOT DIP GALVANISED D-HEAD	5902013961468
DNPT31R75HDZ	3.1 X 75 MM RING HOT DIP GALVANISED D-HEAD	5902013961406
DNPT31R90HDZ	3.1 X 90 MM RING HOT DIP GALVANISED D-HEAD	5902013961352
DNPT31R100HDZ	3.1 X 98 MM RING HOT DIP GALVANISED D-HEAD	5902013959847
DNPT028R50HDZ	2.8 X 50 MM RING HOT DIP GALVANISED FULL-HEAD	5902013959533
DNPT028R63HDZ	2.8 X 63 MM RING HOT DIP GALVANISED FULL-HEAD	5902013959526

DEWALT 18V XR Nail Guide

Dewalt SKU number	Description	EAN
2.8-3.1 MM RING FULL-HEAD HOT DIP GALVANISED 33°		
DNPT028R75HDZ	2.8 X 75 MM RING HOT DIP GALVANISED FULL-HEAD	5902013959519
DNPT031R90HDZ	3.1 X 90 MM RING HOT DIP GALVANISED FULL-HEAD	5902013959502
2.8 MM RING D-HEAD STAINLESS STEEL A2 33°		
DNPT28R63SZ	2.8 X 63 MM RING STAINLESS A2 D-HEAD	5902013961451
2.8-3.1 MM RING FULL-HEAD STAINLESS STEEL A4 33°		
DNPT031R90S316Z	3.1 X 90 MM RING STAINLESS A4 FULL-HEAD	5902013959595
		
FRAMING NAILS 33° WIRE WELD		
2.8-3.1 MM PLAIN BRIGHT D-HEAD 33°		
DNW2850E	2.8 X 50 MM PLAIN BRIGHT D-HEAD	5902013950806
DNW2863E	2.8 X 63 MM PLAIN BRIGHT D-HEAD	5902013950790
DNW2870E	2.8 X 70 MM PLAIN BRIGHT D-HEAD	5902013950783
DNW2880E	2.8 X 80 MM PLAIN BRIGHT D-HEAD	5902013950776
DNW2890E	2.8 X 90 MM PLAIN BRIGHT D-HEAD	5902013950769
DNW3180E	3.1 X 80 MM PLAIN BRIGHT D-HEAD	5902013950639
DNW3190E	3.1 X 90 MM PLAIN BRIGHT D-HEAD	5902013950622
2.8-3.1 MM RING D-HEAD BRIGHT 33°		
DNW28R50E	2.8 X 50 MM RING BRIGHT D-HEAD	5902013950752
DNW28R63E	2.8 X 63 MM RING BRIGHT D-HEAD	5902013950738
DNW28R70E	2.8 X 70 MM RING BRIGHT D-HEAD	5902013950714
DNW28R75E	2.8 X 75 MM RING BRIGHT D-HEAD	5902013950691
DNW28R80E	2.8 X 80 MM RING BRIGHT D-HEAD	5902013950677
DNW28R90E	2.8 X 90 MM RING BRIGHT D-HEAD	5902013950653
DNW31R70E	3.1 X 70 MM RING BRIGHT D-HEAD	5902013950608
DNW31R75E	3.1 X 75 MM RING BRIGHT D-HEAD	5902013950592
DNW31R80E	3.1 X 80 MM RING BRIGHT D-HEAD	5902013950585
DNW31R90E	3.1 X 90 MM RING BRIGHT D-HEAD	5902013950578
3.1 MM PLAIN D-HEAD GALVANISED 12 µm 33°		
DNW3190G12E	3.1 X 90 MM PLAIN GALVANISED D-HEAD	5902013950615

DEWALT 18V XR Nail Guide

Dewalt SKU number	Description	EAN
2.8-3.1 MM RING D-HEAD GALVANISED 12 µm 33°		
DNW28R50G12E	2.8 X 50 MM RING GALVANISED D-HEAD	5902013950745
DNW31R90G12E	3.1 X 90 MM RING GALVANISED D-HEAD	5902013950561

ANCHOR NAILS

DCN693 330 METAL CONNECTING NAILER

DCN693N-XJ
DCN693P3-QW



METAL CONNECTING NAILS 33°

ANCHOR NAIL 4.0 MM RING GALVANISED 12 µm 33° 8 MM HEAD

DNM40R40GZ	40 MM RING ANCHOR NAIL GALVANISED	5902013952947
DNM40R50GZ	50 MM RING ANCHOR NAIL GALVANISED	5902013952954
DNM40R60GZ	60 MM RING ANCHOR NAIL GALVANISED	5902013952961

ANCHOR NAIL 4.0 MM RING HOT DIP GALVANISED 33° 8 MM HEAD

DNM40R40HDZ	40 MM RING ANCHOR NAIL HOT DIP GALVANISED	5902013960072
DNM40R50HDZ	50 MM RING ANCHOR NAIL HOT DIP GALVANISED	5902013960065
DNM40R60HDZ	60 MM RING ANCHOR NAIL HOT DIP GALVANISED	5902013960058

COIL NAILERS

ROOFING COIL NAILER 15°

DCN45RNN-XJ
DCN45RNNT-XJ
DCN45RND2-QW



Roofing Coil Nails 15o

GALVANISED COIL NAILS 12 µm 3,05 MM 10.1 MM HEAD 15°

DNR3119GZ	COIL NAIL 3.1 X 19 MM GALVANISED HEAD	5902013960560
DNR3122GZ	COIL NAIL 3.1 X 22 MM GALVANISED HEAD	5902013960553

HOT DIP GALVANISED COIL NAILS 3,05 MM 10,1 MM HEAD 15°

DNR3119HDZ	COIL NAIL 3.1 X 19 MM HOT DIP GALVANISED HEAD	5902013959588
DNR3122HDZ	COIL NAIL 3.1 X 22 MM HOT DIP GALVANISED HEAD	5902013959571
DNR3132HDZ	COIL NAIL 3.1 X 32 MM HOT DIP GALVANISED HEAD	5902013959564

DEWALT 18V XR Nail Guide

Dewalt SKU number	Description	EAN
DNR3138HDZ	COIL NAIL 3.1 X 38 MM HOT DIP GALVANISED HEAD	5902013959557
DNR3145HDZ	COIL NAIL 3.1 X 45 MM HOT DIP GALVANISED HEAD	5902013959540

CONCRETE NAILS

DCN890 CONCRETE NAILER 150

DCN890N-XJ
DCN890P2-QW



Concrete Nails 6.3 mm Head 15o

GALVANISED STANDARD CONCRETE NAILS 2.6 MM 15°

DCN8901015	CONCRETE NAILS STANDARD 2.6 X 15 MM GALVANISED	5054905022334
DCN8901020	CONCRETE NAILS STANDARD 2.6 X 20 MM GALVANISED	5054905022341
DCN8901025	CONCRETE NAILS STANDARD 2.6 X 25 MM GALVANISED	5054905022358
DCN8901030	CONCRETE NAILS STANDARD 2.6 X 30 MM GALVANISED	5054905022365
DCN8901035	CONCRETE NAILS STANDARD 2.6 X 35 MM GALVANISED	5054905022372
DCN8901040	CONCRETE NAILS STANDARD 2.6 X 40 MM GALVANISED	5054905022389
DCN8901045	CONCRETE NAILS STANDARD 2.6 X 45 MM GALVANISED	5054905022396
DCN8901050	CONCRETE NAILS STANDARD 2.6 X 50 MM GALVANISED	5054905022402
DCN8901055	CONCRETE NAILS STANDARD 2.6 X 55 MM GALVANISED	5054905022419
DCN8901057	CONCRETE NAILS STANDARD 2.6 X 57 MM GALVANISED	5054905022426

GALVANISED XH EXTRA HARD CONCRETE NAILS 3.0 MM 15°

DCN8903013	CONCRETE NAILS XH 3.0 X 13 MM GALVANISED	5054905022464
DCN8903017	CONCRETE NAILS XH 3.0 X 17 MM GALVANISED	5054905022471
DCN8903022	CONCRETE NAILS XH 3.0 X 22 MM GALVANISED	5054905022488
DCN8903027	CONCRETE NAILS XH 3.0 X 27 MM GALVANISED	5054905022495
DCN8903032	CONCRETE NAILS XH 3.0 X 32 MM GALVANISED	5054905022501
DCN8903038	CONCRETE NAILS XH 3.0 X 38 MM GALVANISED	5054905022518
DCN8903043	CONCRETE NAILS XH 3.0 X 43 MM GALVANISED	5054905022525
DCN8903048	CONCRETE NAILS XH 3.0 X 48 MM GALVANISED	5054905022532
DCN8903053	CONCRETE NAILS XH 3.0 X 53 MM GALVANISED	5054905022549
DCN8903057	CONCRETE NAILS XH 3.0 X 57 MM GALVANISED	5054905022556

DEWALT 18V XR Nail Guide

Dewalt SKU number	Description	EAN
GALVANISED HD HIGH DENSITY CONCRETE NAILS 3.7 MM 15°		
DCN8902015	CONCRETE NAILS HD 3.7 X 15 MM GALVANISED	5054905022433
DCN8902020	CONCRETE NAILS HD 3.7 X 20 MM GALVANISED	5054905022440
DCN8902025	CONCRETE NAILS HD 3.7 X 25 MM GALVANISED	5054905022457
CONCRETE NAILER ACCESSORIES		
DDF6720050	CABLE TIE	5054905030001
DDF6770000	EYE CLIP GALVANISED	75352959702
DDF6750100	LATHING WASHER 13 MM GALVANISED	75352959665
DDF6755012	LATHING WASHER 25 MM GALVANISED (DCN8902)	5054905022655
DDF6750000	LATHING WASHER 25 MM GALVANISED	75352959627
DDF6750050	INSULATED WASHER 36 MM	75352959641
DDF6755004	PERFOBAND 12 MM x 10 M	5054905028077
DDF6755005	PERFOBAND 17 MM x 10 M	5054905028084
DDF6710016	STICK-E CONDUIT CLIP 16 MM	5054905030407
DDF6710020	STICK-E CONDUIT CLIP 20 MM	5054905030414
DDF4400020	PVC CONDUIT CLIP 20 MM	5054905030452
DDF4400025	PVC CONDUIT CLIP 25 MM	5054905030469
DDF4420016	PREMIUM CONDUIT CLIP 16 MM (DCN8902)	5054905030476
DDF4420020	PREMIUM CONDUIT CLIP 20 MM (DCN8902)	5054905030483
DDF4420025	PREMIUM CONDUIT CLIP 25 MM (DCN8902)	5054905030490
DDF4410000	METAL CONDUIT CLIP 16 MM (DCN8902)	5054905026042
DDF4410050	METAL CONDUIT CLIP 19 MM (DCN8902)	5054905026059
DDF6753200	METAL CONDUIT CLIP 20 MM (DCN8902)	5054905022617
DDF6753205	METAL CONDUIT CLIP 22 MM (DCN8902)	5054905022624
DDF4410150	METAL CONDUIT CLIP 25 MM (DCN8902)	5054905026066
DDF6755000	CABLE-BOW-SINGLE	5054905022631
CONCRETE NAILER OTHER ACCESSORIES		
DCN8901-XJ	DCN890 REPLACEMENT DRIVER BLADE	5035048678237
DCN8902-XJ	DCN890 MAGNETIC NOSE PIECE	5035048678244
DCN8903-XJ	DCN890 NOSE PIECE	5035048678251
DCN8904-XJ	DCN890 DRYWALL NOSE PIECE	5035048678268
DCN8905-XJ	DCN890 EXTENSION POLE	5035048678220



DEWALT®

**“WE NEED A
TOOL THAT’S AS
TOUGH AS US
TO DO THIS JOB”**

WITH DEWALT

**THE
TOUGH
GET
TOUGHER**

TOUGH JOBSITES NEED TOUGHER TOOLS THAT’S WHY CHRIS CHOOSES DEWALT®

GUARANTEED TOUGH.®

DISCOVER MORE AT [DEWALT.COM](https://www.dewalt.com)

www.DeWALT.com

The yellow and black colour scheme is used on DeWALT Power Tools and Accessories as a trademark. DeWALT cannot be held liable for any inaccuracies of description or illustration and reserve the right to change specifications without notification.

Be the first to see product news and special offers from DeWALT. Register at MyDeWALT

