

DEWALT®

POWERSTACK™

THE NEXT DIMENSION IN POWER™



250+

18V^{MAX*}™ PRODUCTS
AND GROWING™

www.DEWALT.com

GUARANTEED TOUGH.®

DEWALT® POWERSTACK™ 18V Compact Battery Named One of 100 Best Innovations of the Year By Popular Science



DEWALT, one of Stanley Black & Decker's largest power tool brands and a leader in total jobsite solutions, announced that the DEWALT POWERSTACK™

18V Compact Battery has been awarded a Popular Science 2021 Best of What's New Award. The award recognizes the year's top 100 breakthroughs that are paving the way for a better future.

"DEWALT's newest breakthrough technology is a gamechanger for the construction industry and is a direct result of DEWALT's extraordinary team of innovators that are obsessed with optimizing performance for our custom-

ers," said Jaime Ramirez, Executive Vice President & President of Global Tools & Storage for Stanley Black & Decker. "Our revolutionary engineering of the DEWALT POWERSTACK™ 18V Compact Battery marks the next dimension in cordless power tool performance and our commitment to the cordless jobsite of the future."

The DEWALT POWERSTACK™ battery was recognized in the home category for its design that utilizes flat, pouch battery cells delivering DEWALT's lightest and most powerful compact battery³.

The DEWALT POWERSTACK™ Battery is

ideal for cutting, drilling and fastening applications, precision and finishing tasks, and when working in tight spaces. The battery is compatible with all DEWALT 18V tools and chargers in its 18V system.

The Popular Science 2021 Best of What's New Award is the second industry accolade the DEWALT POWERSTACK™ Battery has received since its unveiling in October 2021.



DEWALT
18V XR BRUSHLESS

DEWALT
18V POWER STACK

DEWALT

POWERSTACK™

DEMO/META

GENERAL CONSTRUCTION



LIGHT DUTY

WHICH BATTERY

25
18V MAX™
P
A

ALWORKING



* 3 Year guarantee only valid for registration on POWERSTACK battery.

CONCRETE/COMMERCIAL BUILDS



50+ PRODUCTS AND GROWING

HEAVY DUTY

IS RIGHT FOR ME?

50%^{}**
MORE POWER

NEW
5AH




DEWALT **POWERSTACK**
BATTERY TECHNOLOGY

****Vs. DEWALT DCB184 battery, not in application.**

50%^{***}
MORE WORK PER CHARGE

NEW
5AH



DEWALT **POWERSTACK**
BATTERY TECHNOLOGY

***Usable energy vs. DEWALT DCB184 battery, not in application.

2X****
LIFESPAN

NEW
5AH



DEWALT **POWERSTACK**™
BATTERY TECHNOLOGY

****Charge cycles vs. DEWALT DCB184 battery.



NEW
5AH



18V XR

POWERSTACK

DEWALT
3 YEAR
GUARANTEE

18V XR POWERSTACK 5.0 AH BATTERY, DCBP518

Introducing THE NEXT DIMENSION IN POWER™ with the World first 18V XR POWERSTACK™ 5.0 Battery. Get 50% more power* enabling faster application speeds and increased productivity with min. 50% more applications done, than current version DCB184 battery. This battery works with all the 18V XR tools you already might have in your toolbox. This battery provides twice the lifetime compared to the current model DCB184 battery.

SPECIFICATIONS	
Battery voltage	18 volt
Battery Capacity	5.0 Ah
Length	131,4 mm
Width	83,4 mm
Height	56 mm
Weight	0,68 kg
Rechargeable indicator	Yes
Battery cells	Li-ion pouch cells

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

ART.NR.	PRODUCT DESCRIPTION
DCBP518-XJ	18V POWERSTACK battery 5.0 Ah

18V XR POWERSTACK 5AH BATTERY

18V XR COMPATIBILITY
Works with your existing 18V XR tools and chargers

FUEL GAUGE
Easily and quickly view state of charge



RUBBER OVERMOLD
Increases durability and offers a non slip base

POWERSTACK BATTERY TECHNOLOGY
50% more power* with 50% more work per charge**



Revolutionary pouch cells deliver increased power* and work per charge**



Part of the 18V XR POWERSTACK platform and compatible with 18V XR tools

THE NEXT DIMENSION IN POWER™ now available in 5AH. Get 50% more power* enabling faster application speeds and increased productivity with more than 50% more work per charge** using this battery that works with all the 18V XR tools you already have. This battery provides twice the lifetime*** and features an impact-resistant, overmolded base with non-marring material.



*vs. DEWALT DCB184 battery, not in application **Usable energy vs. DEWALT DCB184 battery, not in application ***Charge cycles vs. DEWALT DCB184 battery.

Copyright ©2022 DEWALT. The following are examples of trademarks for one or more DEWALT power tools and accessories: the yellow and black color scheme; the "D"-shaped air intake grill; the array of pyramids on the handgrip; the kit box configuration; and the array of lozenge-shaped humps on the surface of the tool.

NEW
5AH



18V XR

POWER STACK

DEWALT
3 YEAR
GUARANTEE
★★★

18V XR POWERSTACK 5.0 AH BATTERY TWINKIT, DCBP518H2

Introducing THE NEXT DIMENSION IN POWER™ with the World first 18V XR POWERSTACK™ 5.0 Battery, delivered as a 2 pack. Get 50% more power* enabling faster application speeds and increased productivity with min. 50% more applications done, than current version DCB184 battery. This battery works with all the 18V XR tools you already might have in your toolbox. This battery provides twice the lifetime compared to the current model DCB184 battery.

SPECIFICATIONS

Battery voltage	18 volt
Battery Capacity	5.0 Ah
Length	131,4 mm
Width	83,4 mm
Height	56 mm
Weight	0,68 kg
Rechargeable indicator	Yes
Battery cells	Li-ion pouch cells

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

ART.NR.

DCBP518H2-XJ

PRODUCT DESCRIPTION

18V POWERSTACK 5.0 Ah 2 pack

DEWALT

POWERSTACK™

THE NEXT DIMENSION IN POWER

18V XR POWERSTACK™ Batteries are the first in the world to leverage pouch battery cell technology for the use in the construction industry. This revolutionary design delivers the most powerful and longest life battery from DEWALT to date.



COMPATIBLE WITH ALL 18V XR TOOLS



DISCOVER MORE AT DEWALT.COM

**POWER
STACK**™
BATTERY TECHNOLOGY



NEW
5AH

DRILLS UP TO 2X THE HOLES**

**DCD805 & DCBP518 vs. DCD805 & DCB184 drilling 54mm holes in 47mm timber.

GUARANTEED TOUGH®

NEW
5AH



18V XR

POWER STACK

DEWALT
3 YEAR
GUARANTEE

18V XR COMPACT DRILL DRIVER, DCD800H2T

The DCD800 is the latest and most powerful compact 2 speed drill driver that delivers up to 90Nm of torque in a compact 164 mm body, engineered to give you the greatest performance on the toughest jobsites. 2 speed and 15 torque settings give you the ultimate control over your drilling and fastening applications. An enhanced pivoting LED positioned on the foot offers greater visibility in dark and confined spaces. The drill driver is in this kit paired with the most powerful pouchcell battery DCBP518. Part of the 18V XR range of 250+ tools and batteries.

SPECIFICATIONS

Battery voltage	18V
Max torque	90 Nm
Max drilling capacity	Wood 55 mm/ Metal 13 mm
No load speed drill	0 - 650 / 2000 rpm
Weight without akku	1.28 kg

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

ART.NR.

DCD800H2T-QW

PRODUCT DESCRIPTION

18V XR compact drill driver, 2 x 5,0 Ah Powerstack



NEW
5AH

18V XR

POWERSTACK

DEWALT
3 YEAR
GUARANTEE
★★★

18V XR COMPACT HAMMER DRILL DRIVER **DCD805H2T**

The DCD805 is the latest and most powerful compact 2 speed combo drill driver that delivers up to 90 Nm of torque in a compact 177 mm body, engineered to give you the greatest performance on the toughest jobsites. 2 speed and 15 torque settings give you the ultimate control over your drilling and fastening applications. An enhanced pivoting LED positioned on the foot offers greater visibility in dark and confined spaces. The combo drill driver is in this kit paired with the most powerful pouchcell battery DCBP518. Part of the 18V XR range of 250+ tools and batteries.

SPECIFICATIONS

Battery voltage	18V
Max torque	90 Nm
Max drilling capacity	Wood 55 mm/ Metal 13 mm/ Masonry 13 mm
No load speed drill	0 - 650 / 2000 rpm
Beats pr minute	34000 bpm
Weight without akku	1.34 kg

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

ART.NR.

DCD805H2T-QW

PRODUCT DESCRIPTION

18V XR compact combo drill driver,
2 x 5.0 Ah Powerstack

NEW
5AH



18V XR

POWERSTACK

DEWALT
3 YEAR
GUARANTEE

18V XR POWERSTACK TWIN KIT DCK2050H2T

Premium kit for drilling and fastening application on site. The premium new combo drilldriver DCD805 with 90 Nm torque mixed together with the premium impact driver, DCF850, which delivers 205 Nm in a 100 mm compact housing, perfect for a wide range of applications across construction, industrial and automotive environments. The machines in this kit is paired with the most powerful pouchcell battery DCBP518.

SPECIFICATIONS

Battery Voltage in the kit	18V
DCD805:	
Torque	90 Nm
Drilling capacity	Wood 55 mm/ Metal 13 mm/ Masonry 13 mm
No load speed drill	0 - 650 / 2000 rpm
Beats pr minute	34000 bpm
Weight without akku	1.34 kg
DCF850:	
Max Torque	205 Nm
Weight without akku	0,9 kg

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

ART.NR.

PRODUCT DESCRIPTION

DCK2050H2T-QW

18V XR compact twin kit DCD805/DCF850, 2 x 5.0 Ah Powerstack

**POWER
STACK**™
BATTERY TECHNOLOGY



NEW
5AH

CUTS UP TO 20% FASTER **

**DCG405 & DCBP518 vs DCG405 & DCB184 Cutting 12mm Rebar.

GUARANTEED TOUGH®

NEW
5AH



18V XR

POWERSTACK

DEWALT
3

3 YEAR
GUARANTEE

18V XR 125MM ANGLE GRINDER, DCG405H2T

The popular cordless angle grinder DCG405 is in this kit paired with the new 5.0 Ah POWERSTACK batteries. When using the POWERSTACK batteries in the grinder, it maintains higher voltage in application reducing nuisance cut-outs and runs cooler in high-draw grinding/cutting applications. The POWERSTACK battery delivers more runtime and faster speed of application for improved productivity compared when using a standard circular cell 5.0 ah battery.

SPECIFICATIONS

Battery voltage	18V
No-load/rated speed	9000 min-1
Wheel diameter	125 mm
Wheel thickness (max)	6 mm
Spindle diameter	M14
Weight (without battery pack)	1.74 kg
Battery cells	Li-ion pouch cells

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

ART.NR.

DCG405H2T-QW

PRODUCT DESCRIPTION

18V XR 125mm Grinder, 2 x 5.0 Ah Powerstack

NEW
5AH



18V XR

POWER STACK

DEWALT
3 YEAR
GUARANTEE
★★★

18V XR POWERSTACK TWIN KIT, DCK2051H2T

Premium kit for drilling and fastening application on site. The new premium drilldriver DCD800 with 90 Nm torque mixed together with the premium impact driver, DCF850, which delivers 205 Nm in a 100 mm compact housing, perfect for a wide range of applications across construction, industrial and automotive environments.

ART.NR.	PRODUCT DESCRIPTION
DCK2051H2T-QW	18V XR compact twin kit DCD800/DCF850, 2 x 5.0 Ah Powerstack

SPECIFICATIONS

Battery Voltage in the kit	18V
DCD800:	
Max Torque	90 Nm
Drilling capacity	Wood 55/ Metal 13/ Masonry 13 mm
No load speed drill	0 - 650 / 2000 rpm
Beats pr minute	34000
Weight without akku	1.34 kg
DCF850:	
Max Torque	205 Nm
Weight without akku	0,9 kg

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>



NEW
5AH

18V XR

POWER STACK

DEWALT
3 YEAR
GUARANTEE

18V XR 5A USB POWER DELIVERY CHARGING KIT WITH 2 X 5AH, DCB094H2

This kit contains 2 x DCBP518 5Ah POWERSTACK batteries, 1m USB-C durable braided power delivery cable and power delivery adaptor/charger

The DEWALT USB charging kit (DCB094K) is a breakthrough in portable charging convenience and was recently awarded a 2021 Pro Tool Innovation Award (PTIA) for "Best Battery Power Supply". As jobsites often lack AC power, the DEWALT USB charging kit utilizes power delivery technology to rapidly charge a range of devices in a compact and portable design. Featuring a 100 W bi-directional C-port, users can input power to charge DEWALT 18V and FLEXVOLT® batteries, and output power to charge a range of business critical and personal devices such as phones, tablets and laptops up to 100 W. The portable USB Charging Kit also features a USB-A port, allowing users to charge devices up to 12W using traditional USB cords. The device is equipped with a state of charge indicator to display the battery charging status and comes kitted with a DCB094 USB Charger, 100 W rated USB cord, a 65 W AC power supply and belt hook.

ART.NR.	PRODUCT DESCRIPTION
DCB094H2-QW	18V XR STARTERKIT 2 X DCBP518, USB-C/A CHARGER

SPECIFICATIONS

DCB094K	
Bi-directional	Can use an 18V XR battery as a portable charger but can also be used to charge up 18V XR batteries. Can be plugged into mains and also into a vehicle USB port to charge you DEWALT battery.
5A (100w) In- and Output	Can charge a DCB184 5.0 Ah battery in only 60 minutes! For maximum performance correct adaptor and cable must be used.
USB-A / USB-C	USB-C is input/output at max. 5A. Allows fast charging of various different devices. USB-A is output only at max. 2.4A.
DCBP518	
Battery voltage	18 volt
Battery Capacity	5.0 Ah
Weight	0,68 kg

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link = <https://www.dewalt.eu/3/>



NEW
5AH

18V XR

POWERSTACK

DEWALT
3 YEAR
GUARANTEE

18V XR 5AH POWERSTACK BATTERIES + CHARGER STARTER KIT, DCB1104H2

THE NEXT DIMENSION IN POWER™ with the world first 18V XR POWERSTACK™ 5.0 Battery. Get 50% more power* enabling faster application speeds and increased productivity with min. 50% more applications done, than current version DCB184 battery. This battery works with all the 18V XR tools you already might have in your toolbox. This battery provides twice the lifetime compared to the current model DCB184 battery. This kit contains 2 x DCBP518 5Ah POWERSTACK batteries, and the latest new 4.0A charger DCB1104.

SPECIFICATIONS


DCBP518:	
Battery voltage	18 volt
Battery capacity	5.0 Ah
Measures	Length 131,4 mm Width 83,4 mm Height 56 mm
Weight	0,68 kg
Battery cells	Li-ion pouch cells

DCB1104: The DCB1104 charger is full range compatibility with 12V, 18V and 54V batteries. Charges the powerstack 5.0 ah batteries in 75 min.

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

ART.NR.	PRODUCT DESCRIPTION
DCB1104H2-QW	18V XR STARTERKIT 2 X DCBP518, 1XDCB1104 CHARGER



To obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in “MY DEWALT” via this link <https://www.dewalt.eu/3/>

DEWALT[®]

POWERSTACK™

NEW
5AH



**THE
NEXT DIMENSION
IN POWER**™

OUR MOST POWERFUL + MOST EFFICIENT + LONGEST LIFESPAN

BATTERY IN ITS CLASS

www.DEWALT.com

GUARANTEED TOUGH.[®]



NEW
5AH

18V XR

POWER STACK

DEWALT
3 YEAR
GUARANTEE

18V XR COMPACT RECIP SAW, DCS367H2T

Brushless motor technology for extended run-time. Lever action keyless blade clamp for quick and easy blade change. Intelligent variable speed trigger, lock-off switch and electronic motor brake for quick controlled cuts and enhanced work safety. Four-position blade clamp allows for flush cutting and increased versatility

Ergonomic handle and rubber overmould provide ultimate end user comfort. The compact saw allows better access to hard to reach cuts. Good balance and ease of handling due to central motor position.

LED light for improved visibility of cut line and work piece. Delivered with the new 5.0 Ah Powerstack batteries.

SPECIFICATIONS

Power voltage	18 volt
Max. cutting capacity [Steel Section & Pipes]	100 mm
Max. cutting capacity [PVC]	160 mm
Max. cutting capacity [Wood]	300 mm
Weight (without akku)	2,3 kg
Product length	363 mm

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

ART.NR.	PRODUCT DESCRIPTION
DCS367H2T-QW	18V XR COMPACT RECIPROCATING SAW*

*Supplied with 1 x 4amp charger, 2 x DCBP518 5Ah POWERSTACK batteries in a TSTAK II kit box



NEW
5AH

18V XR

POWER STACK

DEWALT
3
★ ★ ★
YEAR
GUARANTEE

18V XR HIGH PERFORMANCE RECIP SAW, DCS386H2T

This demolition recip saw with the new Powerstack 5.0 batteries gives you sufficient power to the heaviest application on site today. But if you want to add more power to the recip saw because you think the application is too strong, the saw has a unique electronic module with pack identification technology which enables the tool to recognise when an XR FLEXVOLT battery is attached and unlock even more power. Start with a 9.0 Ah or a 12 Ah, and see the difference. The DCS386 has been equipped with a crank type drive train for smoother, more efficient operation and reduced vibration, and delivers an impressive no-load speed of 3,000spm.

Further more it has an intelligent variable speed trigger and lock off switch.

Delivered with the new 5.0 Ah Powerstack batteries.

SPECIFICATIONS

Power voltage	18 volt
Max. cutting capacity [Steel Section & Pipes]	130 mm
Max. cutting capacity [PVC]	160 mm
Max. cutting capacity [Wood]	300 mm
Weight (without akku)	3,5 kg
Product length	440 mm

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

ART.NR.

DCS386H2T-QW

PRODUCT DESCRIPTION

18V XR RECIPROCATING SAW*

*Supplied with 1 x 4amp charger, 2 x DCBP518 5Ah POWERSTACK batteries in a TSTAK VI kit box



NEW
5AH

18V XR

POWER STACK

DEWALT
3 YEAR
GUARANTEE

18V XR 1/2" COMPACT IMPACT WRENCH, HOG RING, DCF921H2T

Up to 610 breakaway torque (406 Nm of fastening torque) ensures removal of the tightest bolts. Ultra compact, light weight design allows for use in confined areas. Square drive with hog ring allows quick socket changes. Hole in anvil allows securing of sockets with a retaining pin/rubber O-ring. Ideal for scaffolders. Efficient brushless motor delivers high performance, extends tool life and allows for much shorter design (only 125mm). Bright white LED with delay feature for improved visibility and functionality. Scaffolding Mode: Helps to prevent overtightening in forward and fastener run-off in reverse. Delivered with the new 5.0 Ah Powerstack batteries.

SPECIFICATIONS

Power voltage	18 volt
Anvil	1/2" - Hogring
Breakaway torque	610 Nm
Fastening torque	406 Nm
Length	126 mm
LED	Yes

Variable speed
Tactile 4 mode select feature with Scaffold Mode
Mode 1 = Low speed, Mode 2 = High Speed,
Mode 3 = Precisions wrench
Mode 4 = Scaffolding Mode

Weight (without akku) 1,1 kg

Warranties
3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

ART.NR.	PRODUCT DESCRIPTION
DCF921H2T-QW	18V XR IMPACT WRENCH 1/2", 406 NM*

*Supplied with 1 x 4amp charger, 2 x DCBP518 5Ah POWERSTACK batteries in a TSTAK II kit box



NEW
5AH

18V XR

POWER STACK

DEWALT
3 YEAR
GUARANTEE

18V XR 1/2" IMPACT WRENCH, HOG RING, DCF891H2T

Up to 1084 breakaway torque (812 Nm of fastening torque) ensures removal of the tightest bolts. Ultra compact, light weight design allows for use in confined areas. Square drive with hog ring allows quick socket changes. Variable trigger allows complete control over all applications. Efficient brushless motor delivers high performance, extends tool life and allows for much shorter design. Bright white LED with delay feature for improved visibility and functionality. Now with brightness control so you can dim or turn off the light to suit the environment. Comfortable rubber XR grip and switch for greater application comfort and maximum control. Delivered with the new 5.0 Ah Powerstack batteries.

SPECIFICATIONS

Power voltage	18 volt
Anvil	1/2" - Hogring
Breakaway torque	1084 Nm
Fastening torque	812 Nm
Length	175 mm
LED	Yes
Variable speed	Mode 1 = Low speed (160 Nm), Mode 2 = Mid Speed (400 Nm), Mode 3 = High Speed (812 Nm), Mode 4 = Precision Wrench
Weight (without akku)	1,67 kg

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

ART.NR.

DCF891H2T-QW

PRODUCT DESCRIPTION

18V XR IMPACT WRENCH 1/2", 812NM*

*Supplied with 1 x 4amp charger, 2 x DCBP518 5Ah POWERSTACK batteries in a TSTAK II kit box



NEW
5AH

18V XR

**POWER
STACK**

DEWALT
**3 YEAR
GUARANTEE**

18V XR 1/2" HIGH TORQUE IMPACT WRENCH, HOG RING, DCF900H2T

The new high torque impact wrench with the brushless motor delivers an incredible 1396 Nm fastening torque and up to 1898Nm of "breakaway" torque ensures removal of the tightest bolts. 4 mode membrane switch with Precision Wrench allows for better application control. 1/2" square drive with hog ring allows quick socket changes. Variable trigger allows complete control over all applications. Efficient brushless motor delivers high performance, extends tool life and allows for much shorter design. Bright white LED with delay feature for improved visibility and functionality. Now with brightness control so you can dim or turn off the light to suit the environment. Comfortable rubber XR grip and switch for greater application comfort and maximum control.

Delivered with the new 5.0 Ah Powerstack batteries.

SPECIFICATIONS

Power voltage	18 volt
Anvil	1/2" hog ring
Breakaway torque	1898 Nm
Fastening torque	1396 Nm
Tactile 4 mode select feature:	Mode 1 – low speed = 135 Nm / Mode 2 – mid speed = 813 Nm / Mode 3 – high speed = Up to 1396 Nm / Mode 4 - Precisions wrench operates at a reduced speed (approx. 1/4) in forward to help prevent overtightening of small fasteners.
Length	232 mm
Weight (without akku)	2.9 Kg

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

ART.NR.	PRODUCT DESCRIPTION
DCF900H2T-QW	18V XR HT IMPACT WRENCH 1/2"

*Supplied with 1 x 4amp charger, 2 x DCBP518 5Ah POWERSTACK batteries in a TSTAK II kit box



NEW
5AH

18V XR

**POWER
STACK**

DEWALT
3
YEAR
GUARANTEE
★★★

18V XR HIGH PERFORMANCE CIRCULAR SAW, DCS573H2T

Get maximum power from the strongest 18V batteries from Powerstack. If you want to add more power to the circular saw, the saw has a unique electronic module with pack identification technology which enables the tool to recognise when an XR FLEXVOLT battery is attached and unlock even more power. Start with a 9.0 Ah or a 12 Ah, and see the difference. With a 67mm depth of cut, outstanding dust management features, tool-free depth adjustment and an electronic safety brake, this rugged circular saw can tackle tough applications such as rip and bevel cuts and hard timber cutting.

Direct compatibility with DEWALT AirLock system for easy, secure connection to extraction hose.

Dust blower clears dust and debris from cut line.

LED work light for improved cut line visibility. Delivered with the new 5.0 Ah Powerstack batteries.

SPECIFICATIONS

Power voltage	18 volt
Blade bore	30 mm
No load speed (RPM)	5500
Weight (without akku)	3.7 Kg
Blade diameter	190 mm
Max. depth of cut at 90°	67 mm
Max. depth of cut at 45°	51 mm

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

ART.NR.

DCS573H2T-QW

PRODUCT DESCRIPTION

18V XR CIRCULAR SAW 190 MM, ELECTRIC FVA MODULE*

*Supplied with 1 x 4amp charger, 2 x DCBP518 5Ah POWERSTACK batteries, 24T blade, dust spout, blade wrench and rip fence in a TSTAK VI Kitbox



NEW
5AH

18V XR

POWERSTACK

DEWALT
3 YEAR
GUARANTEE

18V XR CIRCULAR SAW, DCS570H2T

General purpose ripping, cross-cutting and bevelling circular saw for wood and other construction materials.

Variable adjustment of the bevel angle to 57 degrees and scale for precise cutting depth setting to 64 mm

The saw has an optimum balance for safe, fatigue-free operation.

Stable block construction for low vibration running and long service life.

Additional handle for safe two-handed work.

Direct compatibility with DEWALT AirLock system for easy, secure connection to extraction hose.

Dust blower clears dust and debris from cut line and the saw has a LED work light for improved cut line visibility.

Delivered with the new 5.0 Ah Powerstack batteries

SPECIFICATIONS

Power voltage	18 volt
Blade bore	16 mm
No load speed (RPM)	5500
Weight (without akku)	3.6 Kg
Product height	245 mm
Blade diameter	184 mm
Max. depth of cut at 90°	64 mm
Max. depth of cut at 45°	48 mm

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

ART.NR. PRODUCT DESCRIPTION

DCS570H2T-QW	18V XR CIRCULAR SAW 184 MM*
--------------	-----------------------------

*Supplied with 1 x 4amp charger, 2 x DCBP518 5Ah POWERSTACK batteries, 24T blade, dust spout, blade wrench and rip fence in a TSTAK VI Kitbox



NEW
5AH

18V XR

POWERSTACK

DEWALT
3 YEAR
GUARANTEE
★★★

18V XR PREMIUM HAMMER DRILL DRIVER, DCD999H2T

The most powerful 18v drill DEWALT have made. The combo drilldriver has an 18v brushless motor, electronics and components for extended durability, efficiency and power. If you want to add more power to the combo drilldriver, it has a unique electronic module with pack identification technology which enables the tool to recognise when an XR FLEXVOLT battery is attached and unlock even more power. Start with a 9.0 Ah or a 12 Ah, and see the difference.

3 speed all metal gearbox designed to withstand the increased torque generated from the improved motor. Extended handle with metal collar to manage the increased torque levels. 3 Position LED torch, high/medium/low settings with high output.

Electronic clutch with 11 position adjustable torque control for optimised precision when screw driving. 13mm ratcheting keyless chuck with automatic spindle lock for fast bit changes. Steel belt hook and magnetic bit holder ensure strong storage solutions. Delivered with the new 5.0 Ah Powerstack batteries

SPECIFICATIONS

Power voltage	18 volt
No load speed (BPM)	0-500/1500/2250
Chuck capacity	1.5-13 mm
Weight (without akku)	1.61 Kg
Number of speed settings	3
Maximum drilling capacity	55 mm wood/metal 15mm/masonry 13mm
Max. torque (hard)	DCBP518-DCB546/112Nm, DCB548/126Nm
No load speed	1st gear 0-450/500 min-1 2nd gear 0-1300/1500 min-1 3rd gear 0-2000/2250 min-1
Drilldriver/Hammer	

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

ART.NR.	PRODUCT DESCRIPTION
DCD999H2T-QW	18V XRP HAMMER DRILLDRIVER DRILL, ELECTRIC FVA MODULE*

*Supplied with 1 x 4A charger, 2 x DCBP518 5Ah POWERSTACK batteries in a TSTAK compatible kit box



NEW
5AH

18V XR

POWER STACK

DEWALT
3 YEAR
GUARANTEE

18V XR SDS-PLUS HAMMER DRILL, DCH273H2T

Compact, lightweight and ergonomic design for improved comfort and support during extended operating periods.

Ideal for drilling anchors and fixing holes into concrete, brick and masonry from 4mm to 24mm.

Bright white LED with delay feature improves visibility.

Perform & Protect: best-in-class vibration at 6.6m/s², minimising user fatigue.

Category-leading high speed drilling performance at more than 90 holes (10mm Ø x 80mm) per charge.

Electronic clutch for consistently-high torque and improved durability.

Rotation stop mode for light chiselling in plaster, tiles and render and impact stop mode for rotary only.

Delivered with the new 5.0 Ah Powerstack batteries.

SPECIFICATIONS

Power voltage	18 volt
Chuck	SDS+
No-load speed (min-1)	0-1100
No-load Impact rate (lpm)	0-4600
Single impact energy	2.1 joule
Maximum drilling range in steel/wood/concrete (mm)	13/26/24
Weight (without akku)	2,5 kg

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

ART.NR.

DCH273H2T-QW

PRODUCT DESCRIPTION

18V XR SDS-PLUS HAMMER, P&P, 2,1 J, - 24MM**

*Supplied with 1 x 4amp charger, 2 x DCBP518 5Ah POWERSTACK batteries in a TSTAK compatible kit box
** The dustadapter on the picture is not inclusive in the DCH273H2T-QW, Can be bought separately on this skunr DWH201D-XJ



NEW
5AH

18V XR

POWER STACK

PERFORM PROTECT

DEWALT
3 YEAR
GUARANTEE
★★★

NEW

18V XR 125MM SAFETY ANGLEGRINDER, DCG409H2T

Powerful safety angle grinder with rubber overmould provides enhanced grip and comfort. It has a brushless motor provides improved runtime and durability.

Some of the the important safety features on this grinder are:

- Electronic brake stops the wheel quickly when the trigger is released.
- Electronic clutch reduces the kickback reaction in the event of a pinch or stall.
- An Electronic clutch reacts to a bind up situation by switching off the tool.
- Electronic soft start for a more controlled start-up.

If you want to add more power to the grinder, it has a unique electronic module with pack identification technology which enables the tool to recognise when an XR FLEXVOLT battery is attached and unlock even more power.

Start with a 9.0 Ah or a 12 Ah and see the difference.

Delivered with the new 5.0 Ah Powerstack batteries

SPECIFICATIONS

Battery voltage	18 volt
No-load/rated speed	9000 min-1
Wheel diameter	125 mm
Wheel thickness (max)	6 mm
Spindle diameter	M14
Switch	Side switch
Weight (without akku)	1.74 kg

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

ART.NR.

DCG409H2T-QW

PRODUCT DESCRIPTION

18V XR ANGLEGRINDER 125MM, ELECTRIC FVA MODULE*

*Supplied with 1 x 4amp charger, 2 x DCBP518 5Ah POWERSTACK batteries in a TSTAK II kit box



NEW
5AH

18V XR

POWERSTACK

DEWALT
3 YEAR
GUARANTEE

18V XR PREMIUM TWIN KIT, DCD999/DCF850, DCK2052H2T

DCD999: The most powerful 18v drill DEWALT have made.

The combo drilldriver has an 18v brushless motor, electronics and components for extended durability, efficiency and power. If you want to add more power to the combo drilldriver, it has a unique electronic module with packidentification technology which enables the tool to recognise when an XR FLEXVOLT battery is attached and unlock even more power. Start with a 9.0 Ah or a 12 Ah, and see the difference.

DCF850: The impact driver delivers 205Nm in a 100mm compact body perfect for a wide range of applications across construction, industrial and automotive environments. Other features include a 3 mode switch for enhanced control including Precision Drive which stops the material and fastener been damaged in smaller jobs and a LED ring light to deliver the best visibility in the toughest environments

SPECIFICATIONS

Power voltage (both products)	18 volt
DCD999:	
No load speed (BPM)	0-500/1500/2250
Chuck capacity	1.5-13 mm
Max. torque (hard)	DCBP518-DCB546/112Nm, DCB548/126Nm
DCF850:	
Weight (without akku)	0,9 kg
Number of Modes	3
Product Length	100 mm
Torque	205 Nm

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

ART.NR.	PRODUCT DESCRIPTION
DCK2052H2T-QW	18V XR 2 KIT DCD999,DCF850*

* DCK2052H2T is supplied with 1 x 4amp charger, 2 x DCBP518 5Ah POWERSTACK batteries in a TSTAK II kit box



18V XR

POWERSTACK™

DEWALT
3 YEAR
GUARANTEE
★★★

18V XR PREMIUM TWIN KIT, DCD999/DCF850, DCK2052H1E1T

DCD999: The most powerful 18v drill DEWALT have made.

The combo drilldriver has an 18v brushless motor, electronics and components for extended durability, efficiency and power. If you want to add more power to the combo drilldriver, it has a unique electronic module with pack identification technology which enables the tool to recognise when an XR FLEXVOLT battery is attached and unlock even more power. Start with a 9.0 Ah or a 12 Ah, and see the difference.

DCF850: The impact driver delivers 205Nm in a 100mm compact body perfect for a wide range of applications across construction, industrial and automotive environments. Other features include a 3 mode switch for enhanced control including Precision Drive which stops the material and fastener been damaged in smaller jobs and a LED ring light to deliver the best visibility in the toughest environments

SPECIFICATIONS

Power voltage (both products)	18 volt
DCD999:	
No load speed (BPM)	0-500/1500/2250
Chuck capacity	1.5-13 mm
Max. torque (hard)	DCBP518-DCB546/112Nm, DCB548/126Nm
DCF850:	
Weight (without akku)	0,9 kg
Number of Modes	3
Product Length	100 mm
Torque	205 Nm

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

ART.NR.	PRODUCT DESCRIPTION
DCK2052H1E1T-QW	18V XR 2 KIT DCD999,DCF850*

*DCK2052H1E1T is supplied with 1 x 4amp charger, 1 x DCBP518 5Ah POWERSTACK battery, 1 x DCBP034 compact POWERSTACK battery in a TSTAK II kit box

WORLD FIRST 18V XR POWERSTACK COMPACT BATTERY

THE NEXT DIMENSION IN POWER



OUR MOST [†] POWERFUL ⁺ MOST COMPACT ⁺ LIGHTEST WEIGHT

BATTERY[‡]

WORLD'S
FIRST



18V XR

POWERSTACK

18V XR POWERSTACK COMPACT BATTERY

Introducing THE NEXT DIMENSION IN POWER™ with the 18V XR POWERSTACK™ Compact Battery. Get 50% more power* enabling faster application speeds and increased productivity with a 25% smaller** footprint using this battery that works with all the 18V XR tools you already have. This battery provides twice the lifetime*** and features an impact-resistant, overmolded base with non-marring material.

ART. NO.	PRODUCT DESCRIPTION
DCBP034-XJ	18V XR compact POWERSTACK battery

SPECIFICATIONS

Battery Voltage	18 Volt
Battery Capacity	1,7 Ah
Length	103 mm
Width	62 mm
Height	46 mm
Weight	320 gram
Rechargeable indicator	Yes
Battery cells	li-ion pouch cells

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

* Regarding 50% more power: vs. DCB183 battery, not in application. ** Regarding 25% smaller pack and more compact: footprint vs. DCB183 battery. *** Regarding 2x lifetime: charge cycles vs DCB183 battery.

**PREMIUM COMPACT
DCD805 COMBO
DRILLDRIVER
WITH COMPACT
POWERSTACK
BATTERY**

WITH DEWALT.
**THE
TOUGH
GET
TOUGHER™**



DEWALT®

POWERSTACK®

DRILLS UP TO 95% MORE HOLES*



DCBP034

DCD805

DEWALT POWERSTACK®
DRILLED***

49 HOLES

IN TOUGH LAB CHALLENGE




DCD805

DCB183

OUR COMPARABLE
CYLINDRICAL CELL BATTERY
DRILLED**

25 HOLES

IN TOUGH LAB CHALLENGE



250+ 18V XR

PART OF THE 18V XR SYSTEM

THE NEXT DIMENSION IN POWER™

WITH DEWALT
**THE
TOUGH
GET
TOUGHER™**

*DCD805 & DCBP034 vs. DCD805 & DCB183 drilling 45mm holes in 50mm SPF timber.

DCB183 18V XR 2Ah Battery. *DCBP034 18V XR Compact POWERSTACK Battery.

OUR MOST
POWERFUL
 2 SPEED
HAMMER DRILL
DRIVER



18V XR

POWERSTACK

DEWALT
3 YEAR
 GUARANTEE

18V XR COMPACT COMBO DRILL DRIVER, DCD805

The DCD805 is our latest and most powerful compact 2 speed hammer drill driver that delivers up to 90 Nm of torque in a compact 177 mm body, engineered to give you the greatest performance on the toughest jobsites. 2 speed and 15 torque settings give you the ultimate control over your drilling and fastening applications. An enhanced pivoting LED positioned on the foot offers greater visibility in dark and confined spaces.

SPECIFICATIONS

Battery voltage	18 volt
Max torque	90 Nm
Drilling capacity	Wood 55 / Metal 13 / Masonry 13 mm
No load speed drill	0 - 650 / 2000 rpm
Beats pr minute	34000 bpm
Weight without akku	1.34 kg

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

ART.NR.	PRODUCT DESCRIPTION
DCD805NT-XJ	18V XR HAMMER DRILLDRIVER, 90 NM, TSTAK, BARE
DCD805E1T-QW	18V XR HAMMER DRILLDRIVER, 90 NM, TSTAK, 1 X POWERSTACK COMPACT BATTERY, DCB112 CHARGER
DCD805E2T-QW	18V XR HAMMER DRILLDRIVER, 90 NM, TSTAK, 2 X POWERSTACK COMPACT BATTERY, DCB112 CHARGER



18V XR

POWERSTACK

DEWALT
3 YEAR
GUARANTEE

18V XR COMPACT DRILL DRIVER, DCD800

The DCD800 is our latest and most powerful compact 2 speed drill driver that delivers up to 90Nm of torque in a compact 164 mm body, engineered to give you the greatest performance on the toughest jobsites. 2 speed and 15 torque settings give you the ultimate control over your drilling and fastening applications. An enhanced pivoting LED positioned on the foot offers greater visibility in dark and confined spaces. Part of the 18V XR range of 250+ tools and batteries.

ART.NR.	PRODUCT DESCRIPTION
DCD800NT-XJ	18V XR DRILLDRIVER, 90 NM, TSTAK, BARE
DCD800E1T-QW	18V XR DRILLDRIVER, 90 NM, TSTAK, 1 X POWERSTACK COMPACT BATTERY, DCB112 CHARGER
DCD800E2T-QW	18V XR DRILLDRIVER, 90 NM, TSTAK, 2 X POWERSTACK COMPACT BATTERY, DCB112 CHARGER

SPECIFICATIONS

Battery voltage	18 volt
Max torque	90 Nm
Max drilling capacity wood	55 mm
Max drilling capacity metal	13 mm
No load speed drill	0 - 650 / 2000 rpm
Weight without akku	1.28 kg

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>



18V XR

POWERSTACK

DEWALT
3 YEAR
GUARANTEE

18V XR POWERSTACK TWIN KIT, DCK2050E2T

Premium kit for drilling and fastening application on site. The premium new combo drilldriver DCD805 with 90 Nm torque mixed together with the premium impact driver, DCF850, which delivers 205 Nm in a 100 mm compact housing, perfect for a wide range of applications across construction, industrial and automotive environments.

SPECIFICATIONS

Battery Voltage in the kit	18 Volt
DCD805:	
Max Torque	90 Nm
Drilling capacity	Wood 55 / Metal 13 / Masonry 13 mm
No load speed drill	0 - 650 / 2000 rpm
Beats pr minute	34000 bpm
Weight without akku	1.34 kg
DCF850:	
Max Torque	250 Nm
Weight without akku	0,9 kg

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

ART.NR.	PRODUCT DESCRIPTION
DCK2050E2T-QW	18V XR 2 KIT DCD805, DCF850, POWERSTACK COMPACT BATTERY, TSTAK



18V XR

POWER STACK

DEWALT
3 YEAR
GUARANTEE
★★★

18V XR 76 MM MULTI CUT OFF TOOL, DCS438E2T

Cut a wide range of materials with the 18V XR Cut Off Tool. With a no-load speed of 20,000 rpm, this durable tool is designed to cut through a variety of materials like metal, tile, stone, plastic, and drywall/fibre cement. With both forward and reverse capability, you can conveniently change the direction of the cut depending on the application. The included dust shroud with adjustable shoe and AirLock connection allows for convenient attachment to DEWALT extractors.

* Content to = DCS438 Cut Off Tool, Tool Free Dust Guard, 1 X Bonded Abrasive Cut Off Wheel, 1 X Diamond Tile Blade, 1 x Multi-Material Diamond disc, Blade Wrench - Packed in Carton.

** Content to = DCS438 Cut Off Tool, Tool Free Dust Guard, 2 x DCBP034 Powerstack Batteries, 1 x 2amp charger, 1 x Bonded Abrasive Cut Off Wheel, 1 x Diamond Tile Blade, 1 x Multi-Material Diamond disc, Blade Wrench, supplied in TSTAK Compatible Kitbox.

SPECIFICATIONS

Battery Voltage	18 volt
Max cutting capacity	22 mm
Disc size	76 mm
Bore size	10 mm
No load speed	20000 rpm
Weight without akku	0.8 kg

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

ART.NR. PRODUCT DESCRIPTION

DCS438N-XJ	18V XR 75MM CUT OFF TOOL BARE*
DCS438E2T-QW	18V XR 75MM CUT OFF TOOL TSTAK 2 X POWERSTACK BATTERIES**



18V XR COMPACT POWERSTACK BATTERY TWIN PACK, DCBP034E2

THE NEXT DIMENSION IN POWER™ with the 18V XR POWERSTACK™ Compact Battery. Get 50% more power* enabling faster application speeds and increased productivity with a 25% smaller** footprint using this battery that works with all the 18V XR tools you already have. This battery provides twice the lifetime*** and features an impact-resistant, overmolded base with nonmarring material.

SPECIFICATIONS

Battery voltage	18 Volt
Battery capacity	1,7 Ah
Length	103 mm
Width	62 mm
Height	46 mm
Weight	320 g
Rechargeable indicator	Yes
Battery cells	Li-ion pouch cells

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

ART. NO. PRODUCT DESCRIPTION

DCBP034E2-XJ	18V POWERSTACK STARTERKIT 2 x DCBP034
--------------	---------------------------------------

* Regarding 50% more power: vs. DCB183 battery, not in application. ** Regarding 25% smaller pack and more compact: footprint vs. DCB183 battery.*** Regarding 2x lifetime: charge cycles vs DCB183 battery.



18 V XR ULTRA COMPACT PREMIUM 3 SPEED IMPACT DRIVER, DCF850

Ultra compact tool at only 100 mm is very comfortable to use and fits in confined spaces. 1/4" (6.35 mm) 'drop in' bit holder allows for quick, one handed fitment. High power yet extremely compact Brushless motor outputs up to 205 Nm of torque and ensures heavy applications are completed quickly. Compatible with all DEWALT 18V XR battery packs. 3 x LED "Halo" light ring offers excellent workpiece lighting. Application control is achieved through 3 motor speeds and torque settings including PrecisionDrive. This mode "Precision Drive" offers additional control in screwdriving applications to avoid material and fastener damage. Supplied with NEW Compact POWERSTACK Battery.

SPECIFICATIONS

Motor	18 Volt
No load speed	3.250 rpm
Fastening torque	205 Nm
Impact rate	3.800
LED	3 LED, halo lightning
Belt hook	Yes

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

ART. NO.

PRODUCT DESCRIPTION

DCF850E1T-QW	18V XR Ultra impactdriver, 1 x POWERSTACK battery and a 2.0 Ah charger
DCF850E2T-QW	18V XR Ultra impactdriver, 2 x POWERSTACK battery and a 2.0 Ah charger



18V XR

POWER STACK

18V XR COMPACT IMPACT WRENCH (HOG RING), DCF921E2T

Up to 610 breakaway torque (406 Nm of fastening torque) ensures removal of the tightest bolts. Ultra compact, light weight design allows for use in confined areas. Square drive with hog ring allows quick socket changes. Hole in anvil allows securing of sockets with a retaining pin/rubber O-ring. Ideal for scaffolders. Bright white LED with delay feature for improved visibility and functionality. Scaffolding Mode: Helps to prevent overtightening in forward and fastener run-off in reverse. Supplied with NEW compact POWERSTACK battery pack.

SPECIFICATIONS

Motor	18 volt
Anvil	1/2" - Hogring
Breakaway torque	610 Nm
Fastening torque	406 Nm
Variable speed	Tactile 4 mode select feature with Scaffold Mode Mode 1 = Low speed, Mode 2 = High Speed, Mode 3 = Precisions wrench Mode 4 = Scaffolding Mode
Weight (without akku)	1,1 kg

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

ART. NO.	PRODUCT DESCRIPTION
DCF921E2T-QW	18V XR Impact wrench, 1/2", 406 Nm, 2 x POWERSTACK batteries and 2.0 Ah charger



18V XR ULTRA COMPACT SDS-PLUS HAMMER, DCH172E2T

Compact and lightweight SDS+ hammer for optimum ergonomics and one-handed use. Class leading 1.4 joule impact energy from an ultra compact unit. Low vibration with only 8.8m/s² for increased usage time. Forward compatible with lanyard/tether attachment. Greater safety and security when working at heights. Supplied with NEW Compact POWERSTACK Battery Packs

SPECIFICATIONS	
Motor	18 volt
Impact energy	1.4 joule
Optimal drilling range in concrete	Ø4 mm – Ø12 mm
No-Load RPM	0 - 1060
No-Load BPM	4980
Vibration	8.8 m/s ²
Weight	2.1 kg (with 2.0 Ah pack)

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

ART. NO.	PRODUCT DESCRIPTION
DCH172E2T-QW	18V XR SDS PLUS Hammer, 2 X POWERSTACK batteries, and 2.0 Ah charger



18V XR **POWERSTACK**

18V XR IMPACT DRIVER, DCF840E1T

Compact tool at only 129 mm and is very comfortable to use. 1/4" (6.35 mm) 'drop in' bit holder allows for quick, one handed fitment. High power yet compact Brushless motor outputs up to 192 Nm of torque. 3200 rpm ensures applications are completed quickly. 3 x LED "Halo" light ring offers excellent workpiece lighting. Supplied with NEW Compact POWERSTACK Battery Pack

SPECIFICATIONS

Motor	18 volt
Fastening torque	192 Nm
RPM	3.200
Length	129 mm
Weigt	0,9 kg
LED	Yes, 3 x LED light Ring

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

ART. NO. PRODUCT DESCRIPTION

DCF840E1T-XJ	18V XR Impact driver, TSTAK 1 X POWERSTACK battery*
--------------	---

* Kit delivered without a charger



18V XR

POWER STACK

18V XR DRYWALL SCREWDRIVER, DCF620E1K

Drywall Screwdriver for efficient fitting of drywall. Powerful 4.400 rpm BRUSHLESS motor drives screws efficiently and effectively offering maximum runtime and a compact tool. Quick release collated screw magazine accepts most collated screws to allow the user to fit boards more quickly. Easy collated screw magazine opening to allow for quick cleaning of drywall dust. Collated screw magazine rotates on tool without removal to allow the operate in corners with the minimum of fuss. Supplied with NEW Compact POWERSTACK Battery Pack.

SPECIFICATIONS

Motor	18 volt
No-load speed	0 - 4.400 Rpm
Bit holder	6,35 mm
Maximum torque (hard/soft)	30/5 Nm
Screw length suitability	25-57 mm

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

ART. NO. PRODUCT DESCRIPTION

DCF620E1K-XJ 18V XR Drywall driver 1 x POWERSTACK*

*E1T version supplied with 1 x DCBP034 POWERSTACK battery, DCF6202 collated screw attachment, single screw nose cone, 2 x DT PH2 bits, DT7520-QZ Magnetic bit holder, in a TSTAK II box (no charger)



18V XR **POWERSTACK**

18V XR COMPACT RECIPROCATING SAW, DCS369E1T

Brushless motor for extended run-time, reliability & durability. Compact Saw allows better access to hard-to-reach cuts. Compact gearbox design helps to deliver very low vibration of 5.5 m/s² (wooden beams), 8.1 m/s² (wooden boards). 16 mm stroke length and 0 - 3000 spm for excellent cutting performance. LED light to aid visibility in darker areas. Quick and easy tool free blade change. Supplied with NEW Compact POWERSTACK Battery Pack.

SPECIFICATIONS

Motor	18 volt
No-load speed	0-2.800 min-1
Stroke length	16 mm
Cutting capacity in wood/ metal profiles/plastic tubes	90/40/90 mm
Weight (without battery pack)	1.43 kg
Vibration while cutting board	8.1 m/s ²
Vibration while cutting wooden beam	5.5 m/s ²

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

ART. NO. PRODUCT DESCRIPTION

DCS369E1T-XJ	18V XR Reciprocating saw 1 x POWERSTACK battery*
--------------	--

* Kit delivered without a charger



18V XR OSCILLATING TOOL, DCS356E1T

3 stage speed control. No longer need to feather the trigger for the ideal speed. Universal Accessory Adaptor for use with most oscillating tool accessory brands. 35 pc Accessory Set to support a range of cutting and sanding applications. Bright LED light illuminates dark work surfaces for accurate cutting.

DUAL-GRIP Variable Speed Trigger + 3 stage speed control, provides the ultimate speed and application control. QUICK-CHANGE Accessory System allows blades and attachments to be changed quickly without the use of tools. Supplied with NEW Compact POWERSTACK Battery Pack.

SPECIFICATIONS

Motor	18 volt
Oscillating frequency	0 - 20.000 min-1
Oscillating angle	1.6°
Speed 1,2,3 (min-1)	15.000/17.000/20.000
Weight (without battery pack)	1,1 kg
Vibration emission value	12.4 m/s2

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

ART. NO. PRODUCT DESCRIPTION

DCS356E1T-XJ	18V XR Oscillating tool, 1 X POWERSTACK battery*
--------------	--

* DCS356E1T-XJ supplied with 1 x DCBP034 POWERSTACK battery in TSTAK II box with: (1) Wood Fast Cut Blade, (1) Wood-Metal Blade, (1) Detail Blade, (1) Half Moon Flush Cut Blade, (1) Half Moon Grout Removal Blade, (1) Sanding Pad, (25) Sandpaper Sheets, (1) Accessory Adapter, (1) Dust Extraction Attachment, (1) Depth Control Adapter, (1) Scraper Blade. (no charger)



**POWER
STACK**

18V XR

18V XR 115MM CIRCULAR SAW, DCS571E1T

This saw is optimized for sawing in boards and interior materials. Improved ergonomic design and rubber grip increase comfort. Thin kerf 115 mm, 24 tooth carbide-tipped blade allows for efficient run time and fast, smooth cut finish at maximum 38 mm depth of cut. Keyless bevel angle and depth of cut adjustment with easy to read scale for maximum cordless versatility. Extremely durable tool design, including a cast gearbox for repetitive, accurate cuts. Intelligent trigger allowing total control over all applications. Lock off switch and electronic motor brake for additional control and work safety. Supplied with NEW Compact POWERSTACK Battery Pack

SPECIFICATIONS

Motor	18 Volt
No-load speed	4.500 min-1
Blade diameter	115 mm
Maximum depth of cut	39.5 mm
Blade bore	9.5 mm
Bevel angle adjustment	0°-45°
Weight (without battery pack)	2.5 kg

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

ART. NO. PRODUCT DESCRIPTION

DCS571E1T-XJ 18V XR Circular saw, 115 mm, 1 x POWERSTACK battery*

* Kit delivered without a charger



18V XR **POWERSTACK™**

18 VOLT XR POWERSTACK TWIN KIT, DCK2062E2T

Popular twinkit with drilldriver and impactdriver, now added with 2 compact POWERSTACK batteries and charger in a TSTAK.

ART. NO.	PRODUCT DESCRIPTION
DCK2062E2T-QW	18V XR 2 Kit DCD709, DCF809, 2 x POWERSTACK, incl. charger and TSTAK

SPECIFICATIONS

DCD709 brushless hammer drill driver

Max chuck capacity	13 mm chuck
Max torque	60 Nm
No load speed	0-450/0 - 1.650 rpm.
Product length	175 mm long

DCF809 brushless impact driver

Product length	131 mm long
Fastening torque	190 Nm

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>



DCBP034G – 18V 30,6 WH



DCB183G – 18V 2.0 AH



DCB183G – 18V 5.0 AH



DCB547G – 18V/54V 9.0 AH



18V XR POWERSTACK GFN AUTO BATTERY, DCBP034G

Introducing THE NEXT DIMENSION IN POWER™ with the 18V XR POWERSTACK™ Compact Battery. Get 50% more power* enabling faster application speeds and increased productivity with a 25% smaller** footprint using this battery that works with all the 18V XR tools you already have. This battery provides twice the lifetime*** and features an Glass-Filled Nylon (GFN) housing with 25% glass-filled material. Provides strength and rigidity for improved impact resistance. Resistant to common garage greases and oils and provides improved chemical resistance with high heat-resistance.

SPECIFICATIONS

Battery voltage	18 Volt
Battery Capacity	30,6 Wh
Length	103 mm
Width	62 mm
Height	46 mm
Weight	320 gram
Rechargeable indicator	Yes
Battery cells	li-ion pouch cells

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

ART.NR. PRODUCT DESCRIPTION

DCBP034G-XJ	18V XR COMPACT POWERSTACK GFN BATTERY
-------------	---------------------------------------

* Regarding 50% more power: vs. DCB183 battery, not in application. ** Regarding 25% smaller pack and more compact: footprint vs. DCB183 battery.*** Regarding 2x lifetime: charge cycles vs DCB183 battery



18V XR

POWERSTACK

DEWALT
3 YEAR
GUARANTEE
★★★

18V XR POWERSTACK STARTERKIT, DCB1102E2

This new Powerstack starterkit with a charger is the perfect kit to add your toolbox of DEWALT powertools and gives your tools a high performance in a very compact housing. You will get 50% more power* enabling faster application speeds and increased productivity with a 25% smaller** footprint using this battery that works with all the 18V XR tools you already have. This battery provides also twice the lifetime*** and features an impact-resistant, overmolded base with nonmarring material.

SPECIFICATIONS

Battery voltage	18 volt
Battery Capacity	30,6 Wh
Length	103 mm
Width	62 mm
Height	46 mm
Weight	320 gram
Rechargeable indicator	Yes
Battery cells	Li-ion pouch cells

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>

ART.NR.	PRODUCT DESCRIPTION
DCB1102E2-QW	18V XR BATTERY STARTER KIT 2 X DCBP034, 1 X DCB1102 CHARGER

* Regarding 50% more power: vs. DCB183 battery, not in application. ** Regarding 25% smaller pack and more compact: footprint vs. DCB183 battery. *** Regarding 2x lifetime: charge cycles vs DCB183 battery

DEWALT

POWERSTACK



THE
NEXT DIMENSION
IN POWER



250+
18V XR

THE COMPACT POWERSTACK BATTERIES DELIVER 50% MORE POWER* WITH A 25% SMALLER* FOOTPRINT AND WORK WITH ALL THE 18V XR TOOLS YOU ALREADY HAVE.

OUR MOST POWERFUL 2 SPEED DRILL DRIVER

DCD800E2T - 18V XR BRUSHLESS DRILL DRIVER

The DCD800 is our latest and most powerful brushless 2 speed Drill Driver that delivers up to 90Nm of torque in a compact 164mm body, engineered to give you the greatest performance on the toughest jobsites. 2 speed and 15 torque settings give you the ultimate control over your drilling and fastening applications. An enhanced pivoting LED positioned on the foot offers greater visibility in dark and confined spaces.

GUARANTEED TOUGH.®

*Regarding 50% more power: vs. DCB183 battery, not in application. Regarding 25% smaller pack and more compact: footprint vs. DCB183 battery.



THE
NEXT DIMENSION
IN POWER



250+
18V XR

OUR SMALLEST, MOST POWERFUL 18V XR IMPACT DRIVER

DCF850E2T - 18V XR BRUSHLESS COMPACT DRILL DRIVER

The DCF850 delivers 205Nm of torque in a 100mm compact body perfect for a wide range of applications across construction, industrial and automotive environments. Other features include a 3 mode switch for enhanced control including Precision Drive which stops the material and fastener been damaged in smaller jobs and a LED ring light to deliver the best visibility in the toughest environments.

DEWALT.COM



18V XR

POWERSTACK

DEWALT
3 YEAR
GUARANTEE

18V XR POWERSTACK TWIN KIT, DCK2051E2T

Premium kit for drilling and fastening application on site. The new premium drilldriver DCD800 with 90 Nm torque mixed together with the premium impact driver, DCF850, which delivers 205 Nm in a 100 mm compact housing, perfect for a wide range of applications across construction, industrial and automotive environments.

SPECIFICATIONS

Battery Voltage in the kit	18 V
DCD800:	
Max Torque	90 Nm
Drilling capacity	Wood 55 / Metal 13 / Masonry 13 mm
No load speed drill	0 - 650 / 2000 rpm
Beats pr minute	34000
Weight without akku	1.34 kg
DCF850:	
Max Torque	205 Nm
Weight without akku	0,9 kg

ART.NR.

PRODUCT DESCRIPTION

DCK2051E2T-QW

18V XR 2 KIT DCD800, DCF850, POWERSTACK COMPACT BATTERY, TSTAK

Warranties

3 Year guarantee - to obtain 3 years guarantee on the POWERSTACK batteries, each of the batteries needs to be registered in "MY DEWALT" via this link <https://www.dewalt.eu/3/>



WITH DEWALT.

THE
TOUGH
GET
TOUGHER™

**HIGH-PERFORMANCE
BRUSHLESS MOTOR**
EFFICIENT PERFORMANCE AND RUNTIME



250+
18V XR™

**COMPATIBLE WITH ALL
DEWALT 18V XR TOOLS
AND CHARGERS**

DEWALT®

POWERSTACK™



WITH DEWALT.

THE
TOUGH
GET
TOUGHER™

QUESTIONS AND ANSWERS TO THE POWERSTACK COMPACT BATTERY TECHNOLOGY

Do the batteries charge faster, the same, or longer than existing batteries?

► The 18V DEWALT POWERSTACK™ Compact Battery accepts the same maximum charge rate as our existing 18V XR batteries, at 4 Amps. When using a 4 Amp (or higher) charger, the expected charge time for a fully depleted battery would be around 30 minutes.

Do the batteries last longer, the same, or shorter than existing batteries?

► The 18V DEWALT POWERSTACK™ Compact Battery has 2x the lifetime of DEWALT's current compact 18V XR battery offering.

Do the batteries come with a guarantee?

► Our 18V DEWALT POWERSTACK™ Compact Battery is backed by a 3 Year Guarantee. Subject to registration. Terms and conditions apply.

Is the price similar to existing batteries? Or if more, why? Or if less, why?

► The 18V DEWALT POWERSTACK™ Compact Battery has a slightly higher retail than our existing 18V XR Compact batteries due to the performance, ergonomics and value benefits to the user.

Do these batteries work with the tools I already have? Do these batteries work with all 18V XR tools?

► Yes, the 18V DEWALT POWERSTACK™ Compact Battery works with all DEWALT 18V XR Tools and Chargers.

What is your 50% power claim compared to?

► The DCBP034 has 50% greater power in comparison to our DCB183 18V XR 2Ah Compact Battery

How does this system compare to the XR FLEXVOLT battery platform?

► The 18V DEWALT POWERSTACK™ Compact Battery offers power in a compact, lightweight design for light to moderate applications. Our XR FLEXVOLT™ battery platform is our most powerful offering to date, giving users the ability to switch from 18V and 54V tools to tackle heavy duty applications only previously possible with corded tools.

Will this work with all my chargers? Do I need a special charger for this battery?

► You do not need a special charger. Any DEWALT® 18V XR compatible charger can support the 18V DEWALT POWERSTACK™ Compact Battery.

What tools would you recommend using with this battery?

► The 18V DEWALT POWERSTACK™ Compact Battery is a balance of performance and ergonomics. We recommend using it for any light to moderate cutting, drilling, fastening, and grinding applications where precision and efficiency is key. Please look at the battery barometer in this material, in order to get a hint for which kind of a power tool we recommend for each of the batteries in the XR range.

Why no "Ah" stated on the side of the POWERSTACK batteries, as on "normal DW batteries"?

► The pouch cell outperform the cylindrical cell, so it makes amperes argument redundant and (Cylindrical versus Pouch) The numbers of Ah does not match the power as it will do with normal cylindrical battery cells, especially in higher current applications.

The DCBP034 has 50% greater power in comparison to our DCB183 18V XR 2Ah Compact Battery. 1,7 Ah and 30,6 Wh (1.7 X 18V) will be laser printed on the bottom of the batteries instead. We are using nominal voltage to calculate Wh.

YELLOW DEMON

EVENT TRUCK TOUR 2023



**SEE AND TEST
THE POWERSTACK
TECHNOLOGY ON THE
YELLOW DEMON
TRUCK TOUR 2023**

**DRIVING AROUND IN THE NORDIC
COUNTRIES FROM MARCH TO
NOVEMBER 2023. FOLLOW THE
TOURPLAN ON THE NORDIC
DW WEBPAGES
– SEE YOU THERE!**

WITH DEWALT

**THE
TOUGH
GET
TOUGHER**



BE THE FIRST TO HEAR DEWALT NEWS



WELCOME TO MYDEWALT

Have a tough love for tools? Serious about your tools? Then why not be part of our community that takes this passion to the max? Joining lets you unlock extended tool warranties, gives quick access to news and events, and helps you easily see your tool inventory.

WHY JOIN?

As a MYDEWALT user, you can extend the warranty on some of your DEWALT tools to 3 years. Just subscribe at MYDEWALT, follow the instructions on how to register your new product and add it to your Tool Overview within 4 weeks of purchase.

- Register products for an extended guarantee
 - up to 3 years
- Get the latest news, updates, and deals as soon as they're available
- Leave reviews on products
- Be part of the community

CREATE AN ACCOUNT

Already registered? Sign in here
WWW.DEWALT.UK/MYDEWALT

www.DEWALT.com

The yellow and black colour scheme is used on DeWALT Power Tools and Accessories as a trademark. DeWALT cannot be held liable for any inaccuracies of description or illustration and reserve the right to change specifications without notification.

Be the first to see product news and special offers from DeWALT. Register at MyDeWALT

REGISTER AT

MY **DEWALT**[®]